

## DAFTAR PUSTAKA

- Abdulkareem IH, 2013. A review on aetio-pathogenesis of breast cancer. *J Genet Syndr Gene Ther* 4(5): 1–4.
- Alali FQ, Liu XX, McLaughlin JL, 1999. Annonaceus acetogenins: recent progress. *J Nat Prod* 62: 504–540.
- Alao JP, 2007. The regulation of *siklin D1* degradation: roles in cancer development and the potential for the rapeutic invention. *Molecular Cancer*, 6(24):1-16.
- American Cancer Society. *Cancer Facts and Figures 2014*. Atlanta, Ga: American Cancer Society; 2014. Avalaibel from: <http://www.cancer.org>. [Accesed 28 Maret 2014].
- Arnold A, Papanikolaou A, 2006. *Siklin D1* in Breast Cancer Pathogenesis. *J Clin Oncol*, 23:4215-4224.
- Arora J, Roat C, Goyal S, Ramawat KG, 2009 High Stilbenes accumulation in root culture of *Cayratia trifolia* (L.) Domin grown in shake flask. *Acta Physiol Plant.*, 31:1307–11.
- Baileya ST, Shina H, Westerlinga T, Liua XS, Brown M, 2012. Estrogen receptor prevents p53 wild type-dependent apoptosis in breast cancer. *PNAS* 109(44):18060–18065.
- Bartek J, Lukas J, 2007. DNA damage checkpoints: from initiation to recovery or adaptation. *Current Opinion in Cell Biology* 19:238–245.
- Bhatia PK., Wang Z., Friedberg EC, 1996. DNA repair and transcription, *J CurrenOpinion in Genetics and Development*. 6: 146-150.
- Cairns RA, Harris IS, Mak TW, 2011. Regulation of cancer cell metabolism. *Nature review Cancer*, 11:85-95.
- Cancer Institute’s Surveillance Epidemiology and Results (SEER), 2012. *Cancer Prevalence : How Many people Have Cancer ?*, May 1.
- Cavenee WK, White RL, 1995. The Genetic Basis of Cancer. *J. Scientific American*, March: 72-75.
- Cerella C, Radogna F, Dicato M, Diederich M, 2013. Natural compounds as regulators of the cancer cell metabolism. *International Journal of Cell Biology* 2013:1–16.
- Chahboune N, Barrachina I , Royo I, Romero V, Saez J, Tormo JR, Pedro ND, Estornell E, Zafra-Polo MC, Pelaez F, Cortes D, 2006. Guanacetins, new

antitumoral acetogenins, mitochondrial complex I and tumor cell growth inhibitors. *Bioorganic & Medicinal Chemistry* 14:1089–1094.

- Chaitanya GV, Alexander JS, Babu PP, 2010. PARP-1 cleavage fragments: signatures of cell-death proteases in neurodegeneration. *Cell Communication and Signaling* 8(3):1–11.
- Champy P, Hoöglinger GU, Feger J, Gleye C, Hocquemiller R, Laurens A, Guerineau V, Laprevote O, Medja F, Lombe`s A, Michel PP, Lannuzel A, Hirsch EC, Ruberg M, 2004. Annonacin, a lipophilic inhibitor of mitochondrial complex I, induces nigral and striatal neurodegeneration in rats: possible relevance for atypical parkinsonism in Guadeloupe. *Journal of Neurochemistry* 88:63–69.
- Chen CK, Pace-Asciak CR. Vasorelaxing activity of resveratrol and quercetin in isolated rat aorta. *Gen Pharmacol.* 1996;27:363–6.
- Chen T, Wang Q, Cui J, Yang W, Shi Q, Hua Z, Ji J, Shen P, 2005. Induction of apoptosis in mouse liver by microcystin-LR . A combined transcriptomic, proteomic, and simulation strategy. *Molecular & Cellular Proteomics*, 4:958–974.
- Chin PY, Macpherson AM, Thompson JG, Lane M, Robertson SA, 2009. Stress response genes are suppressed in mouse preimplantation embryos by granulocyte-macrophage colony-stimulating factor (GM-CSF). *Human Reproduction*, 24(12):2997–3009.
- Cochrane CB, Nair PKR, Melnick SJ, Resek AP, Ramachandran C, 2008. Anticancer effects of annonaglabra plant extracts in human leukemia *cell lines*. *Anticancer Research* 28: 965–972.
- Currier N, Solomon SE, Demicco EG, Chang DLF, Farago M, Ying H, Dominguez I, Sonenshein GE, Cardiff RD, Xiao Z-XJ, Sherr DH, Seldin DC, 2005. Oncogenic signaling pathways activated in DMBA-induced mouse mammary tumors. *Toxicol Pathol*, 33:726-737.
- Cocca BA, Cline AM, Radic MZ, 2002. Blebs and apoptotic bodies are B cell autoantigens. *The Journal of Immunology* 169:159–166.
- Dahia PLM, 2000. PTEN, a unique tumor suppressor gene. *Endocrine Related Cancer* (7): 115-129.
- Davis WL, Matthew SB, 2000. Antioxidant and Cancer III: Quercetin. *Altem Med Rev*; 5(3) : 196-208.
- D'Ambrosio SM, Han C, Pan L, Kinghorn AD, Ding H, 2011. Aliphatic acetogenin constituents of avocado fruits inhibit human oral cancer cell proliferation by targeting the EGFR/RAS/RAF/MEK/ERK1/2 pathway. *Biochem Biophys Res Commun.* 409(3): 465–469.

- Dharmayanti I. Kajian biologi molekuler: gen supresor tumor (p53) sebagai target gen dalam pengobatan kanker. *Wartazoa* 2003; 13:99-107206.
- Drobnjak M, Osman I, Scher HI, Fazzari M, Cordon-Cardo C, 2000. Overexpression of *Siklin D1* Is Associated with Metastatic Prostate Cancer to Bone. *Clin Cancer Res* 6:1891-1895.
- Ellis IO, Schnitt SJ, Garau XS, Bussolati G, Tavassoli FA, Eusebi V, Mukai K, Tabar L, Jacquieimer, Cornelisse CJ, Sasca AJ, 2003. Invasive Breast Carcinoma. In (Fattaneh A, Tavassoli, Deville P). WHO clasification of tumours of the breast and Female genital Organ, 3<sup>th</sup> ed. Lyon: IARC press, pp. 14–17.
- Escobar-Khondiker M, Ho¨llerhage M, Muriel MP, Champy P, Bach A, Depienne C, Respondek G, Yamada ES, Lannuzel A, Yagi T, Hirsch EC, Oertel WH, Jacob R, Michel PP, Ruberg M, Ho¨glinger GU, 2007. Annonacin, a natural mitochondrial complex I inhibitor, causes tau pathology in cultured neurons. *The Journal of Neuroscience* 27(29):7827–7837.
- Faisel CTW, Heriady Y, Fitriangga A, 2012. Gambaran efek samping kemoterapi berbasis antrasiklin pada pasien kanker payudara di RSUD Dokter Soedarso Pontianak. <http://jurnal.untan.ac.id/index.php/jfk/article/download/1769/1713>. [diunduh 5 Desember 2013].
- Ferlay J, Shin HR, Bray F, Forman D, Mathers C, Parkin DM, 2010. Estimates of worldwide burden of cancer in 2008: GLOBOCAN 2008. *Int J Cancer* 127:2893–2917.
- Formagio ASN, Kassuya CAL, Neto FF, Volobuff CRF, Iriguchi EKK, Vieira MC, Foglio MA, 2013. The flavonoid content and anti-proliferative, hypoglycaemic, anti-inflammatory and free radical scavenging activities of *Annonadioica* St. Hill. *BMC Complementary and Alternative Medicine* 13(14):1–8.
- Frank AK, Pietsch C, Dumont P, Tao J, Murphy ME, 2011. Wild-type and mutant p53 mutan proteins interact with mitochondrial caspase-3. *Cancer Biology & Therapy* 11(8):740–745.
- Gajalakshmi S, Vijayalakshmi S, Rajeswari VD, 2012. Phytochemical and pharmacological properties of *annonamuricata*: a review. *IntJ Pharm PharmSci* 4(2): 3–6.
- Ghantous A, Saikali M, Rau T, Gali-Muhtasib H, Schneider-Stock R, Darwiche N 2012. Inhibition of Tumor Promotion by Parthenolide: Epigenetic Modulation of p21. *Cancer Prev Res*, 5(11): 1298–309.

- Ghobrial IM, Witzig TE, Adjei AA, 2005. Targeting apoptosis pathways in cancer therapy. *CA Cancer J Clin* 55:178–94.
- Gonzalez CA, Guadano A, de Ines C, Martinez-Diaz R, Cortes D, 2002. Selective action of acetogenin mitochondrial complex I inhibitors. *Z Naturforsch* 57c:1028–1034.
- Hamizah S, Roslida AH, Fezah O, Tan KL, Tor YS, Tan CI, 2012. Chemopreventive potential of annonamuricata leaves on chemically-induced skin papillomagenesis in mice. *Asian Pacific J Cancer Prev* 13:2533–2539.
- Harashima H, Schnittger A, 2012. Robust reconstitution of active cell-cycle control complexes from co-expressed proteins in bacteria. *Plant Methods* 8(23):1–9.
- He HB, Wu XL, Yu B, Liu KL, Zhou GX, Qian GQ, Ju DH, Chen XY, 2011. The effect of desacetylurvaricin on the expression of TLR4 and P53 MUTAN protein in Hepg 2.2.15. *Hepat Mon*, 11(5): 364–367.
- Hendana W, 2012. Toksisitas akut ekstrak daun sirsak ratu (*annonamuricata*) dan sirsak hutan (*annonaglabra*) sebagai potensi anti kanker. FMIPA Institut Pertanian Bogor, Bogor.
- Homhua S, Tonggok P, Bonjim J. Evaluation of Biological activities of Crude Extracts from *Cratoxylum formosum* (Jack.) Dyer. and *Cayratia trifolia* L. Domin young shoots. *J Ubon Rajathanee Uni.* 2007,9:54–60.
- Hortobagyi GN, 2012. Toward individualized breast cancer therapy: translating biological concepts to the bedside. *The Oncologist* 17:577–584.
- Huang CY, Kuo WT, Huang YC, Lee TC, Yu LCH, 2013. Resistance to hypoxia-induced necroptosis is conferred by glycolytic pyruvate scavenging of mitochondrial superoxide in colorectal cancer cells. *Cell Death and Disease* 4:1–11.
- Ishizuya-Oka A, Hasebe T, Shi YB, 2010. Apoptosis in amphibian organs during metamorphosis. *Apoptosis* 15(3):350–364.
- Israelsen WJ, Heiden MG, 2010. ATP consumption promotes cancer metabolism. *Cell*, 143: 669-671.
- Joza N, Santos A, Susin SA, Eric Daugas E, William L. Stanfordk WL, Cho SK, Li CYJ, Sasaki T, Elia AJ, Cheng HYM, Ravagnan L, Ferri KF, Zamzami N, Wakeham A, Hakem R, Yoshida H, Kong Y, Mak TW, Zuanaiga-Pfluecker JC, Kroemer G, Penninger JM, 2001. Essential role of the mitochondrial apoptosis-inducing factor in programmed cell death. *Nature* 410:549–559.
- Kamarlis RK, 2009. Tampilan imunositokimia HER2/neu pada biopsy aspirasi jarum halus penderita kanker payudara. Tesis, Universitas Sumatera Utara, Medan.

- Kimura Y, Okuda H, 2000. Effects of naturally occurring Stilbene glucosides from medical plant and wine, on tumour growth and lung metastasis in Lesis lung carcinoma bearing mice. *J.pharmcal*, Okt, 52(100): 1287-95.
- Koss LG, Melamed MR, 2006. Koss' diagnostic cytology and its hitopathologic basis, 5<sup>Th</sup> ed. Philadelphia: Lippincott Williams & Wilkins, pp 1104–30.
- Kumar D, Kumr S, Gupta J, Arya R, Gupta A, 2011. A review on Chemical and Biological properties of Cayratia trifolia Linn (Vitaceae), *Pharmacogn*, Juli, 5(210): 184-8.
- Kumar V, Abbas AK, Fausto N, 2005. Robbins and Cotran pathologic basis and disease, 7<sup>th</sup> ed. Philadelphia: Elsevier Saunders, pp 269–342, 1129–1149.
- Lannuzel A, Michel PP, Höglinger GU, Champy P, Jousset A, Medja F, Lombès A, Darios F, Gleye C, Laurens A, Hocquemiller R, Hirsch EC, Ruberg M, 2003. The mitochondrial complex I inhibitor annonacin is toxic to mesencephalic dopaminergic neurons by impairment of energy metabolism. *Neuroscience*121(2):287–296.
- Liang YJ, Zhang X, Dai CL, Zhang JY, Yan YY, Zeng MS, Chen LM, Fu LW, 2009. Bullatacin triggered ABCB1-overexpressing cell apoptosis via the mitochondrial-dependent pathway. *Journal of Biomedicine and Biotechnology* 1:1–9.
- Liu YQ, Cheng X, Guo LX, Mao C, Chen YJ, Liu HX, Xiao QC, Jiang S, Yao YZ, Zhou GB, 2012. Identification of an annonaceous acetogenin mimetic, AA005, as an AMPK activator and autophagy inducer in colon cancer cells. *Plos one* 7(10):1-11.
- Luo H, Rankin GO, Liu L, Daddysman MK, Jiang BH, Chen Y, 2009. Kaempferol Inhibits angiogenesis and *VEGF* expression through both HIF dependent and Independent pathways in human ovarium cancer cells. *Nutr Cancr* 61(4): 554-63.
- Malumbres M, Barbacid B, 2009. Cell cycle, CDKs and cancer: a changing paradigm. *Nature Review Cancer* 9:153–162.
- Matsui Y, Takefumi T, Yonezawa YK, Takemura M, Fugawara F, Yoshida H, Mizhusina Y, 2010. The relationship between the molecular structure of natural acetogenins and their inhibitory activities which affect DNA polymerase, DNA topoisomerase and human cancer cell growth. *Experimental and Theurapetic Medicinal* 1:19-26.
- McDonald M, Herzt RP, Lowenthal SWP. 2008. The burden of cancer in Asia. Japan: Pfizer. pp.1–92.
- McLaughlin JL, 2008. Paw paw and cancer: annonaceous acetogenins from discovery to commercial products. *J Nat Prod* 71:1311–1321.

- Millour J, de Olano N, Horimoto Y, Monteiro LJ, Langer JK, Aligue R, Hajji N, Lam EW-F, 2012. ATM and p53 wild type regulate FOXM1 expression via E2F in breast cancer epirubicin treatment and resistance. *Mol Cancer Ther* 10(6):1046–1058.
- Mukherjee S, Koner BC, Ray S, Ray A, 2006. Environmental contaminants in pathogenesis of breast cancer. *Ind J Exp Biol*, 44:597-617.
- Nicolier M, Decrion-Barthod A, Launay S, Pretet J, Mougín C, 2009. Spatiotemporal activation of caspase dependent and independent pathways in staurosporine-induced apoptosis of p53 wild type<sup>wt</sup> and p53 wild type<sup>mt</sup> human cervical carcinoma cells. *Biol Cell* 101(8):455–467.
- Ng CH, Pathy NB, Taib NA, Teh YC, Mun KS, Amiruddin A, Sinuraya AS, Rhodes A, Yip CH, 2011. Comparison of breast cancer in Indonesia and Malaysia—aclinico-pathological study between Dharmas Cancer Centre Jakarta and University Malaya Medical Centre, Kuala Lumpur. *Asian Pacific J Cancer Prev* 12:2943–2946.
- Okada and Hitoshi T, 2004. Pathways of Apoptotic and Non Apoptotic Death in Tumor cells, Institute for Breast Cancer Research/Ontario Cancer Institute, 620 University Avenue, Toronto, Ontario, Canada. Vol.4, edisi august.
- Okun JP, Lummen P, Brandt U. Three classes of inhibitors share a common binding domain in mitochondrial complex I (NADH: Ubiquinone oxidoreductase). *The Journal of Biological Chemistry* 274(5):2625–2630.
- Omer C, Mehmet K, ferah A, Kurtulus C, Betil K, Omer Y, 2004. Protective Effect of querciti, a flavonoid anti oxidant in Absolute Ethanol- Induced acut gastric ulcer, *Eur J Gen Med*; 1(3); 37-42.
- Pardhasaradhi BVV, Reddy M, Ali AM, Kumari AL, Khar A, 2005. Differential cytotoxic effects of annona squamosa seed extracts on human tumour *cell lines*: role of reactive oxygen species and glutathione. *J Biosci* 30(2):101-108.
- Pomper KW, Lowe JD, Crabtree SB, Keller W, 2009. Identification of annonaceous acetogenins in the ripe fruit of the North American pawpaw (*Asimina triloba*). *J Agric Food Chem* 57:8339–8343.
- Pourkarimi E, Greiss S, Gartner A, 2012. Evidence that CED-9/Bcl2 and CED-4/Apaf-1 localization is not consistent with the current model for *C. elegans* apoptosis induction. *Cell Death and Differentiation* 19:406–415.
- Poussier B, Cordova AC, Becquemin JP, Sumpio BE. Resveratrol inhibits vascular smooth muscle cell proliferation and induces apoptosis. *J Vasc Surg*. 2005,42:1190–7.

- Rachmani EPN, Suhesti TS, Widiastuti R, Aditiyono, 2012. The breast of anticancer from leaf extract of *annonamuricata* againsts *cell line* in T47D. International Journal of Applied Science and Technology 2(1):157–164.
- Rachmawati E, Karyono S, Suyuti H, 2012. The Effect of *Annona Muricata* Leaf on Proliferation and Appoptosis of HeLa Cells Mediated by p53 wild type. Jurnal Kedokteran Brawijaya, 27(1):28-32.
- Rautajoki KJ, Marttila EM, Nyman TA, Lahesmaa R, 2007. Interleukin-4 inhibits Caspase-3 by regulating several proteins in the Fas pathway during initial stages of Human T Helper 2 cell differentiation. Molecular & Cellular Proteomics 6:238–251.
- Reed JC, 2006. Proapoptotic multidomain Bcl-2/Bax-family proteins: mechanisms, physiological roles, and therapeutic opportunities. Cell Death and Differentiation, 3:1378–1386.
- Retnani V, 2011. Pengaruh suplementasi ekstrak daun *annona muricata* terhadap kejadian dysplasia epitel kelenjar payudara tikus *Sprague dawley* yang diinduksi 7, 12 Dimethylbenz[ $\alpha$ ]anthracene. Universitas Diponegoro, Semarang.
- Rejitha G, Das A. Cytotoxic effect of *Cayratia carnos*a leaves on Human Breast Cancer Cell Lines. Int J Cancer Res. 2009,5:115–22.
- Rosai J, 2005. Surgical pathology, 10<sup>th</sup> ed. Edinburgh: Mosby Elsevier, pp.1696–1708.
- Ross JS, Fletcher JA, Linette GP, Stec J, Clark E, Ayers M, Symmans WF, Pusztai L, Bloom KJ, 2003. The Her-2/neu gene and protein in breast cancer 2003: biomarker and target of therapy. Oncologist, 8(4):307-25.
- Sariego J, 2010. Breast cancer in the young patient. The American Surgeon. 76(12):1397–1401.
- Sarkar S, Mandal M, 2009. Growth factor receptors and apoptosis regulators: signaling pathways, prognosis, chemosensitivity and treatment outcomes of breast cancer. Basic and Clinical Research 3:47–60.
- Shelton SN, Dillard CD, Robertson JD, 2010. Activation of caspase-9, but not caspase-2 or caspase-8, is essential for heat-induced apoptosis in jurkat cells. Journal of Biological Chemistry 285(52):40525–40533.
- Siegel R, Naishadham D, Jemal A, 2013. Cancer Statistics 2013. Ca Cancer J Clin 63:11–30.
- Stanley JA, Lee J, Nithy TK, Arosh JA, Burghardt RC, Banu SK, 2011. Chromium-VI arrests cell cycle and decreases granulosa cell proliferation by down-

regulating siklin-dependent kinases (CDK) and siklins and up-regulating CDK-Inhibitors. *Reprod Toxicol* 32(1):112-123.

Soekmanto A, Hapsari Y, Simanjuntak P, 2007. Kandungan anti oksidan pada beberapa bagi tanaman mahkota dewa, *Phaleria macrocarpa* (Scheff) Boerl.(Thymelaceae). *Biodiversitas* 8(2):92-95.

Suyatmi, Suselo YH, Jusuf SA. The selective cytotoxicity of ethanolic extract of *annonamuricata* leaf on Hela cervical cancer cells, 2012. *International Conference: Research and Application on Traditional Complementary and Alternative Medicine in Health Care (TCAM)* 1:24–27.

Torres MP, Rachagani S, Purohit V, Pandey P, Joshi S, Moore ED, Johansson SL, Singh PK, Ganti AK, Batra SK, 2012.

Graviola: A novel promising natural-derived drug that inhibits tumorigenicity and metastasis of pancreatic cancer cells in vitro and in vivo through altering cell metabolism. *Cancer Letters* 323(1):29–40.

Tront JS, Hoffman B, Liebermann DA, 2006. GADD 45a Suppresses ras-driven mammary tumorigenesis by activation of c-jun nh2-terminal kinase and p38 stress signaling resulting in apoptosis and senescence. *Cancer Res.* 66(17): 8448-8454.

Tsai RL, Ho BY, Pan TM, 2011. Red mold rice mitigates oral carcinogenesis in 7,12-dimethyl-1,2-benz[a]anthracene-induced oral carcinogenesis in hamster. *Corporation Evidence-Based Complementary and Alternative Medicine.* 2011:1–8.

Wang T, Gavin HM, Arte VM, Lawrence BP, Fenton SE, Medina D, vorderstrasse BA. 2011. Aryl hydrocarbon receptor (AhR) activation during pregnancy, and in adult nulliparous mice, delays the subsequent development of DMBA-induced mammary tumors. *Int J Cancer.* 128(7): 1509–1523.

Wasita B. Peranan p53 terhadap tumorigenesis dan progresivitas glioblastoma. *Kesehatan* 2010;17:1-9.

WHO, 2012. *World health statistic: 2012.* France.

Yager JD, Davidson NE, 2006. Estrogen carcinogenesis in breast cancer. *N Engl J Med*, 354(3):270-82.

Yang P, Du CW, Kwan M, Liang SX, Zhang GJ, 2013. The impact of p53 wild type in predicting clinical outcome of breast cancer patients with visceral metastasis. *Scientific Reports* 3(2246):1–6.

Yang K, Hitomi M, Stacey DW, 2006. Variations in *siklin DI* levels through the cell cycle determine the proliferative fate of a cell. *Cell Division*, 1(32):1-8.



- Yuan SSF, Chang HL, Chen HW, Kuo FC, Liaw CC, Su JH, Wu YC, 2006. Selective cytotoxicity of squamocin on T24 bladder cancer cells at the S-phase via a Bax-, Bad-, and caspase-3-related pathways. *Life Sciences*.78:869–874.
- Zhao L, Samuels T, Winckler S, Korgaonkar C, Tompkins V, Horne MC, Quelle DE, 2003. Siklin g1 has growth inhibitory activity linked to the arf-mdm2-p53 wild type and prb tumor suppressor pathways. *Mol Cancer Res* 1:195.