

DAFTAR PUSTAKA

- Abbas, A. K., Lichtman, A. H., & Pillai, S. (2015). Cellular and molecular immunology (Eighth edi). *Philadelphia: Elsevier Saunders*.
- Akhoundzadeh, K., Vakili, A., Shadnoush, M., & Sadeghzadeh, J. (2018). Effects of the oral ingestion of probiotics on brain damage in a transient model of focal cerebral ischemia in mice. *Iran J Med Sci*, 43(1), 32–40.
- Almeida da Costa, W. K., Brandão, L. R., Martino, M. E., Garcia, E. F., & Alves, A. F. (2018). Qualification of tropical fruit-derived *Lactobacillus plantarum* strains as potential probiotics acting on blood glucose and total cholesterol levels in Wistar rats. *Food Research International*, 1–39. <https://doi.org/10.1016/j.foodres.2018.08.035>
- Andersen, C. J., Murphy, K. E., & Luz Fernandez, M. (2016). Impact of obesity and metabolic syndrome on immunity. *American Society for Nutrition.*, 7, 66–75. <https://doi.org/10.3945/an.115.010207>
- Azad, M. A. K., Sarker, M., & Wan, D. (2018). Immunomodulatory effects of probiotics on cytokine profiles. *BioMed Research International*, 2018, 1–11. <https://doi.org/10.1155/2018/8063647>
- Azevedo, M., Zhang, W., Wen, K., Gonzalez, A., Saif, L., Yousef, A., & Yuan, L. (2012). *Lactobacillus acidophilus* and *Lactobacillus reuteri* modulate cytokine responses in gnotobiotic pigs infected with human rotavirus. *Beneficial Microbes*, 3(1), 33–42.
- Bagarolli, R. A., Tobar, N., Oliveira, A. G., Araújo, T. G., & Carvalho, B. M. (2017). Probiotics modulate gut microbiota and improve insulin sensitivity in DIO mice. *The Journal of Nutritional Biochemistry*, 1–35. <https://doi.org/10.1016/j.jnutbio.2017.08.006>
- Bagley, J., Yuan, J., & Chandrakar, A. (2015). Hyperlipidemia alters regulatory T cell function and promotes resistance to tolerance induction through costimulatory molecule blockade. *American Journal of Transplantation*, 15, 2324–2335. <https://doi.org/10.1111/ajt.13351>
- Barhum, L. (2019). 5 Cardinal Signs of Inflammation.
- Bermudez-Brito, M., Plaza-Díaz, J., Muñoz-Quezada, S., Gómez-Llorente, C., & Gil, A. (2012). Probiotic mechanisms of action. *Ann Nutr Metab*, 61, 160–174. <https://doi.org/10.1159/000342079>
- Boden, G. (2008). Obesity and free fatty acids (FFA). *Endocrinol Metab Clin North Am.*, 3. <https://doi.org/10.1016/j.ecl.2008.06.007>
- Bollen, J., Trick, L., & Llewellyn, D. (2017). The effects of acute inflammation on cognitive functioning and emotional processing in humans: A systematic

- review of experimental studies. *Journal of Psychosomatic Research*, 1–33. <https://doi.org/10.1016/j.jpsychores.2017.01.002>
- Bonecchi, R., Facchetti, F., & Dusi, S. (2000). Induction of functional IL-8 receptors by IL-4 and IL-13 in human monocytes. *Journal of Immunology*, 164, 3862–3869. <https://doi.org/10.4049/jimmunol.164.7.3862>
- Brown, A. P., Dinger, N., & Levine, B. (2000). Stress produced by gavage administration in the rat. *Contemporary Topics*, 39, 17–21.
- Brusaferro, A., Cozzali, R., Orabona, C., & Biscarini, A. (2018). Is it time to use probiotics to prevent or treat obesity? *Nutrients*, 10, 1–14. <https://doi.org/10.3390/nu10111613>
- Caesar, R., Fak, F., & Baćkhed, F. (2010). Effects of gut microbiota on obesity and atherosclerosis via modulation of inflammation and lipid metabolism. *Journal of Internal Medicine*, 268, 320–328. <https://doi.org/10.1111/j.1365-2796.2010.02270.x>
- Catrysse, L., & van Loo, G. (2017). Inflammation and the metabolic syndrome: the tissue-specific functions of NF-κB. *Trends in Cell Biology*, 27(6), 417–429. <https://doi.org/10.1016/j.tcb.2017.01.006>
- Chaly, Y. V., Selvan, R., & Fegeding, K. (2000). Expression of IL-8 gene in human monocytes and lymphocytes: differential regulation by TNF Alpha and IL-1. *Cytokine*, 12, 636–643. <https://doi.org/10.1006/cyto.1999.0664>
- Charan, J., & Biswas, T. (2013). How to calculate sample size for different study designs in medical research? *Indian Journal Psychological Med*, 35(2), 121–126. <https://doi.org/10.4103/0253-7176.116232>
- Chen, Q., Koga, T., & Uchi, H. (2002). Propionibacterium acnes-induced IL-8 production may be mediated by NF-κB activation in human monocytes. *Journal of Dermatological Science*, 29, 97–103.
- Choi, I.-D., Kim, S.-H., Jeong, J.-W., Lee, D. E., Huh, C.-S., Hong, S. S., ... Ahn, Y.-T. (2016). Triglyceride-lowering effects of two probiotics, Lactobacillus plantarum KY1032 and Lactobacillus curvatus HY7601, in a rat model of high-fat diet-induced hypertriglyceridemia. *J. Microbiology Biotechnology*, 26(3), 483–487. <https://doi.org/10.4014/jmb.1512.12018>
- Cildir, G. khan, Akıncılar, S. C., & Tergaonkar, V. (2013). Chronic adipose tissue inflammation: all immune cells on the stage. *Trends in Molecular Medicine*, 19, 487–500. <https://doi.org/10.1016/j.molmed.2013>
- Clemente-Postigo, M., Queipo-Ortuño, M., Boto-Ordoñez, M., Perez-Martinez, P., & Andres-Lacueva, C. (2019). Endotoxin increase after fat overload is related to postprandial hypertriglyceridemia in morbidly obese patients. *Journal of Lipid Research*, 1–23.

- Cohen, P. (2014). The TLR and IL-1 signalling network at a glance. *Journal of Cell Science*, 127, 2383–2390. <https://doi.org/10.1242/jcs.149831>
- Cronin, J. G., Kanamarlapudi, V., Thornton, C. A., & Sheldon, I. M. (2016). Signal transducer and activator of transcription-3 licenses Toll-like receptor 4-dependent interleukin (IL)-6 and IL-8 production via IL-6 receptor-positive feedback in endometrial cells. *Mucosal Immunology*, 9(5), 1125–1136. <https://doi.org/10.1038/mi.2015.131>
- Cullberg, K., Larsen, J., Pedersen, S., & Richelsen, B. (2014). Effects of LPS and dietary free fatty acids on MCP-1 in 3T3-L1 adipocytes and macrophages in vitro. *Nutrition & Diabetes*, 4, e113, 1–5. <https://doi.org/10.1038/nutd.2014.10>
- David, J. M., Dominguez, C., Hamilton, D. H., & Palena, C. (2016). The IL-8/IL-8R Axis: A double agent in tumor immune resistance. *Vaccines*, 4(22), 1–15. <https://doi.org/10.3390/vaccines4030022>
- de La Serre, C. B., Ellis, C. L., Lee, J., Hartman, A. L., & Rutledge, J. C. (2010). Propensity to high-fat diet-induced obesity in rats is associated with changes in the gut microbiota and gut inflammation. *Am J Physiol Gastrointest Liver Physiol*, 299, G440–G448. <https://doi.org/10.1152/ajpgi.00098.2010>
- Della Vedova, Maria C. Muñoz, M. D., Santillan, L. D., Plateo-Pignatari, M. G., & Germanó, M. J. (2016). A mouse model of diet-induced obesity resembling most features of human metabolic syndrome. *Nutrition and Metabolic Insights*, 9, 93–102. <https://doi.org/10.4137/NMI.S32907>.
- Delzenne, N. M., Neyrinck, A. M., & Cani, P. D. (2013). Gut microbiota and metabolic disorders: how prebiotic can work? *British Journal of Nutrition*, 109, S81–S85. <https://doi.org/10.1017/S0007114512004047>
- Denault, S., April, M. J., & Stankova, J. (1997). Transcriptional activation of the interleukin-8 gene by platelet-activating factor in human peripheral blood monocytes. *Immunology*, 91, 297–302.
- Ding, S., & Lund, P. K. (2011). Role of intestinal inflammation as an early event in obesity and insulin resistance. *Curr Opin Clin Nutr Metab Care*, 14, 328–333. <https://doi.org/10.1097/MCO.0b013e3283478727>.
- Ding, Y.-H., Qian, L.-Y., Pang, J., Lin, J.-Y., & Xu, Q. (2017). The regulation of immune cells by Lactobacilli: a potential therapeutic target for anti-atherosclerosis therapy. *Oncotarget*, 8, 59915–59928.
- Druart, C., Alligier, M., Salazar, N., Neyrinck, A. M., & Delzenne, N. M. (2014). Modulation of the gut microbiota by nutrients with prebiotic and probiotic properties. *American Society for Nutrition. Adv. Nutr.*, 5, 624S – 633S. <https://doi.org/10.3945/an.114.005835>

- Elsamanoudy, A., El-Alfy, H., Neamat-Allah, M., Ibrahim, D., & Assaf, R. (2015). Dysregulation of signaling pathways plays a role in the development and pathogenesis of hepatocellular carcinoma. *International Journal of Biochemistry Research & Review*, 9(3), 1–24. <https://doi.org/10.9734/ijbcrr/2016/22158>
- Esposito, E., Cuzzocrea, S., & Meli, R. (2006). Peroxisome proliferator-activated receptors and shock state. *The Scientific World Journal*, 6, 1770–1782. <https://doi.org/10.1100/tsw.2006.298>
- Esser, N., Legrand-Poels, S., Piette, J., Scheen, A. J., & Paquot, N. (2014). Inflammation as a link between obesity, metabolic syndrome and type 2 diabetes. *Diabetes Research and Clinical Practice*, 104, 1–10. <https://doi.org/10.1016/j.diabres.2014.04.006>
- Fuentes, M. C., Lajo, T., Carrión, J. M., & Cuné, J. (2013). Cholesterol-lowering efficacy of Lactobacillus plantarum CECT 7527, 7528 and 7529 in hypercholesterolaemic adults. *British Journal of Nutrition*, 109, 1866–1872. <https://doi.org/10.1017/S000711451200373X>
- Gerriets, V. A., & MacIver, N. J. (2014). Role of T cells in malnutrition and obesity. *Frontiers in Immunology*, 5, 1–11. <https://doi.org/10.3389/fimmu.2014.00379>
- Griffin, T. M., Huebner, J. L., Kraus, V. B., Yan, Z., & Guilak, F. (2012). Induction of osteoarthritis and metabolic inflammation by a very high-fat diet in mice. *Arthritis & rheumatism*, 64, 443–453. <https://doi.org/10.1002/art.33332>
- Guo, L., Wang, L., Liu, F., Li, B., & Tang, Y. (2019). Effect of bile salt hydrolase-active Lactobacillus plantarum KLDS 1.0344 on cholesterol metabolism in rats fed a high-cholesterol diet. *Journal of Functional Foods*, 61, 1–9. <https://doi.org/10.1016/j.jff.2019.103497>
- Habib, A., Johargy, A., Mahmood, K., & Humma, H. (2014). Design and determination of the sample size in medical research. *IOSR Journal of Dental and Medical Sciences*, 13(5), 21–31. <https://doi.org/10.9790/0853-13562131>
- Haley, M. J., Mullard, G., Hollywood, K. A., Cooper, G. J., & Dunn, W. B. (2017). Adipose tissue and metabolic and inflammatory responses to stroke are altered in obese mice. *Disease Models & Mechanisms*, 10, 1229–1243. <https://doi.org/10.1242/dmm.030411>
- Hashim Al-Awadi, J. H., Rashid, K. H., & Hassen, A. J. (2013). High fat diet induce hyperlipidemia incidences with sever changes in liver tissue of male albino rats: A Histological and Biochemical Study. *Kerbala Journal of Pharmaceutical Sciences*, 6, 12–21.
- He, M., & Shi, B. (2017). Gut microbiota as a potential target of metabolic syndrome: the role of probiotics and prebiotics. *Cell Biosci*, 7(54), 1–14. <https://doi.org/10.1186/s13578-017-0183-1>

- Hersoug, L., Møller, P., & Loft, S. (2015). Gut microbiota-derived lipopolysaccharide uptake and trafficking to adipose tissue: implications for inflammation and obesity. *Obesity Reviews*, 17, 297–312. <https://doi.org/10.1111/obr.12370>
- Hu, N., & Zhang, Y. (2017). TLR4 knockout attenuated high fat diet-induced cardiac dysfunction via NF-κB/JNK-dependent activation of autophagy. *Biochimica et Biophysica Acta*, 1863, 2001–2011. <https://doi.org/10.1016/j.bbadi.2017.01.010>
- Huang, W.-C., Chen, Y.-M., Kan, N.-W., Ho, C.-S., & Wei, L. (2015). Hypolipidemic effects and safety of *Lactobacillus reuteri* 263 in a hamster model of hyperlipidemia. *Nutrients*, 7, 3767–3782. <https://doi.org/10.3390/nu7053767>
- Huang, Y., Wang, X., Wang, J., Wu, F., Sui, Y., Yang, L., & Wang, Z. (2013). *Lactobacillus plantarum* strains as potential probiotic cultures with cholesterol-lowering activity. *American Dairy Science Association Jour*, Vol. 96 No, 2746–2753. <https://doi.org/10.3168/jds.2012-6123>
- Huh, J. Y., Park, Y. J., Ham, M., & Kim, J. B. (2014). Crosstalk between adipocytes and immune cells in adipose tissue inflammation and metabolic dysregulation in obesity. *Molecules and Cells*, 37, 365–371. <https://doi.org/10.14348/molcells.2014.0074>
- Iranmanesh, M., Ezzatpanah, H., Zamani, A., & Hadaegh, H. (2015). Cholesterol removal effect and bile salt hydrolase by probiotic Lactic Acid Bacteria. *Biological Forum – An International Journal*, 7(2), 1000–1005.
- Jin, C., Henao-Mejia, J., & Flavell, R. A. (2013). Innate immune receptors: Key regulators of metabolic disease progression. *Cell Metabolism*, 17, 873–882. <https://doi.org/10.1016/j.cmet.2013.05.011>
- Jung, U. J., & Choi, M.-S. (2014). Obesity and its metabolic complications: The role of adipokines and the relationship between obesity, inflammation, insulin resistance, dyslipidemia and nonalcoholic fatty liver disease. *International Journal of Molecular Sciences*, 15, 6184–6223. <https://doi.org/10.3390/ijms15046184>
- Kanda, H., Tateya, S., Tamori, Y., Kotani, K., Hiasa, K., Kitazawa, R., ... Kasuga, M. (2006). MCP-1 contributes to macrophage infiltration into adipose tissue, insulin resistance, and hepatic steatosis in obesity. *The Journal of Clinical Investigation*, Volume 116, 1494–1505. <https://doi.org/10.1172/JCI26498>.
- Karam, I., Ma, N., Yang, Y.-J., & Li, J.-Y. (2018). Induce hyperlipidemia in rats using high fat diet investigating blood lipid and histopathology. *Journal of Hematology and Blood Disorders*, Volume 4 /(Issue 1), 1–5.
- Kawasaki, T., & Kawai, T. (2014). Toll-like receptor signaling pathways. *Frontiers in Immunology*, 5, 1–8. <https://doi.org/10.3389/fimmu.2014.00461>

- Kemgang, T., Kapila, S., Shanmugam, V., & Kapila, R. (2014). Cross-talk between probiotic Lactobacilli and host immune system. *Journal of Applied Microbiology*, 117, 303–319. <https://doi.org/10.1111/jam.12521>
- Kim, B., Kwon, J., Kim, M.-S., Park, H., & Ji, Y. (2018). Protective effects of Bacillus probiotics against high-fat diet-induced metabolic disorders in mice. *PLoS ONE*, 1–17. <https://doi.org/10.1371/journal.pone.0210120>
- Kim, K.-A., Gu, W., Lee, I.-A., Joh, E.-H., & Kim, D.-H. (2012). High fat diet-induced gut microbiota exacerbates inflammation and obesity in mice via the TLR4 signaling pathway. *PLOS ONE*, Volume 7 / (Issue 10), 1–11. <https://doi.org/10.1371/journal.pone.0047713>
- King, A. J. (2012). The use of animal models in diabetes research. *British Journal of Pharmacology*, 166, 877–894. <https://doi.org/10.1111/j.1476-5381.2012.01911>
- Kobyliak, N., Conte, C., Cammarota, G., Haley, A. P., & Styriak, I. (2016). Probiotics in prevention and treatment of obesity: a critical view. *Nutrition & Metabolism*, 13, 1–13. <https://doi.org/10.1186/s12986-016-0067-0>
- Kusuma, A. S. W., Suwantika, A., Alfian, S. D., Febrianti, R. M., & Valas, B. E. (2017). Edukasi mengenai pentingnya mengkonsumsi probiotik sebagai upaya pencegahan terjadinya dysbiosis pada masyarakat di Kabupaten Pangandaran. *Jurnal Pengabdian Kepada Masyarakat*, 1(5), 338–339.
- Kyriakidis, A. ., Raitsiou, B., Harisopoulou, V., Pyrgioti, M., & Panagopoulou, A. (2006). Management of acute severe hyperlipidemic pancreatitis. *Digestion*, 73, 259–264.
- Lakna, P. (2017). *Difference Between Lipids and Fats*. 1–8.
- Le Barz, M., Anhê, F. F., Varin, T. V, Desjardins, Y., Levy, E., Roy, D., ... Marette, A. (2015). Probiotics as complementary treatment for metabolic disorders. *Diabetes and Metabolism Journal*, 39(Obesity and Metabolic Syndrome), 291–303. <https://doi.org/10.4093/dmj.2015.39.4.291>
- Lee, C. Y. (2013). The Effect of high-fat diet-induced pathophysiological changes in the gut on obesity: what should be the ideal treatment? *Clinical and Translational Gastroenterology*, 4, 1–8. <https://doi.org/10.1038/ctg.2013.11>
- Lee, J.-E., & Ge, K. (2014). Transcriptional and epigenetic regulation of PPAR γ expression during adipogenesis. *Cell & Bioscience Journal*, 4:29, 1–11.
- Llewellyn, A., & Foey, A. (2017). Probiotic modulation of innate cell pathogen sensing and signaling events. *Nutrients*, 9, 1156, 1–31. <https://doi.org/10.3390/nu9101156>

- Ludgero-Correia Jr, A., Aguilera, M. B., Mandarim-de-Lacerda, C. A., & Faria, T. S. (2012). Effects of high-fat diet on plasma lipids, adiposity, and inflammatory markers in ovariectomized C57BL/6 mice. *Nutrition*, 28, 316–323. <https://doi.org/10.1016/j.nut.2011.07.014>
- Mallappa, R. H., Rokana, N., Duary, R. K., Panwar, H., & Batish, V. K. (2012). Management of metabolic syndrome through probiotic and prebiotic interventions. *Indian Journal of Endocrinology and Metabolism*, 16(1), 20–27. <https://doi.org/10.4103/2230-8210.91178>
- Manco, M., Putignani, L., & Bottazzo, G. F. (2010). Gut microbiota, lipopolysaccharides, and innate immunity in the pathogenesis of obesity and cardiovascular risk. *Endocrine Reviews*, 31, 817–844. <https://doi.org/10.1210/er.2009-0030>
- Mancuso, P. (2016). The role of adipokines in chronic inflammation. *ImmunoTargets and Therapy*, 5, 47–56. <https://doi.org/10.2147/ITT.S73223>
- Marques, C., Meireles, M., Norberto, S., Leite, J., & Freitas, J. (2016). High-fat diet-induced obesity rat model: a comparison between Wistar and Sprague-Dawley Rat. *Adipocyte*, 5, 11_21. <https://doi.org/10.1080/21623945.2015.1061723>
- Martin, H. (2009). Role of PPAR-gamma in inflammation. Prospects for therapeutic intervention by food components. *Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis*, 690, 57–63. <https://doi.org/10.1016/j.mrfmmm.2009.06.009>.
- Mazloom, Z., Yousefinejad, A., & Dabbaghmanesh, M. H. (2013). Effect of probiotics on lipid profile, glycemic control, insulin action, oxidative stress, and inflammatory markers in patients with Type 2 Diabetes: A Clinical Trial. *Iran J Med Sci*, 38, 38–43.
- McDermott, A. J., & Huffnagle, G. B. (2013). The microbiome and regulation of mucosal immunity. *Immunology Letters*, 142, 24–31. <https://doi.org/10.1111/imm.12231>
- McLaughlin, T., Ackerman, S. E., Shen, L., & Engleman, E. (2017). Role of innate and adaptive immunity in obesity-associated metabolic disease. *The Journal of Clinical Investigation*, 127, 1–10. <https://doi.org/10.1172/JCI88876>.
- Meiliana, A., Dewi, N. M., & Wijaya, A. (2015). Adipose tissue, inflammation (meta-inflammation) and obesity management. *Indones Biomed J.*, 7(3), 129–146.
- Moreira, A. P. B., Texeira, T. F. S., Ferreira, A. B., Peluzio, M. do C., Gouveia, & Alfenas, R. de C. G. (2012). Influence of a high-fat diet on gut microbiota, intestinal permeability and metabolic endotoxaemia. *British Journal of Nutrition*, 108, 801–809. <https://doi.org/10.1017/S0007114512001213>

- Moreno-Fernández, S., Garcés-Rimón, M., Vera, G., Astier, J., Landrier, J. F., & Miguel, M. (2018). High fat/high glucose diet induces metabolic syndrome in an experimental rat model. *Nutrients*, 10(1502), 1–15. <https://doi.org/10.3390/nu10101502>
- Nagpal, R., Kumar, M., Yadav, A., Hemalatha, R., Yadav, H., Marotta, F., & Yamashiro, Y. (2016). Gut microbiota in health and disease: an overview focused on metabolic inflammation. *Beneficial Microbes*, 7(2), 181–194. <https://doi.org/10.3920/BM2015.0062>
- Nelson, R. H. (2013). Hyperlipidemia as a risk factor for cardiovascular disease. *Prim Care Clin Office Pract*, 40, 195–211. <https://doi.org/10.1016/j.pop.2012.11.003>
- Patel, H., & Patel, V. H. (2015). Inflammation and metabolic syndrome: an overview. *Current Research in Nutrition and Food Science*, 3(3), 263–268. <https://doi.org/10.12944/CRNFSJ.3.3.10>
- Pendyala, S., Walker, J. M., & Holt, P. R. (2012). A high-fat diet is associated with endotoxemia that originates from the gut. *Gastroenterology*, 142(5):110, 1–5. <https://doi.org/10.1053/j.gastro.2012.01.034>.
- Piya, M. K., Harte, A. L., & McTernan, P. G. (2013). Metabolic endotoxaemia: is it more than just a gut feeling? *Curr Opin Lipidol*, 24(1), 78–85. <https://doi.org/10.1097/MOL.0b013e32835b4431>
- Plaza-Díaz, J., Ruiz-Ojeda, F. J., Vilchez-Padial, L. M., & Gil, A. (2017). Evidence of the anti-inflammatory effects of probiotics and synbiotics in intestinal chronic diseases. *Nutrients*, 9, 555, 1–19. <https://doi.org/10.3390/nu9060555>
- Purchiaroni, F., Tortora, A., Gabrielli, M., Bertucci, F., & Gigante, G. (2013). The role of intestinal microbiota and the immune system. *European Review for Medical and Pharmacological Sciences*, 17, 323–333.
- Rini, S. (2012). *Pengaruh pemberian diet tinggi lemak terhadap kadar trigliserida pada tikus*. Universitas Muhammadiyah Surakarta.
- Rinninella, E., Raoul, P., Cintori, M., Franceschi, F., & Miggiano, G. A. D. (2019). What is the healthy gut microbiota composition? A changing ecosystem across age, environment, diet, and diseases. *Microorganisms*, 7(14), 1–22. <https://doi.org/10.3390/microorganisms7010014>
- Rios, F. J., Moustaïd-Moussa, N., & Martins, J. O. (2018). Interplay between hormones, the immune system, and metabolic disorders. *Mediators of Inflammation*, 1–3. <https://doi.org/10.1155/2018/8654212>
- Rouxinol-Dias, A. L., Pinto, A. R., Janeiro, C., Rodrigues, D., & Moreira, M. (2016). Probiotics for the control of obesity – Its effect on weight change. *Porto Biomed. J.*, 1, 12–24. <https://doi.org/10.1016/j.pbj.2016.03.005>

- Saltiel, A. R., & Olefsky, J. M. (2017). Inflammatory mechanisms linking obesity and metabolic disease. *The Journal of Clinical Investigation*, 127(1), 1–5. <https://doi.org/10.1172/JCI92035>.
- Scavuzzi, B. M., da Silva Miglioranza, L. H., Henrique, F. C., Paroschi, T. P., Lozovoy, M. A. B., Simão, A. N. C., & Dichi, I. (2015). The role of probiotics on each component of the metabolic syndrome and other cardiovascular risks. *Expert Opin. Ther. Targets*, 19(8), 1–13. <https://doi.org/10.1517/14728222.2015.1028361>
- Scirpo, R., Fiorotto, R., Villani, A., Amenduni, M., Spirli, C., & Strazzabosco, M. (2015). Stimulation of nuclear receptor PPAR- γ limits NF-kB-dependent inflammation in mouse cystic fibrosis biliary epithelium. *Hepatology*, 62(5), 1–22. <https://doi.org/10.1002/hep.28000>.
- Serino, M., Luche, E., Gres, S., Baylac, A., & Berge, M. (2012). Metabolic adaptation to a high-fat diet is associated with a change in the gut microbiota. *Gut*, 61, 543–553. <https://doi.org/10.1136/gutjnl-2011-301012>
- Shah, N. J., & Swami, O. C. (2017). Role of probiotics in diabetes: A review of their rationale and efficacy. *European Medical Journal*, 5, 104–110.
- Shen, J., Obin, M. S., & Zhao, L. (2013). The gut microbiota, obesity and insulin resistance. *Molecular Aspects of Medicine*, 34, 39–58. <https://doi.org/10.1016/j.mam.2012.11.001>
- Sivamaruthi, B. S. (2018). A comprehensive review on clinical outcome of probiotic and synbiotic therapy for inflammatory bowel diseases. *Asian Pacific Journal of Tropical Biomedicine*, 8(3), 179–186. <https://doi.org/10.4103/2221-1691.228000>
- Smith, J. B., & Mangkoewidjojo, S. (1988). Pemeliharaan, pembiakan, dan penggunaan hewan percobaan di daerah tropis. *Universitas Indonesia Salemba* 4, 37–48.
- Stern, J. H., Rutkowski, J. M., & Scherer, P. E. (2016). Adiponectin, leptin, and fatty acids in the maintenance of metabolic homeostasis through adipose tissue crosstalk. *Cell Metabolism*, 23, 770–784. <https://doi.org/10.1016/j.cmet.2016.04.011>
- Strandberg, L., Verdrehngh, M., Enge, M., Andersson, N., & Amu, S. (2009). Mice chronically fed high-fat diet have increased mortality and disturbed immune response in sepsis. *PLoS ONE*, 4, 1–10. <https://doi.org/10.1371/journal.pone.0007605>
- Stravodimou, A., Mazzoccoli, G., & Voutsadakis, I. A. (2012). Peroxisome Proliferator-Activated Receptor Gamma and regulations by the ubiquitin-proteasome system in pancreatic cancer. *PPAR Research*, 2012, 1–14. <https://doi.org/10.1155/2012/367450>

- Tanaka, S., Nemoto, Y., & Takei, Y. (2019). High-fat diet-derived free fatty acids impair the intestinal immune system and increase sensitivity to intestinal epithelial damage. *Biochemical and Biophysical Research Communications*, 1–7. <https://doi.org/10.1016/j.bbrc.2019.11.158>
- Turner, P. V., Vaughn, E., Sunohara-Nelson, J., Ovari, J., & Leri, F. (2012). Oral gavage in rats: Animal welfare evaluation. *Journal of the American Association for Laboratory Animal Science*, 51, 25–30.
- van der Heijden, R. A., Sheedfar, F., Morrison, M. C., Hommelberg, P. P., Kor, D., Kloosterhuis, N. J., ... Heeringa, P. (2015). High-fat diet induced obesity primes inflammation in adipose tissue prior to liver in C57BL/6j mice. *AGING*, 7(4), 256–267.
- Vlasova, A. N., Kandasamy, S., Chattha, K. S., Rajashekara, G., & Saif, L. J. (2016). Comparison of probiotic Lactobacilli and Bifidobacteria effects, immune responses and rotavirus vaccines and infection in different host species. *Vet Immunol Immunopathol*, 4(172), 72–84. <https://doi.org/10.1016/j.vetimm.2016.01.003>.
- Wan, T., Yuan, G., Ren, Y., Zuo, Z., & Wang, Z. (2016). Diet-Induced Obese mice exhibit altered immune responses to acute lung injury induced by Escherichia coli. *Obesity*, 24, 2101–2110. <https://doi.org/10.1002/oby.21608>
- Wang, J., Ji, H., Wang, S., Liu, H., Zhang, W., Zhang, D., & Wang, Y. (2018). Probiotic Lactobacillus plantarum promotes intestinal barrier function by strengthening the epithelium and modulating gut microbiota. *Frontiers in Microbiology*, Volume 9, 1–14. <https://doi.org/10.3389/fmicb.2018.01953>
- Wang, J., Tang, H., Zhang, C., Zhao, Y., Derrien, M., Rocher, E., & van-Hylckama Vlieg, J. E. (2015). Modulation of gut microbiota during probiotic-mediated attenuation of metabolic syndrome in high fat diet-fed mice. *International Society for Microbial Ecology*, 9, 1–15. <https://doi.org/10.1038/ismej.2014.99>;
- Wang, L., Tang, C., & Cao, H. (2015). Activation of IL-8 via PI3K/Akt-dependent pathway is involved in leptin-mediated epithelial-mesenchymal transition in human breast cancer cells. *Cancer Biology & Therapy*, 16, 1220–1230. <https://doi.org/10.1080/15384047.2015.1056409>
- Wang, L.-X., Liu, K., Gao, D.-W., & Hao, J.-K. (2013). Protective effects of two Lactobacillus plantarum strains in hyperlipidemic mice. *World J Gastroenterology*, 19, 3150–3156. <https://doi.org/10.3748/wjg.v19.i20.3150>
- Watson, S. (2018). The effects of high cholesterol on the body.
- Waugh, D. ., & Wilson, C. (2008). The Interleukin-8 pathway in cancer. *Clinical Cancer Research*, 14, 6735–6741. <https://doi.org/10.1158/1078-0432.CCR-07-4843>

- Welty, F. K., Alfaddagh, A., & Elajami, T. K. (2016). Targeting inflammation in metabolic syndrome. *Translational Research*, 257–280. <https://doi.org/10.1016/j.trsl.2015.06.017>
- Wu, C.-C., Weng, W.-L., Lai, W.-L., Tsai, H.-P., Liu, W.-H., Lee, M.-H., & Tsai, Y.-C. (2015). Effect of Lactobacillus plantarum Strain K21 on high-fat diet-fed obese mice. *Evidence-Based Complementary and Alternative Medicine Jour, Volume 201*, 1–10. <https://doi.org/10.1155/2015/391767>
- Wu, P., Zhang, F., Dai, Y., Han, L., & Chen, S. (2016). Serum TNF- α , GTH and MDA of high-fat diet-induced obesity and obesity resistant rats. *Saudi Pharmaceutical Journal*, 24, 333–336. <https://doi.org/10.1016/j.jsps.2016.04.011>
- Ying, H.-Z., Yu, C., Wang, Z., Yu, B., & Zang, J.-N. (2012). Characterization and mechanisms of lipid metabolism in high-fat diet induced hyperlipidemia in Mongolian gerbil (*Meriones unguiculatus*). *African Journal of Biotechnology*, 11, 16347–16352. <https://doi.org/10.5897/AJB12.336>
- Zeng, M., Inohara, N., & Nun~ez, G. (2017). Mechanisms of inflammation-driven bacterial dysbiosis in the gut. *Mucosal Immunology*, VOLUME 10 , 18–26. <https://doi.org/10.1038/mi.2016.75>
- Zhang, M., & Yang, X.-J. (2016). Effects of a high fat diet on intestinal microbiota and gastrointestinal diseases. *World Journal Gastroenterol*, 22(40), 8905–8909. <https://doi.org/10.3748/wjg.v22.i40.8905>
- Zmora, N., Bashiardes, S., Levy, M., & Elinav, E. (2017). The role of the immune system in metabolic health and disease. *Cell Metabolism*, 25, 506–521. <https://doi.org/10.1016/j.cmet.2017.02.006>