

DAFTAR PUSTAKA

- ACGIH,T. (2007). Threshold limit values for chemical substances and physical agents and biological exposure indices. In USA: American Conference of Governmental Industrial Hygienists (pp. 200-219).
- ACGIH. 1986. Documentation of the threshold limit values and biological exposure indices. 5th ed. American Conference on Governmental Industrial Hygienists. Cincinnati, OH.
- Ahmad, S, (2003). *Puasa Menuju Sehat Fisik dan Psikis*. Jakarta: Gema Insani.
- Amirah, N. (2017). *Analisis Kualitas Fisik Ruang Produksi Sepatu dan Kadar Benzena di Udara Serta Keluhan Kesehatan Pengrajin Sepatu di Industri Sepatu Rumahan Kecamatan Medan Area dan Medan Denai Kota Medan Tahun 2017*.
- APICCAPS, World Footwear Yearbook 2015 Snapshot Version, APICCAPS
- ATSDR. "Public Health Assessment Guid-ance Manual." <http://www.atsdr.cdc.gov/hac/PHSManual/toc.html>. 2005. (accessed Desember 16, 2011).
- Azari, M. R., Rokni, M., Salehpour, S., MEHRABI, Y. E., Jafari, M. J., NASER, M. A., ... & RAMEZANI, B. (2009). Risk assessment of workers exposed to crystalline silica aerosols in the east zone of Tehran.
- Baker, Jr. and Seppalainen, A.M. (2007). Prevention of neurotoxic illness in working populations. *American Journal of Industrial Medicine*. Vol. 15, Issue 1, pages 117–118,2007.
- Døssing, M., Aelum, J. B., Hansen, S. H., Lundqvist, G. R., & Andersen, N. T. (1983). Urinary hippuric acid and orthocresol excretion in man during experimental exposure to toluene. *Occupational and Environmental Medicine*, 40(4), 470–473.
- Dyer RS, Bercegea MS, Mayo LM. 1988. Acute exposures to p-xylene and toluene alter visual information processing. *Neurotoxicol Teratol* 10:147-153.
- Elci, O. C., Yener, G., & Ucku, R. (2007). Working conditions and related neuropsychiatric problems among shoemakers in Turkey: Do child workers differ from others?. *Indian journal of occupational and environmental medicine*, 11(1), 9.
- Fabri, J., Graeser, U., & Simo, T. A. (2000). Xylenes. *Ullmann's Encyclopedia of Industrial Chemistry*.
- Fay, M., Risher, J., & Wilson, J. D. (2007). Toxicological profile for xylene.

- Fitanto, B. (2009). Analisis Omset dan Posisi Bersaing pada Klaster USAha Kecil Menengah (UKM) Sepatu Kota Mojokerto. *Journal of Indonesian Applied Economics*, 3(1).
- Gamberale F, Annwall G, Hultengren M. 1978. Exposure to xylene and ethylbenzene: III. Effects on central nervous functions. *Stand J Work Environ Health* 4:204-211.
- Gamble, J. F. (2000). Low-level hydrocarbon solvent exposure and neurobehavioural effects. *Occupational Medicine*, 50(2), 81–102.
- Gargouri, I., Khadhraoui, M., & Elleuch, B. (2016). What are the Health Risks of Occupational exposure to adhesive in the shoe industry?. adhesives: applications and properties, 219. leather shoe technical centre (ctc)
- Guyton, A. C., & Hall, J. E. (2007). Buku ajar fisiologi kedokteran edisi 11. Jakarta: EGC, 81–85.
- Hafez, S. F., Ibrahim, Y. H., Hussein, A. S., & Hassanien, M. A. (2011). Neurological Disorders In Shoe-Makers And The Role Of Some Trace Elements. *Journal of American Science*, 7(2), 145-153.
- Harris, J.B. & Blain, P.G. (2004). Neurotoxicology: What the neurologist needs to know. *Journal of Neurology, Neurosurgery and Psychiatry*, 75(Supplement 3), 29-34. Retrieved March 28, 2005, from TYDS@TUKS database.
- Ihrig, A., Triebig, G., & Dietz, M. C. (2001). Evaluation of a modified German version of the Q16 questionnaire for neurotoxic symptoms in workers exposed to solvents. *Occupational and environmental medicine*, 58(1), 19-23.
- IPCS, (2004). Xylene. Geneva, World Health Organization, International Programme on Chemical Safety (International Chemical Safety Card 0015; www.inchem.org/documents/icsc/icsc/eics0015.htm). diakses pada 23 Mei 2015.
- ILO di Industry Sepatu, I. P. A. (2004). Informal di Jawa Barat Sebuah Kajian Cepat. Jakarta: Copyright International Labour Organization.
- ILO, (2003), Meningkatkan Keselamatan, Kesehatan dan Lingkungan Kerja di Sektor Informal Alas Kaki Jakarta. Buku Petunjuk untuk Operator PATRIS (Pelatihan Aksi Bersama untuk Pelaku Sektor Informal), Kantor Perburuhan Internasional. Diterjemahkan dari *Improving Safety, Health and the Working Environment in the Informal Footwear Sector* (ISBN 92-2-113258-7), Jakarta, ILO, 2002.
- IRIS, (2003), Xylene, Integrated Risk Information System, Washington, DC: US Environmental Protection Agency. <http://www.epa.gov.iris/subst/index.html>

- Jacobson, G. A., & McLean, S. (2003). Biological monitoring of low level occupational xylene exposure and the role of recent exposure. *Annals of Occupational Hygiene*, 47(4), 331-336.
- Jafari, M. J., Karimi, A., & Azari, M. R. (2009). The challenges of controlling organic solvents in a paint factory due to solvent impurity. *Industrial Health*, 47(3), 326–332.
- Johnson, B. L., Baker, E. L., El-Batawi, M., Gilioli, R., Hanninen, H., Seppalainen, A. M., & Xitarax, C. (1987). Recommended neurobehavioral test methods. *Prevention of neurotoxic illness in working populations: a textbook of neurotoxic illness*, 169-209.
- Laelasari, E., Kristanti, D., & Rahmat, B. (2018). Penggunaan Lem Sepatu Dan Gangguan Kesehatan Pekerja Industri Sepatu Di Ciomas, Bogor. *Jurnal Ekologi Kesehatan*, 17(2), 85-95.
- Lelitasari. (2006). Hubungan pelarut organik dengan gejala neurotoksik pada pekerja alas kaki di sektor informal Ciomas Bogor: Menggunakan kuesioner Swedish Q16.
- Louvar, J.F and Louvar B.D, (1998). *Health and Environment Risk Analysis: Fundamental With Applications. Volume 2.* Prentice Hall PTR, New Jerse.
- Lundberg, I., Högberg, M., Michelsen, H., Nise, G., & Hogstedt, C. (1997). Evaluation of the Q16 questionnaire on neurotoxic symptoms and a review of its use. *Occupational and environmental medicine*, 54(5), 343-350.
- Mansyur, M. (2007). Manajemen Risiko Kesehatan di Tempat Kerja. *Majalah Kedokteran Indonesia (MKI)*, 57(9), 285–288.
- McCann M. The Leather, the fur and the shoe. *Encycl Security Health Labour (ILO)2000*, 3rd French edition (Translation 4th English edition), 3, 88: 13
- Murray and Lopez. (2006). Mortality by Cause for 8 Region of the World: Global Burden of Disease. Vol. 349, No. 9061, p.76-1269.
- Mukono J, (2010). *Toksikologi Lingkungan*. Surabaya: Airlangga Press.
- Mukono, H. J. (2011). *Aspek Kesehatan Pencemaran Udara*. Airlangga University Press.
- Monat-Descamps, C., & Deschamps, F. (2012). Nervous system disorders induced by occupational and environmental toxic exposure. *Open Journal of Preventive Medicine*, 2(3), 272-278.
- NAS/NRC. 1989. *Biological markers in reproductive toxicology*. National Academy of Sciences/National Research Council. Washington, DC: National Academy Press, 15-35.

- Nomor, P. M. K. R. I. (5). Tahun 2018 Tentang Keselamatan dan Kesehatan Kerja Lingkungan Kerja.
- Ogata M, Yamasaki Y, Meguro T, et al. 1979. Quantitation of urinary o-xylene metabolites in rats and human beings by high-performance liquid chromatography. *Ind Health* 17:123-125.
- OSHA, (Occupational safety and health administration) 2005 Air contaminants Occupational Safety and Health Administration.
- Pearce, C, Evelyn, (2006). *Anatomi dan Fisiologis untuk Paramedis*, Jakarta : Gramedia Pustaka Utama.
- Rajan, S. T., & Malathi, N. (2014). Health hazards of xylene: a literature review. *Journal of Clinical and Diagnostic Research: JCDR*, 8(2), 271.
- Rajan, S. T., & Malathi, N. (2014). Health hazards of xylene: a literature review. *Journal of Clinical and Diagnostic Research: JCDR*, 8(2), 271.
- Riihimäki, V., & Engström, K. (1979). Nordiska expertgruppen för gränsvärdesdokumentation:10. Xylen. rapport nr.: *Arbete och Hälsa* 1979: 35.
- Rusdy, M. D. R. (2012). Analisis gejala neurotoksik akibat pajanan pelarut organik xylene pada pekerja pembuatan cat di PT X [Thesis]. Depok: Universitas Indonesia.
- Savolainen H, Pfaffli P, Helojoki M, et al. 1979a. Neurochemical and behavioral effects of long-term intermittent inhalation. *Acta Pharmacol Toxicol* 44:200-207.
- Sedivec V, Flek J. 1976b. The absorption, metabolism, and excretion of xylenes in man. *Int Arch Occup Environ Health* 37:205-217.
- Swan, G. E., & Lessov-Schlaggar, C. N. (2007). The effects of tobacco smoke and nicotine on cognition and the brain. *Neuropsychology review*, 17(3), 259-273.
- Waseso, T., & Manikam, R. M. (2015). Aplikasi Pembelajaran Fungsi Sistem Saraf Pada Tubuh Manusia Berbasis Android. *Jurnal Ilmiah Fifo*, 7(2), 235-243.
- World Health Organization. (2002). Noncommunicable diseases in South-East Asia region: a profile (No. SEA-NCD-54). WHO Regional Office for South-East Asia .