

## DAFTAR PUSTAKA

- American Heart Association. 2014. Physical Activity and Exercise Recommendations for Stroke Survivors. <https://pdfs.semanticscholar.org/5ed2/5af57b27580a2d30cd415a16f20617b96b3f.pdf>
- Annabelle Constans, Caroline Pin-barre, Jean-Jacques Temprado, Patrick Decherchi and Jérôme Laurin. Influence of Aerobic Training and Combinations of Interventions on Cognition and Neuroplasticity after Stroke. *Front. Aging Neurosci.*, 30 June 2016. Vol8:Article64:pp1-17
- Arsic, Sladjana, LjubicaKonstantinovic, Fadilj Eminovic, Dragan Pavlovic, 2016. Correlation between Demographic Characteristics, Cognitive Functioning and Functional Independence in Stroke Patients. *Srp ArhCelok Lek.* 2016 Jan-Feb; 144(1-2): 31-37
- Ashendorf, L., Jefferson, A. L., O'connor, M. K., Chaisson, C., Green, R. C., & Stern, R. A. 2008. *Trail Making Test errors in normal aging, mild cognitive impairment and demensia.*
- Bach JR and Altschuler E. 2010. *Rehabilitation of the Patient with Respiratory Dysfunction.* In *DeLisa's Physical Medicine and Rehabilitation Principles and Practices. 5th ed.* Lippincott Williams and Wilkins. Philadelphia. Pp. 1102-1106.
- Baddeley AD and Hitch GJ. 1974. Working memory. In G. A. Bower (Ed.). *The psychology of learning and motivation*, 8(00), 47-90.
- Baker, Laura D *et al.*, 2010. Effects of Aerobic Exercise on Mild Cognitive Impairment A Controlled Trial. *ARCH NEUROL/VOL 67 (NO. 1)*
- Barber AP, Demchuch AM, Hirt L, Buchan AM. 2003. Ischemic stroke: Biochemistry of ischemic stroke. Lippincott Williams & Wilkins. Publishers; 92: 151-63. 24.
- Basmajian. 1990. *Therapeutic Exercise*, 5th edn, Lippincot William and Wilkins, Baltimore.
- Billinger S.A., Mattlage A.E., Ashenden A.L., Lentz A.A.& Harter G. 2012. Aerobic exercise in subacute stroke improves cardiovascular health and physical performance. *Journal of Neurologic Physical Therapy*, 36(4), 159–165.
- Carvalho, A., Rea, M., Parimon, T., & Cusack, B. J. 2014. Physical Activity and Cognitive Function in the Elderly: a Systematic Review. *Clinical Interventions in Ageing* , 2014:9, 661 - 682. DOI: 10.2147/CIA.S55520

- Corwin. 2009, Buku Saku Patofisiologi, Edisi 3, EGC, Jakarta
- Cuasay P. 1992. *Cognitif Factor in Academic Achievement*. New York: Higher Education Extention Service.
- Birenbaum D, Bancroft LW, Felsberg GJ. 2011. Imaging in Acute Stroke. *West J Emerg Med*. 2011 Feb;12(1):67-76. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/21694755>
- Brandstater ME, 2005. Stroke Rehabilitation. In: Delisa JA et al (Ed). *Physical Medicine and Rehabilitation*. 4<sup>th</sup> ed. Philadelphia: Lippincot Williams & Wilkins, pp 165-75.
- Caroline N. Harada, MD<sup>a,\*</sup>Marissa C. Natelson Love, MD<sup>b</sup>, Kristen L. Triebel, PsyD. Normal Cognitive Aging. November 2013 Volume 29, Issue 4, Pages 737–752
- Churcill *et al.*, 2002. Exercise, experience and the aging brain. Available from: [https://morelife.org/references/full\\_papers/12392797.pdf](https://morelife.org/references/full_papers/12392797.pdf)
- Diamond A. 2013. Executive function. *Annu Rev Psychol*. 2013;64:135-68. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/23020641>
- Dictionary of Sport and Exercise Science and Medicine. Churcill Livingstone. *Cycle Ergometer*. Available at [medical-dictionary.thefreedictionary.com](http://medical-dictionary.thefreedictionary.com).
- Dresler, Martin *et al.*,. 2013. Non-pharmacological cognitive enhancement. *Neuropharmacology* Volume 64, January 2013, Pages 529-543
- Duzel E, van Praag H, Sendtner M. 2016. Can physical exercise in old age improve memory and hippocampal function?. *Brain*. Mar;139(Pt 3):662-73. doi: 10.1093/brain/awv407.
- El-Tamawy, Mohamed S., Abd-Allah, Foad, Ahmed, Sandra M., Darwish, Moshera H., Khalifa, Heba A. 2014. Aerobic exercises enhance cognitive functions and brain derived neurotrophic factor in ischemic stroke patients. *Journal NeuroRehabilitation*, vol. 34, no. 1, pp. 209-213
- Goldman WP, Baty JD, Buckles VD, Sahrman S and Morris JC. 1999. Motor dysfunction in mildly demented AD individuals without extrapyramidal signs. *Neurology*;53:956-962.
- Gomez-Pinilla, F., Ying, Z., Roy, R., Molteni, R., & Edgerton, R. 2002. Voluntary Exercise Induces a BDN-Mediated Mechanism that Promotes Neuroplasticity. *Journal of Neurophysiology*, 2187-2196. doi:<https://doi.org/10.1152/jn.00152.2002>

- Hasan, S.M Mahmudal *et al.*, 2016. Defining Optimal Aerobic Exercise Parameters to Affect Complex Motor and Cognitive Outcomes after Stroke: A Systematic Review and Synthesis. *Neural Plasticity* Volume
- Hamdan AC. 2009. Effect of Age and Education Level on the Trail Making Test in a Healthy Brazilian Sample. *Psychology Neuroscience: 2 (2): 199-203.*
- Harvey RL, Roth EJ, Yu DT and Celnik P, 2011. Stroke Syndromes. In: Braddom RL (Ed). *Physical Medicine and Rehabilitation*. 4<sup>th</sup> ed. Philadelphia: Elsevier Saunders, pp 1177-1222.
- Hesti H. 2008.. Pengaruh Gangguan Kognitif Terhadap Gangguan Keseimbangan Pada Lanjut Usia. *Neurona;25:26-31.*
- Hul, Alex van't. 2003. *Constant-load Cycle Endurance Performance: Test-retest Reliability and Validity in Patients with COPD*. *Journal of Cardiopulmonary Rehabilitation*. University of Leuven. Pp, 143-144
- Huseyinsinoglu, Burcu *et al.*, 2017. Physical Activity Level of Ambulatory Stroke Patients: Is it Related to Neuropsychological Factors?. *Noro Psikiyatr Ars*. 2017 Jun; 54(2): 155–161
- Islam MS, Muis A, Asmedi A, Koestiowati E, Jannis J, Dhanu R, Shahab A, Syamsudin T, Syafrita Y, Sudewi R, Misbach Y, Harris S, Sitorus F, Bustami M, Rasyid A, Lumempouw S, Purba J, Mulyatsih E, Soertidewi L. 2009. *Buku Modul Induk Neurovaskular*. Kolegium Neurologi Indonesia. PERDOSSI. pp. 22-115.
- Jellinger, 2017. What are the Main Pathogenetic Features of Vascular Cognitive Impairment?. *Alzheimers Dis Dement* 2017, 1(1):29-33 Volume 1 | Issue 1.
- Johnson, Mark H., Yuko Munakata. 2005. Processes of change in brain and cognitive development. Volume 9, ISSUE 3, P152-158. Available from: [https://www.cell.com/trends/cognitive-sciences/fulltext/S1364-6613\(05\)00028-8](https://www.cell.com/trends/cognitive-sciences/fulltext/S1364-6613(05)00028-8)
- Lesniak M, Bak T, Czepiel W, Seniow J, Czlonkowska A. 2008. Frequency and prognostic value of cognitive disorders in stroke patients. *Dement Geriatr Cogn Disord.*; 26:356–363. [PubMed: 18852488]
- Liu-Ambrose T, Pang MY, Eng JJ. 2007. Executive function is independently associated with performances of balance and mobility in community-dwelling older adults after mild stroke: Implications for falls prevention. *Cerebrovasc Dis.*; 23:203–210. [PubMed: 17143004]
- Lumbantobing SM. 2006. *Kecerdasan pada usia lanjut dan demensia*. Edisi 4. Jakarta: Balai penerbit FKUI.

- Lykidis, Christos. 2009. Cardiovascular and Respiratory Reflex Control System in The Regulation of Pulmonary Blod Flow and Ventilation During Exercise, University of Brimingham, Brimingham, pp 158-160.
- Mohamed S. El-Tamawy, Foad Abd-Allaha, Sandra M. Ahmeda, Moshera H. Darwish and Heba A. Khalifa. 2014. Aerobic exercises enhance cognitive functions and brain derived neurotrophic factor in ischemic stroke patients. *NeuroRehabilitation* 34: 209–213
- Ojaghiahghi S, Vahdati SS, Mikaeilpour A, Ramouz A. 2017. Comparison of Neurological Clinical Manifestation in Patients with Hemorrhagic and Ischemic Stroke. *World Journal of Emergency Medicine*. 8(1): 34 – 38.
- Maramis WF. 2009. Ilmu kedokteran jiwa. Surabaya: Airlangga University Press.
- Maya Danovska, Boyko Stamenov, Margarita Alexandrova, Dora Peychinsk . 2012. Post-Stroke Cognitive Impairment- Phenomenology and Prognostic Factor. *J of IMAB*. 2012, vol. 18, book 3
- Middleton L, Kirkland S, Rockwood K. 2008. Prevention of CIND by physical activity: different impact on VCI-ND compared with MCI. *J Neurol Sci.*;269(1-2): 80-84.
- Moll J, Moll FT, Bramati IE and Andreiuolo PA. 2002. The Cerebral Correlates of Set Shifting: an fMRI Study of the Trail Making Test.
- Mundkur N. 2005. Neuroplasticity in Children. *Indian Journal Pediatri*: 72 (10): 855-7
- Neder ,JA Nery LE, Castelo A., Andreoni S., Lerario MC., Sachs A., Silva AC., Whipp BJ., *Prediction of Metabolic and Cardiopulmonary Responses to Maximum Cycle Ergometry: A Randomized Study. European Respiratory Journal*. Pp.1304.
- Park,J.W., Bang,M.S., Kwon,B.S., Park,Y.K., Kim,D.W., Shon,S.M. 2010. Early treadmill training promotes motor function after hemorrhagic strokeinrats.*Neurosci.Lett*.471,104–108.doi:10.1016/j.neulet.2010.01.020
- Paul W. Burgess, Nick Alderman, Catrin Forbes, Angela Costello. 2006. The case for the development and use of “ecologically valid” measures of executive function in experimental and clinical neuropsychology. Volume 12, Issue 2 . March 2006 , pp. 194-209
- PERDOSRI. 2012. *Asesmen dan Prosedur Kedokteran Fisik dan Rehabilitasi*. Jakarta: Perdosri.
- Petcu, E. B., Smith, R. A., Miroiu, R. I., and Opris, M. M. 2010. Angiogenesis in old-aged subjects after ischemic stroke: a cautionary note for investigators. *J.AngiogenesisRes*.2:26.doi:10.1186/2040-2384-2-26

- Pranarka K, 2006, Penerapan Geriatrik Kedokteran Menuju Usia Lanjut yang Sehat, *Universa Medicina*, 25, pp.187-197
- Sacco, Ralph *et al.* 2013. An Updated Definition of Stroke for the 21st Century. *Stroke*. 2013;44:2064–2089. Available from: <https://www.ahajournals.org/doi/10.1161/STR.0b013e318296aeca>
- Santoso H dan Ismail A. 2009. Memahami krisis lanjut usia. Jakarta: Gunung Mulia.
- Schmolesky, M., Webb, D., & Hansen, R. 2013. The Effects of Aerobic Exercise Intensity and Duration on Levels of Brain Derived Neurotropic Factor in Healthy Men. *Journal of Sports Science and Medicine*, 502-511.
- Semiun, Y. 2006. Kesehatan Mental: Pandangan Umum Mengenai Penyesuaian Diri dan Kesehatan Mental serta Teori-teori yang terkait. Kanisius: Yogyakarta
- Shimada, H., Obuchi, S., Furuna, T., & Suzuki, T. 2004. The Effects of perturbed Walking Exercise using a Bilateral Separated Treadmill. *American Journal of Physical Medicine and Rehabilitation*, 493-500. doi: 10.1097/01.PHM.0000130025.54168.91CC
- Smith JC, Nielson KA and Antuono P. 2013. Semantic Memory functional MRI and cognitive function after exercise intervention in mild cognitive impairment. *Journal of Alzheimers Disease*. 37:197-215.
- Stanimirovic D, Satoh K. Inflammatory mediators of cerebral endothelium: A role in ischemic brain inflammation. *Journal of brain pathology*. Canada. 2000; 10: 113-26.
- Subadi I, Subagyo dan Andriana M, 2008. *Gangguan Pembuluh Darah Otak (GPDO)*. Pedoman Diagnosis dan Terapi Bag/SMF Rehabilitasi Medik. Edisi 1. Surabaya: Bag/SMF Rehabilitasi Medik RSUD Dr.Soetomo, pp 20-24.
- Subadi I, Kurniawati PM. 2014. Manajemen Rehabilitasi Medik pada Stroke. Buku Ajar Ilmu Kedokteran Fisik dan Rehabilitasi Edisi ke-3. Fakultas Kedokteran Universitas Airlangga. Surabaya. pp. 137-149.
- Stoller O. , de Bruin E. D. , Knols R. H. , & Hunt K. J. 2012. Effects of cardiovascular exercise early after stroke: Systematic review and meta-analysis. *BMC Neurology*, 12, 45–. <http://www.biomedcentral.com/1471-2377/12/45>
- Syah, M. 2013. Edisi revisi: Psikologi pendidikan dengan suatu pendekatan baru. Bandung: PT. Remaja Rosdakarya.
- Tan Jackson C., 1998. *Exercise Tolerance Testing in Practical Manual of Physical Medicine and Rehabilitation*. Mosby. New York. Pp. 86-87.

- Taylor, S. 2009. Health psychology; Seventh edition. New York: Mc Graw-Hill Companies, Inc.
- Teasell, Robert *et al.* 2018. *Post-Stroke Cognitive Disorders* in Evidence-Based Review of Stroke Rehabilitation. p1-86. Available from: [www.ebrsr.com](http://www.ebrsr.com)
- Truelsen T, Begg S, Mathers C. 2006. *The global burden of cerebrovascular disease*. WHO Discussion Paper. Geneva, Switzerland: World Health Organization
- Vergheze J, Lipton RB and Katz MJ. 2003. Leisure activities and the risk of demensia in the elderly. *N Engl J Med*;348:2508–2516.
- Voelcker-Rehage C, Godde B, Staudinger UM. Physical and motor fitness are both related to cognition in old age. *Euro J Neurosci*. 2010;31:167–176.
- Voss MW, Prakash RS, Erickson KI, Basak C, Chaddock L, Kim JS, Alves H, Heo S, Szabo AN, White SM, Wojcicki TR, Mailey EL, Gothe N, Olson EA, McAuley E, and Kramer AF. 2010. Plasticity of Brain Networks in a Randomized Intervention Trial of Exercise Training in Older Adults. *Frontiers in Aging Neuroscience*.2:32.doi:10.3389/fnag i.2010.00032.
- Wang, Q., Tang, X. N., and Yenari, M. A. 2007. The inflammatory response in stroke.*J.Neuroimmunol*.184,53–68.doi:10.1016/j.jneuroim.2006.11.014
- Weiss LD and Probe T, 2010. *Oxford American Handbook of Physical Medicine and Rehabilitation*. New York: Oxford University Press, pp 328-342.
- Wirawan RP. Rehabilitasi Stroke pada Pelayanan Kesehatan Primer. *Majalah Kedokteran Indonesia*. 2009; 59(2): 61-71.
- Zhang, P., Yu, H., Zhou, N., Zhang, J., Wu, Y., Zhang, Y., et al. 2013. Earlyexerciseimprovescerebralbloodflowthroughincreasedangiogenesisin experimentalstrokeratmodel.*J.Neuroeng.Rehabil*.10:43.doi:10.1186/17430003-1