

DAFTAR PUSTAKA

- Abramov, Y., Hirsh E., Illievksi V., Goldberg R.P., Botros, S.M., Saud, P.K. (2007). Histologic characterization of vaginal vs. abdominal surgical wound healing in a rabbit model. *Wound Repair and Regeneration*: 15(1); pp. 80–86.
- Abramov, Y., Hirsh E., Illievksi V., Goldberg R.P., Botros, S.M., Saud, P.K. (2013) Transforming growth factor beta 1 gene expression during vaginal vs cutaneous surgical wound healing in the rabbit. *International Urogynecology Journal and Pelvic Floor Dysfunction*: 24(4); pp. 671–675.
- Acharya, P., Beckel, J., Ruiz, W.G., Wang, E., Rojas, R., Birder, L., Apodaca, G. (2004). Distribution of the tight junction proteins ZO-1, occludin, and claudin-4, -8, and -12 in bladder epithelium. *American Journal of PhysiologyRenal Physiology*; 287(305–318);
- Adds, P. J., Hunt, C. J. and Dart, J. K. G. (2001). Amniotic membrane grafts, “fresh” or frozen? A clinical and in vitro comparison. *British Journal of Ophthalmology*; 85(8): pp. 905–907.
- Aguado, B. A., Mulyasmita, W., Su, J., Lampe, K. J., & Heilshorn, S. C. (2012). Improving viability of stem cells during syringe needle flow through the design of hydrogel cell carriers. *Tissue engineering. Part A*, 18(7-8), 806–815.
- Ahmed, S. and Holtz, S. A. (2007). Social and economic consequences of obstetric fistula: Life changed forever?. *International Journal of Gynecology and Obstetrics*; 99 (SUPPL. 1): pp. 10–15.
- Al-Shaibani, M. B. H., Wang, X.N., Lovat, P.E., Dickinson, A.M. (2016). Cellular therapy for wounds: applications of mesenchymal stem cells in wound healing. *Wound Healing - New insights into Ancient Challenges*: (October).
- Alfars, A. A. (2009). Histological Study of Early Events During Wound Healing in Rabbits. *Basrah Journal of Veterinary Research*; 8(1): pp. 130–137.
- Angulo, A., Sebastian, I., Martinez, F.J., Torregrosa, R., Martin-Martinez, J.M., Madariaga, A.M. (2016). Comparative effectiveness of cyanoacrylate bioadhesives and monofilament suture in wound healing: A histopathological and physicochemical study in new zealand white rabbit. *Journal of Cytology & Histology*; 07(01): pp. 1–8.
- Bacalbaşa, N., Lintoui, B., Balescu, I., Dimitriu, M.. (2016). Diagnostic and management in vesicovaginal fistulas. *Journal of Translational Medicine and Research*; 21(2): pp. 95–101.
- Bainbridge, P. (2013). Wound healing and the role of fibroblasts. *Journal of Wound Care*; 22(8): pp. 407–412.

- Bao, P., Kodra, A., Tomic-Canic, M., Golinko, M.S, Ehrlich, H.P., Brem, H. (2010). The role of VEGF in wound healing. *Journal of Surgical Research*; 153(2): pp. 347–358.
- Barberini, F., Santis, F.D., Correr, S., Motta, P.M. (1992). The mucosa of the rabbit vagina: a proposed experimental model for correlated morphofunctional studies in humans. *European Journal of Obstetrics and Gynecology and Reproductive Biology*; 44(3): pp. 221–227.
- Barnhart, K. T., Izquierdo, A., Pretorius, E.S., Shera, D.M., Shabbout, M., Shaunik, A. (2006). Baseline dimensions of the human vagina. *Human Reproduction*; 21(6): pp. 1618–1622.
- Barski, D., Gerullis, H., Ecke, T., Varga, G., Boros, M., Pintelon, I., Otto, T. (2015). Repair of a vesico-vaginal fistula with amniotic membrane - Step 1 of the IDEAL recommendations of surgical innovation. *Central European journal of urology*, 68(4), 459–461.
- Begum, B., Khandakar, S. and Rahman, F. (2011). A study on outcome of vvf repair at kumudini women's medical college hospital. *Bangladesh Medical Journal*; 40(3): pp. 18–20.
- Bernardo, M. E. and Locatelli, F. (2016). Mesenchymal stromal cells in hematopoietic stem cell transplantation: 1416.
- Bliley, J. M., Argenta, A., Satish, L., McLaughlin, M.M., Dees, A., Rhoades, C.T., Marra, K.G., Rubin, J.P. (2016). Administration of adipose-derived stem cells enhances vascularity, induces collagen deposition, and dermal adipogenesis in burn wounds. *Burns*; 42(6): pp. 1212–1222.
- Borena, B. M., Pawde A.M., Amapal, Aithal, H.P., Kinjavdekar, P., Singh, r., Kumar, D. (2010). Evaluation of autologous bone marrow-derived nucleated cells for healing of full-thickness skin wounds in rabbits. *International Wound Journal*; 7(4): pp. 249–260.
- Cardozo, L. and Staskin, D. R. (eds) (2010) *Textbook of Female Urology and Urogynecology*. Third. London: Informa Healthcare.
- Carvalho, M. J. (2015). Amniotic Membrane in Gynaecology. *Amniotic membrane: origin characterization and medical applications*: pp. 165–175.
- Chan, Y. Y., Sandlin, S.K., Kurzrock, E.A., Osborn, S.L. (2017). The current use of stem cells in bladder tissue regeneration and bioengineering. *Biomedicines*: 5(1); pp. 1–13.
- Cheng, B., Liu, H.W., Fu, X.B., Sun, T.Z., Sheng, Z.Y. (2007). Recombinant human platelet-derived growth factor enhanced dermal wound healing by a pathway involving ERK and c-fos in diabetic rats. *Journal of Dermatological Science*; 45(3): pp. 193–201.
- Chopra, A. and Thomas, B. S. (2013). Amniotic membrane: A novel material for

- regeneration and repair. *Journal of Biomimetics Biomaterials and Tissue Engineering*; 18(1): pp. 1–8.
- Cirman, T., Ramuta, T.Z., Luznik, X., Hawlina, M., Schollmayer, P., Smrke, D., Kreft, M.E. (2019). The amniotic membrane as a biological scaffold, its preparation and use in regenerative medicine in Slovenia. *Zdravniški Vestnik*; 87(11–12): pp. 530–546.
- Creanga, A. A. and Genadry, R. R. (2007). Obstetric fistulas: A clinical review. *International Journal of Gynecology and Obstetrics*; 99(SUPPL. 1): pp. 40–46.
- Damaser, M. S., Whitbeck, C., Barreto, M., Horan, P., Benno, H., O'Connor, L.J., Levin, R.,M. (2000). Comparative physiology and biochemistry of rat and rabbit urinary bladder. *BJU International*; 85(4): pp. 519–525.
- Dehkordi, NA., Babaheydari, MF., Chehelgerdi, M. (2019) Skin tissue engineering: wound healing based on stem-cell-based therapeutic strategies. *Stem Cell Res Ther* 10;111.
- Demidova-Rice, T. N., Hamblin, M. R. and Herman, I. M. (2012). Acute and impaired wound healing: pathophysiology and current methods for drug delivery, part 2: role of growth factors in normal and pathological wound healing: therapeutic potential and methods of delivery tatiana. *Advanced Skin Wound Care*; 25(8): pp. 349–370.
- Denstedt, J. and Atala, A. (eds) (2009). *Biomaterials and tissue engineering in urology*. Cambridge: Woodhead Publishing Limited.
- Diallo, A. B. *et al.* (2015). Vesicovaginal fistulas: anatomical clinical and surgical aspects in the conakry university hospital center. *Open Journal of Urology*; 05(12): pp. 224–230.
- Dick, M. K., Miao, J. H. and Limaiem, F. (2019). Histology, Fibroblast', in *StatPearls [Internet]*. Treasure Island: StatPearls Publishing. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK541065/>.
- Dubie, T. *et al.* (2014). Basic biology and therapeutic application of stem cells in various human and animal diseases; 4(December): pp. 40–52.
- Dudley, L., Kettle, C. and Ismail, K. (2013). Prevalence, pathophysiology and current management of dehisced perineal wounds following childbirth', *British Journal of Midwifery*; 21(3): pp. 160–171.
- Dvorak, P. and Hampl, A. (2005). Basic fibroblast growth factor and its receptors in human embryonic stem cells. *Folia Histochemica et Cytobiologica*; 43(4): pp. 203–208.
- Eckelhoefer, H. A., Rajapaksa, T.E., Wang, J., Hamer, M., Appleby, N.C., Ling, J., Lo, D.D.. (2011). Claudin-4: Functional Studies Beyond the Tight Junction. *Methods in Molecular Biology*; 762: pp. 115–128.

- El-Tookhy, O. S., Shamaa, A.A., Shehab, G.G., Abdallah, A.N., Azzam, O.M. (2017). Histological evaluation of experimentally induced critical size defect skin wounds using exosomal solution of mesenchymal stem cells derived microvesicles. *International Journal of Stem Cells*; 10(2): pp. 144–153.
- Fairbairn, N. G., Randolph, M. A. and Redmond, R. W. (2014). The clinical applications of human amnion in plastic surgery. *Journal of Plastic, Reconstructive and Aesthetic Surgery*. Elsevier Ltd; 67(5): pp. 662–675.
- Faulk, W. P., Stevens, P.J., Burgos, H., Matthews, R., Bennett, J.P., Li His, B. (1980). Human amnion as an adjunct in wound healing. *The Lancet*; 315(8179): pp. 1156–1158.
- Fedchenko, N. and Reifenrath, J. (2014). Different approaches for interpretation and reporting of immunohistochemistry analysis results in the bone tissue - a review. *Diagnostic pathology*; 9, p: 221.
- Fu, Y. (2014). Human urine-derived stem cells in combination with polycaprolactone/gelatin nanofibrous membranes enhance wound healing by promoting angiogenesis. *Journal of Translational Medicine*; 12(1): pp. 1–14.
- Garely, A. D. and Mann, W. J. (2016). Urogenital tract fistulas in women. Available at: <https://www.uptodate.com/contents/urogenital-tract-fistulas-in-women> (Accessed: 26 October 2016).
- Gebler, A., Zabel, O. and Seliger, B. (2012). The immunomodulatory capacity of mesenchymal stem cells. *Trends in Molecular Medicine*. Elsevier Ltd; 18(2): pp. 128–134
- Geiger, H., Jasper, H. and Florian, M. C. (2015). Stem cell aging : mechanisms, consequences, rejuvenation. Edited by H. Geiger, H. Jasper, and M. C. Florian. New York: Springer Science & Business Media.
- Gelse, K., Pöschl, E. and Aigner, T. (2003). Collagens - Structure, function, and biosynthesis. *Advanced Drug Delivery Reviews*; 55(12): pp. 1531–1546.
- Ghoniem, G. M. and Warda, H. A. (2014). The management of genitourinary fistula in the third millennium. *Arab Journal of Urology*. Arab Association of Urology; 12(2): pp. 97–105.
- Ginger, V. A. T. and Yang, C. C. (2011). Cancer and sexual health. *Cancer and Sexual Health*: pp. 13–24.
- Gnecchi, M. (ed.) (2016). Mesenchymal stem cells methods and protocols. second. New York: Sp.
- Granick, M. S. and Teot, L. (eds) (2012). Surgical wound healing and management. 2nd ed. London: Informa Healthcare.
- Grazul-Bilska, A. T., Johnson, M.L., Bilski, J.J., Redmer, D.A., Reynolds, L.P.,

- Abdullah, A., Abdullah, K.M. (2003). Wound healing: The role of growth factors. *Drugs of Today*; 39(10): pp. 787–800.
- Greaves, N. S., Aschroft, K.J., Baguined, M., Bayat, A. (2013). Current understanding of molecular and cellular mechanisms in fibroplasia and angiogenesis during acute wound healing. *Journal of Dermatological Science*; 72(3): pp. 206–217.
- Günzel, D. and Yu, A. S. L. (2013). Claudins and the modulation of tight junction permeability. *Physiological Reviews*; 93(2): pp. 525–569.
- Hillary, C. J., Osman, N.I., Hilton, P., Chapple, C.R. (2016). The aetiology, treatment, and outcome of urogenital fistulae managed in well- and low-resourced countries: a systematic review. *European Urology*. European Association of Urology; 70(3): pp. 478–492.
- Hilton, P. (2016). Trends in the aetiology of urogenital fistula: a case of “retrogressive evolution”? *International Urogynecology Journal*. International Urogynecology Journal; 27(6): pp. 831–837.
- Honnegowda, T. M., Kumar, P., Udupa, E.G.P., Kumar, S., Kumar, U., Rao, P. (2015). Role of angiogenesis and angiogenic factors in acute and chronic wound healing. *Plastic and Aesthetic Research*; 2(5): p. 243.
- Hu, P., Meyers, S., Liang, F.X., Deng, F.M., Kachar, B., Zeidel, M.L., Sun, T.T. (2002). Role of membrane proteins in permeability barrier function: Uroplakin ablation elevates urothelial permeability. *American Journal of Physiology - Renal Physiology*; 283: pp. 1200–1207.
- Insausti, G.C., Moraleda, J.M., Castellanos, G., Nicolas, F.J. (2016) *Placenta The Tree of Life*. Edited by O. Parolini. CRC Pres.
- Javed, A., Abdullah, A., Faruqi, N., Syed, S.S., Mehdi, B.U., Pirzada, A.J. (2015). Doctor! will I be dry? Factors determining recurrence after vesicovaginal fistula repair. *Journal of the Pakistan Medical Association*, 65(9), pp. 954–958.
- Jerman, U. D., Veranič, P. and Kreft, M. E. (2014). Amniotic membrane scaffolds enable the development of tissue-engineered urothelium with molecular and ultrastructural properties comparable to that of native urothelium. *Tissue Engineering - Part C*; 20(4): pp. 317–327.
- Jin, E. Kim, T.H, Han, S., Kim, S.W. (2015). Amniotic epithelial cells promote wound healing in mice through high epithelialization and engraftment. *Journal of Tissue Engineering and Regenerative Medicine*.
- King, A., Swathi, B., Keswani, S.G., Crombleholme, T.M. (2014). The role of stem cells in wound angiogenesis. *Advances in Wound Care*; 3(10): pp. 614–625.
- Kim, I., Bang, S. I., Lee, S. K., Park, S. Y., Kim, M., & Ha, H. (2014). Clinical implication of allogenic implantation of adipogenic differentiated adipose-

- derived stem cells. *Stem cells translational medicine*, 3(11), 1312–1321.
- Klauschie, J., Wen, Y., Chen, B., Zhou, L., Nateras, R.N., Ocal, I.T., Himlin, D.L., Kho, R. (2014). Histologic characteristics of vaginal cuff tissue from patients with vaginal cuff dehiscence. *Journal of Minimally Invasive Gynecology*. Elsevier Ltd; 21(3): pp. 442–446.
- Koizumi, N., Inatomi, T., Sotozono, C., Fullwood, N.J., Quantock, A.J., Kinoshita, S. (2000). Growth factor mRNA and protein in preserved human amniotic membrane. *Current Eye Research*, 20(3): pp. 172–177.
- Kosaric, N., Kiwanuka, H., Gurtner, GC. (2019) Stem cell therapies for wound healing, *Expert Opinion on Biological Therapy*, 19:6, 575-585
- Kumar LP., Kandoi, S., Misra, R., Vijayalakshmi, S., Rajagopal, K., Verma, RS. (2019). The mesenchymal stem cell secretome: A new paradigm towards cell-free therapeutic mode in regenerative medicine. *Cytokine & Growth Factor Reviews*, 46: pp. 1-9
- Laird, D. J., von Andrian, U. H. and Wagers, A. J. (2008). Stem cell trafficking in tissue development, growth, and disease. *Cell*, 132(4): pp. 612–630.
- Larsson, P., Chamorro, C. I. and Fossum, M. (2016). A Review on bladder wound healing after mechanical injury. *Journal of Tissue Science & Engineering*; 7(2).
- Lashgari, M, H., Rostami, M, H, H., and Etemad, O. (2019). Assessment of outcome of using amniotic membrane enriched with stem cells in scar formation and wound healing in patients with burn wounds. *Bali Medical Journal*; 8(1): pp. 41-46.
- Lau, K., Paus R., Tiede, S., Day, P., Bayat, A. (2009). Exploring the role of stem cells in cutaneous wound healing. *Experimental Dermatology*; 18(11): pp. 921–933.
- Lei, J. (2017). Dehydrated Human Amnion/Chorion Membrane (dHACM) Allografts as a Therapy for Orthopedic Tissue Repair. *Techniques in Orthopaedics*; 32(3): pp. 149–157. doi: 10.1097/BTO.0000000000000229.
- Li, J., Chen, J. and Kirsner, R. (2007). Pathophysiology of acute wound healing. *Clinics in Dermatology*; 25(1): pp. 9–18.
- Lindberg, J., Rickardsson, E., Andersen, M., Lund, L. (2015). Formation of a vesicovaginal fistula in a pig model. *Research and Reports in Urology*; 7: pp. 113–116.
- Lisi, A., Briganti, E., Ledda, M., Losi, P., Grimaldi, S., Marchese, R., Soldani, G. (2012). A combined synthetic-fibrin scaffold supports growth and cardiomyogenic commitment of human placental derived stem cells. *PLoS ONE*; 7(4): pp. 1–10.
- Mahfouz, W., Elsalmy, S., Corcos, J., Fayed, A.S.. (2013). Fundamentals of bladder

- tissue engineering. *African Journal of Urology*. Pan African Urological Surgeons' Association.; 19(2): pp. 51–57.
- Mamede, A. C., Carvalho, M.J., Abrantes, A.M., Laranjo, M., Botelho, M.F., Maia, C.J. (2012). Amniotic membrane: From structure and functions to clinical applications. *Cell and Tissue Research*; 349(2): pp. 447–458.
- Maxson, S., Lopez, E.A., Yoo, D., Miagkova, A.D. (2012). Concise Review: Role of mesenchymal stem cells in wound repair. *STEM CELLS Translational Medicine*; 1(2): pp142–149.
- Meeks, G. R., Sams, J.O., Field, K.W., Fulp, K.S., Margolis, M.T. (1997). Formation of vesicovaginal fistula: The role of suture placement into the bladder during closure of the vaginal cuff after transabdominal hysterectomy. *American Journal of Obstetrics and Gynecology*; 177(6): pp. 1298–1304.
- Mendes, JJ., Neves, J. (2012). Diabetic Foot Infections: Current Diagnosis and Treatment. *The Journal of Diabetic Foot Complications*, 4(2): 26-45
- Mermet, I., Pottier, N., Sainthiller, J.M., Malugani, C., Remonnay, S.C., Maddens, S., *et al.* (2007) . Use of amniotic membrane transplantation in the treatment of venous leg ulcers. *Wound Repair and Regeneration*; 15(4): pp. 459–464.
- Miki, T., Lehmann, T., Cai, H., Stolz, DB., Strom, SC. (2005) Stem cell characteristics of amniotic epithelial cells. *Stem Cells* 23:1549–1559.
- Minjuan, W., Jun, X., Shiyun, S., Haitao, N., Yue, W., Kaihong, J. (2016). Hair follicle morphogenesis in the treatment of mouse full-thickness skin defects using composite human acellular amniotic membrane and adipose derived mesenchymal stem cells. *Stem Cells International*: 2016.
- Murray, I. R., West, C.C., Hardy, W.R., James, A.W., Park, T.S., Nguten, A. *et al.* (2014). Natural history of mesenchymal stem cells, from vessel walls to culture vessels. *Cellular and Molecular Life Sciences*; 71(8): pp. 1353–1374.
- Narayanan, P., Nobbenhuis, M., Reynolds, K.M., Sahdev, A., Rezneck, R.H., Rockall, A.G. (2009). Fistulas in malignant gynecologic disease: etiology, imaging, and management: pp. 1073–1084.
- Nieuwoudt, A., Appleby, C. E. and Mukhopadhyay, S. (2015). Native tissue repair and principles of wound healing: introducing the concept of regenerative surgery in vaginal prolapse repair. *Journal of Clinical Gynecology and Obstetrics*; 4(2): pp. 197–202.
- Niknejad, H., Peirovi, H., Jorjani, M., Ahmadiani, A., Ghanavi, J., Seifalian, A.M. (2008). Properties of the amniotic membrane for potential use in tissue engineering. *European Cells and Materials*; 15: pp. 88–99.
- Ninan, N., Thomas, S. and Grohens, Y. (2015). Wound healing in urology.

Advanced Drug Delivery Reviews. Elsevier B.V.; 82: pp. 93–105.

- Nowak, M., Madej, J. A. and Dziegiel, P. (2007). Expression of E-cadherin, β -catenin and Ki-67 antigen and their reciprocal relationships in mammary adenocarcinomas in bitches. *Folia Histochemica et Cytobiologica*; 45(3): pp. 233–238.
- Orsted, H.L., Keast, D., Lalande, L.F., Megie, M.F. (2011). Basic principles of wound healing. *Wound Care Canada*; 9(2): pp. 395–402.
- Oottamasathien, S., Hotaling, J. M., Craig, J. R., Myers, J. B., & Brant, W. O. (2017). Amniotic therapeutic biomaterials in urology: current and future applications. *Translational andrology and urology*, 6(5), 943–950.
- Patel, S., Maheshwari, A. and Chandra, A. (2016). Biomarkers for wound healing and their evaluation. *Journal of Wound Care*; 25(1): pp. 46–55.
- Paul, W. and Sharma, C. P. (2015). Advances in wound healing materials : science and skin engineering, advances in wound healing materials : science and skin engineering. Shawbury: Smithers Rapra Technology Ltd Shawbury.
- Prasetyono, T. O. H. (2009). General concept of wound healing, revisited. *Medical Journal of Indonesia*; 18(3): pp. 208–216.
- Prijanto, I. (2009). The Difference of epidermal growth factor concentration between fresh and freeze-dried amniotic membranes. *Jurnal Oftalmologi Indonesia*; 7(2): pp. 62–66.
- Riboh, J. C., Saltzman, B.M., Yanke, A.B., Cole, B.J. (2016). Human amniotic membrane-derived products in sports medicine: Basic science, early results, and potential clinical applications. *American Journal of Sports Medicine*; 44(9): pp. 2425–2434.
- Ricard-Blum, S. (2011). The collagen family. *Cold Spring Harbor Perspectives in Biology*; 3(1): pp. 1–19
- Ridawati, E., Nasihun, T., Wiratno. (2016). Stem cell mesenchymal injection increases platelet-derived growth factors level and percentage of collagen in third-degree burn injured mice; 7(2): pp. 49–53.
- Rinastiti, M., Santoso, A.I.S, Sosroseno, W. (2006). Histological evaluation of rabbit gingival wound healing transplanted with human amniotic membrane. *International Journal of Oral and Maxillofacial Surgery*; 35(3): pp. 247–251.
- Samandari, M. H., Yahmaei, M., Ejlali, M., Moshref, M., Saffar, A.S. (2004). Use of amnion as a graft material in vestibuloplasty: A preliminary report. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontics*; 97(5): pp. 574–578.
- Scadden, D. T. (2006). The stem-cell niche as an entity of action. *Nature*; 441(7097): pp. 1075–1079.

- Shaw, T. J., Martin, P. (2016). Wound repair: A showcase for cell plasticity and migration. *Current Opinion in Cell Biology*. Elsevier Ltd; 42: pp. 29–37.
- Shi, J., Barakat, M., Chen, D., Chen, L. (2018). Bicellular tight junctions and wound healing. *International Journal of Molecular Sciences*; 19(12): pp. 1–20.
- Shi, J. G., Fu, W.J., Wang, X.X., Xu, Y.D, Li, G., Hong, B.F., *et al.* (2012). Transdifferentiation of human adipose-derived stem cells into urothelial cells: Potential for urinary tract tissue engineering. *Cell and Tissue Research*; 347(3): pp. 737–746.
- Shi, Y., Hu, G., Su, J., Li, W., Chen, Q., Shou, P., *et al.* (2010). Mesenchymal stem cells: A new strategy for immunosuppression and tissue repair. *Cell Research*. Nature Publishing Group; 20(5): pp. 510–518.
- Smolar, J., Salemi, S., Horst, M., Sulser, T., Eberli, D. (2016). Stem cells in functional bladder engineering. *Transfusion Medicine and Hemotherapy*; 43(5): pp. 328–335.
- Solomon, A., Rosenblatt, M., Monroy, D., Ji, Z., Pugfelder, S.C., *et al.* (2001). Suppression of Interleukin1 alpha and Interleukin1 beta in the human limbal epithelial cells cultured on the amniotic membrane stromal matrix. *Br. J. Ophthalmol*; 85: pp. 444–449.
- Song, M., Wang, W., Ye. Q., Bu, S., Shen, Z., Zhu, Y. (2017). The repairing of full-thickness skin deficiency and its biological mechanism using decellularized human amniotic membrane as the wound dressing. *Materials Science and Engineering C*. Elsevier B.V.; 77: pp. 739–747.
- Song, Y. S. and Ku, J. H. (2007). Monitoring transplanted human mesenchymal stem cells in rat and rabbit bladders using molecular magnetic resonance imaging. *Neurourology and Urodynamics*; 26: pp. 584–593.
- Stamatakis, M., Sargedhi, c., Stasinou, T., Kontzoglou, K. (2014). Vesicovaginal fistula: diagnosis and management. *Indian Journal of Surgery*; 76(2): pp. 131–136.
- Stevenson, K., Kucich, U., Whitbeck, C. Levin, R.M., Howard, P.S. (2006). Functional changes in bladder tissue from type III collagen-deficient mice. *Molecular and Cellular Biochemistry*; 283(1–2): pp. 107–114.
- Suda, S., Williams, H., Medbury, H.J., Holland, A.J.A. (2016). A review of monocytes and monocyte-derived cells in hypertrophic scarring post burn. *Journal of Burn Care and Research*; 37(5): pp. 265–272.
- Tamagawa, T., Ishiwata, I., Saito, S. (2004) Establishment and characterization of a pluripotent stem cell line derived from human amniotic membranes and initiation of germ layers in vitro. *Hum Cell* 17:125–130
- Teotia, P., Sharma, S., Airan, B., Mohanty, S. (2016). Feeder & basic fibroblast growth factor-free culture of human embryonic stem cells: Role of

- conditioned medium from immortalized human feeders. *Indian J Med Res*; 144: pp. 838–851.
- Uchino, Y., Shimmura, S., Miyashita, H., Taguchi, T., Kobayashi, H., Shimazaki, J., *et al.* (2007). Amniotic membrane immobilized poly(vinyl alcohol) hybrid polymer as an artificial cornea scaffold that supports a stratified and differentiated corneal epithelium. *Journal of Biomedical Materials Research Part B: Applied Biomaterials*: pp. 201–206.
- Ugochukwu, O. (2015). Vesico-vaginal fistula in developing countries - time to turn off the tap. *Journal of Pregnancy and Child Health*; 02(04): pp. 1–4.
- Velnar, T., Bailey, T. and Smrkolj, V. (2009) ‘The wound healing process: An overview of the cellular and molecular mechanisms’, *Journal of International Medical Research*, 37(5), pp. 1528–1542.
- Volksdorf, T., Hellmann, J., Eming, S.A., Schawjinski, K., Kruppa, M.Z., Ueck, C., *et al.* (2017). Tight junction proteins claudin-1 and occludin are important for cutaneous wound healing. *American Journal of Pathology*. Elsevier Inc; 187(6): pp. 1301–1312.
- Watanabe, S., Uchida, K., Nakajima, H., Matsuo, H., Sugita, D., Yoshida, A., Honjoh, K., Johnson, W.E. and Baba, H. (2015), Early Transplantation of Mesenchymal Stem Cells After Spinal Cord Injury Relieves Pain Hypersensitivity Through Suppression of Pain-Related Signaling Cascades and Reduced Inflammatory Cell Recruitment. *Stem Cells*, 33: 1902-1914.
- Wall, L. L., Arrowsmith, S.D., Briggs, N.D., Brwoning, A., Lassey, A. (2005). The obstetric vesicovaginal fistula in the developing world. *Obstetrical & Gynecological Survey*; 60(7): pp. 3–51.
- Walters, M. D. and Karram, M. M. (eds) (2007). Urogynecology and reconstructive pelvic surgery. Third. Philadelphia: Elsevier.
- Werner, S. and Grose, R. (2003). Regulation of wound healing by growth factors and cytokines. *Physiol Rev*; 83: pp. 835–870.
- Wu, Y., Chen, L., Scott, P.G. and Tredget, E.E. (2007), Mesenchymal Stem Cells Enhance Wound Healing Through Differentiation and Angiogenesis. *Stem Cell*, 25: 2648-2659.
- Yuh, L. M. and Rothschild, J. G. (2016). Complications and long-term sequelae of bladder fistula repair. *Current Bladder Dysfunction Reports*. Current Bladder Dysfunction Reports; 11(4): pp. 317–324.
- Yulianty, R., Hakim, L., Sardjiman, Nufika, R., Widyarini, S. (2012). Efektivitas Pentagamavunon-0 terhadap penghambatan ekspresi siklooksigenase-2 pada model kanker kolon tikus wista. *Jurnal Kedokteran Hewan - Indonesian Journal of Veterinary Sciences*; 6(2): pp. 125–130.
- Yun, Y. R., Won, J.E., Jeon, E., Lee, S., Kang, W., Jo, H. (2010). Fibroblast growth

- factors: Biology, function, and application for tissue regeneration. *Journal of Tissue Engineering*; 1(1): pp. 1–18. doi: 10.4061/2010/218142.
- Zambon, J. P., Batezini, N.S.S., Pinto, E.R.S., Skaff, M., Girotti, M.E., Almeida, F.G. (2010). Do we need new surgical techniques to repair vesico-vaginal fistulas?. *International Urogynecology Journal*; 21(3): pp. 337–342.
- Zelen, C. M., Serena, T.E., Denoziere, G., Fetterof, D.E. (2013). A prospective randomised comparative parallel study of amniotic membrane wound graft in the management of diabetic foot ulcers. *International Wound Journal*; 10(5): pp. 502–507.
- Zelen, C. M., Serena, T. E. and Fetterolf, D. E. (2014). Dehydrated human amnion/chorion membrane allografts in patients with chronic diabetic foot ulcers: A long-term follow-up study. *Wound Medicine*. Elsevier B.V.; 4: pp. 1–4.
- Zerhau, P., Mackerle, Z., Husar, M., Brichtova, E., Sochurkova, D., Gopfert, E., Faldyna, M. (2014). Limitations in using rabbit bladders in electrophysiological and urodynamic experiments. *Veterinarni Medicina*; 59(8): pp. 376–381.
- Zhang, H., Kot, A., Lay, Y.A.E., Fierro, F.A., Chen, H., Lane, N.E., Yao, W. (2017). Acceleration of fracture healing by overexpression of basic fibroblast growth factor in the mesenchymal stromal cells. *Stem Cells Translational Medicine*; 6(10): pp. 1880–1893.
- Zidon, O. B. M., Gropp, M., Reubinoff, B., Shveiky, D. (2019). Systemically transplanted mesenchymal stem cells induce vascular-like structure formation in a rat model of vaginal injury. *PLoS ONE*; 14(6): pp. 1–17.