

DAFTAR PUSTAKA

- Alberghini, S., Filippini, R., Marchetti, E., Dindo, M.L., Shelvelev, A.B., Battisti, A., Squartini, A. 2005. Construction of a *Pseudomonas* sp. derivate carrying the *cry9Aa* gene from *Bacillus thuringiensis* and a proposal for new standard criteria to assess entomocidal properties of bacteria. *Research in Microbiology*. 156(2005): 690–699.
- Aounallah, A., Korbi, M., Hmida, D., Ghariani, N., Saidi, W., Boussofara, L., Belajouza, C., Jonard, L., Sriha, B., Saad, A., Denguezli, M., Nouira, R.H. 2016. Syndrome with histological features of Langerhans cell histiocytosis. *Indian J Dermatol Venereol Leprol*. 82:702-4.
- Aramideh, S., Shahram, M., Abbas, H., Ghassemi-Kahrizeh, L.E. 2016. Isolation, toxicity, and detection of *cry* genes *Bacillus thuringiensis* B. isolates from West-Azerbaijan province, Iran. *Journal of Entomology and Zoology Studies*. 4(6): 111-116.
- Aronson, A.I., Beckman, W., Dunn, P. 1986. *Bacillus thuringiensis* and related insect pathogens. *Microbiology Reviews*. 50: 1–24.
- Arora, N., Ahmad, T., Rajagopal, R., Bhatnagar, R.K. 2003. A constitutively expressed 36 kDa exochitinase from *Bacillus thuringiensis* HD-1, *Biochem. Biophys. Res. Commun*. 307: 620–625.
- Babasaki, K., Takao, T., Shimonishi, Y., Kurahashi, K. 1985. Subtilosin A, a new antibiotic peptide produced by *Bacillus subtilis* 168: isolation, structural analysis, and biogenesis. *J Biochem*. 98:585–603.
- Bahagiawati. 2002. *Penggunaan Bacillus thuringiensis sebagai Bioinsektisida*. Balai Penelitian Bioteknologi dan Sumberdaya Genetik Pertanian, Bogor.
- Bais, H.P., Fall, R., Vivanco, J.M. 2004. Biocontrol of *Bacillus subtilis* against infection of *Arabidopsis* roots by *Pseudomonas syringae* is facilitated by biofilm formation and surfactin production. *Plant Physiology*. 134: 307–319.
- Baumann, P., Baumann, L. 1991. Effects of component of the *Bacillus sphaericus* toxin on mosquito larvae and mosquitocidal-derived tissue culture grown cells. *Curr. Microbiol*. 23: 51-57.
- Ben-Dov, E., Zaritsky, A., Dahan, E., Barak, Z., Sinai, R., Manasherob, R. 1997. Extended screening by PCR for seven *cry*-group genes from field-collected strains of *Bacillus thuringiensis*. *J. Appl. Environ. Microbiol*. 63: 4883-4890.
- Berdnarski, A. 2006. *Laboratory Manual: Identifying Unknown Bacteria Using Biochemical and Molecular Methods*. Washington University in Saint Louis.

- Bicca, F.C., Fleck, L.C., Ayub, M.A.Z. 1999. Production of biosurfactant by hydrocarbon degrading *Rhodococcus ruber* and *Rhodococcus erythropolis*. *Revista de Microbiologia*. 30(3): 231–236.
- Bodour, A.A., Guerrero-Barajas, C., Jiorle, B.V., Malcomson, M.E., Paull, A.K., Somogyi, A., Trinh, L.N., Bates, R.B., Maier, R.M. 2004. Structure and characterization of flavolipids, a novel class of biosurfactants produced by *Flavobacterium* sp. strain MTN11. *Appl Environ Microbiol*. 70(1): 114-120.
- Bollag, D.M., Rozycki, M.D., Edelstein, S.J. 1996. *Protein methods*. 2nd Ed. Michigan: Willey-Liss.
- Brandt, C.R., Adang, M.J., Spence, K.D. 1978. The peritrophic membrane: ultrastructural analysis and function as a mechanical barrier to microbial infection in *Orgyia pseudotsugata*, *J. Invert Pathol*. 32: 12–24.
- Broderick, N.A., Raffa, K.F., Handelsman, J. 2006. *Midgut Bacteria Required for Bacillus thuringiensis Insecticidal Activity*. PNAS, 103: 15196-15199.
- Brown, K. L., Whiteley, H.R. 1995. Molecular Characterization of Two Novel Crystal Protein Genes from *Bacillus thuringiensis* Subsp. *Thompsoni*. *Jurnal Bacteriol*. 174: 549-557.
- Brown, T. A. 2016. *Gene Cloning and DNA Analysis: An Introduction*. Seventh Edition. Wiley Blackwell.
- Buchoux S, Lai-Kee-Him J, Garnier M, Tsan P, Besson F, Brisson A, Dufourc E.J. 2008. Surfactin-triggered small vesicle formation of negatively charged membranes: a novel membrane-lysis mechanism. *Biophys J*. 95:3840–3849.
- Cameotra S.S, Makkar R.S. 2004. *Curr Opin Microbiol*. 7:262–266.
- Carrillo, P.G., Mardaraz, C., Pitta-Alvarez, S.I., Giulietti, A.M. 1996. Isolation and selection of biosurfactant-producing bacteria. *World J Microbiol Biotechnol*. 12(1): 82-84.
- Chakraborty, S., Mandakini, G., Srijita, C., Sougata, J., Kaylan, K. S., Chandrakant, K., Lixin, Z. 2015. Biosurfactant Produced From *Actinomyces nocardiformis* A-17: Characterization and its Biological Evaluation. *International Journal of Biological Macromolecules*. 79: 405-412.
- Claesson, P.M., Blomberg, E., Poptoshev, E.E. 2001. *Surface Force and Emulsion Stability*. In: *Encyclopedia Handbook of Emulsion Technology*. New York:Marcel Dekker.

- Cosmina, P., Rodriguez, F., de Ferra, F., Grandi, G., Perego, M., Venema, G., van Sinderen, D. 1993. Sequence and analysis of the genetic locus responsible for surfactin synthesis in *Bacillus subtilis*. *Mol Microbiol.* 8: 821–831.
- Das, K., Mukherjee, A.K. 2006. Assessment of mosquito larvicidal potency of cyclic lipopeptides produced by *Bacillus subtilis* strains. *Acta Trop.* 97: 168–173.
- Desai, J. D. Banat, M. 1997. Microbial Production of Surfactant and Commercial Potential. *Microbiology and Molecular Biology Reviews.* 61(1): 47-64.
- Dini, Y.W. 2005. *Profil Protein Kristal dan DNA Genom Total Galur Bakteri Bacillus thuringiensis*. Bogor: Fakultas MIPA Universitas Pakuan.
- Dunlap C.A., Bowman M.J., Zeigler D.R. 2019. Promotion of *Bacillus subtilis* subsp. inaquosorum, *Bacillus subtilis* subsp. spizizenii and *Bacillus subtilis* subsp. stercoris to species status. *Antonie Van Leeuwenhoek.* 113(1):1-12.
- Fatchiyah., Arumingtyas, E. L., Widyarti, S., & Rahayu, S. 2011. *Biologi Molekuler, Prinsip Dasar Analisis*. Erlangga: Jakarta.
- Findawati, V. 2018. *Eksplorasi Entomopatogen Lokal Bacillus sp. dari Sampel Tanah di Taman Nasional Baluran*. Surabaya: Universitas Airlangga.
- Francy, D.S., Thomas, J.M., Raymond, R.I., dan Word, C.H. 1991. Emulsification of Hydrocarbon by Subsurface Bacteria. *J. Ind. Microbiol.* 8: 237-246.
- Geetha, I., Manonmani, A.M., 2010. Surfactin: a novel mosquitocidal biosurfactant produced by *Bacillus subtilis* ssp. subtilis (VCRC B471) and influence of abiotic factors on its pupicidal efficacy. *Lett. Appl. Microbiol.* 51: 406-412.
- Geetha, I., Paily, K.P., Manonmani, A.M. 2012. Mosquito adulticidal activity of a biosurfactant produced by *Bacillus subtilis* subsp. subtilis. *Pest Management Science.* 68: 1447–1450.
- Geetha, I., Prabakaran, G., Paily, K.P., Manonmani, A.M., Balaraman, K. 2007. Characterisation of three mosquitocidal *Bacillus* strains isolate generation of protein database search programs. *Nucleic Acids Research.* 32: 45-52.
- Hofte, H., Whiteley, H.R. 1989. Insecticidal Crystal Proteins of *Bacillus thuringiensis*. *Microbiol Rev.* 53: 242-255.
- Ibrahim, M. L., Ijah, U. J. J., Manga, S. B., Bilbis, L. S., Umar, S. 2013. Production and partial characterization of biosurfactant produced by crude oil degrading bacteria. *International Biodeterioration & Biodegradation.* 81:28–34.
- Innis, M.A., Gelfand, D.H., Snlnsky, J.J., White, T.J. 1990. PCR protocols: a guide to methods and applications. Academic Press, New York.

- Jain, Devendra, Sunda S.D., Sanadhya.S., Nath D.J., Khandelwal S.K. 2016. Molecular characterization and PCR-based screening of *cry* genes from *Bacillus thuringiensis* strains. *3 Biotech.* 7:4.
- Jaouadi. N. Z., H. Rekik., M. B. Elhoul., F. Z. Rahem., C. G. Hila. 2015. A novel keratinase from *Bacillus tequilensis* strain Q7 with promising potential for the leather bating process. *International Journal of Biological Macromolecules.* 79: 952–964.
- Joshi, S., Bharucha, C., Jha, S., Yadav, S., Nerurkar, A., dan Desai, A. J. 2008. Biosurfactant production using molasses and whey under thermophilic conditions. *Bioresour Technol.* 99(1): 195–199.
- Jumiarti, P. 2012. Pemurnian Dan Karakterisasi Protein Insektisidal Dari Bakteri Entomopatogen *Serratia marcescens*. Bogor: Institut Pertanian Bogor.
- Jusuf, Eddy. 2006. *Keaneragaman Bakteri Bacillus thuringiensis, Biologi Molekuler dan Upaya Bioteknologi Untuk Ketahanan Pangan dan Kesehatan.* BioTrends. Cibinong: Lembaga Ilmu Pengetahuan Indonesia 1 (2).
- Kapadia SG, Yagnik BN. 2013. Current trend and potential of microbial biosurfactants. *Asian J Exp Biol Sci.* 4(1):1-8.
- Kementerian Kesehatan RI. 2011. *Informasi Umum Demam Berdarah Dengue,* Jakarta: Kemenkes RI. Ditjen PP dan PL.
- Komalasari, K. 2009. Pengaruh perbandingan volume darah dan lisis buffer serta kecepatan sentrifugasi terhadap kualitas produk DNA pada sapi Frensian Holstein (FH). Institut Pertanian Bogor. Bogor.
- Koolman J, Roehm KH. 2005. *Atlas of Biochemistry.* Ed ke-2. New York : Thieme.
- Laemli UK., 1970. "Cleavage of structural proteins during the assembly of the head of bacteriophage T4". *Nature* 227 (5259): 680–685.
- Lehninger, L. Albert. 1982. *Principles of Biochemistry.* USA: Worth Publisher, Inc.
- Li JL, Chen BH. 2009. Surfactant-mediated biodegradation of polycyclic aromatic hydrocarbons. *Materials.* 2(1);76-94.
- Lutz, N. 2000. A North Carolina Summer Pest The Asian Tiger Mosquito *Aedes albopictus*. Eco Access. <http://www.ibiblio.org/ecoaccess/info/wildlife/pubs/asiantigermosquitoes>.
- Mani, C., Selvakumari, J., Han, Y., Jo, Y., Thirugnanasambantham, K., Sundarapandian, S., & Poopathi, S. 2017. Molecular Characterization of Mosquitocidal Toxin (Surface Layer Protein, SLP) from *Bacillus cereus* VCRC B540. *Applied Biochemistry and Biotechnology.* 184(4):1094–1105.

- Manonmani, A.M., Geetha, I., Bhuvanewari, S. 2011. Enhanced production of mosquitocidal cyclic lipopeptide from *Bacillus subtilis* subsp. *Subtilis*. *Ind. J. Med. Res.* 134: 476-482.
- Margino, S. dan S. Mangundihardjo. 2002. Pemanfaatan keanekaragaman hayati untuk biopestisida di Indonesia. Yogyakarta. Lokakarya Keanekaragaman Hayati untuk Perlindungan Tanaman.
- Merzendorfer, H., Zimoch, L. 2003. Chitin metabolism in insects: structure, function and regulation of chitin synthases and chitinases. *J. Exp. Biol.* 206: 4393-4412.
- Mnif I, Ghribi D. 2015. Lipopeptides biosurfactants, main classes and new insights for industrial, biomedical, and environmental applications. *Biopolymers: Pept Sci.*
- Muladno. 2002. *Teknik Rekayasa Genetika*. Bogor: Pustaka Wirausaha Muda.
- Mulligan, C.N. 2005. Environmental applications for biosurfactants. *Environ. Pollut.* 133: 183-198.
- Muthusamy K, Gopalakrishnan S, Ravi TK, Sivachidambaram P. 2008. *Curr Sci.* 94:736-747.
- Newton, C.R. and A. Graham. 1994. PCR. UK: Bios Scientific Publisher.
- Ni'matuzahroh, Surtiningsih, T., T., Isnaeni. 2003. Kemampuan Bakteri Hidrokarbonoklastik dari Lingkungan Tercemar Minyak dalam Memproduksi Biosurfaktan: Upaya Bioremediasi Lingkungan. Laporan Penelitian RUT VII.3. Lembaga Penelitian Universitas Airlangga Surabaya.
- Nitschke, M., Costa, S.G.V.A.O. 2007. Biosurfactants in food industry. *Trends Food Sci. Technol.* 18: 252-259.
- Okassov A, Nersesyan A, Kitada S, dan Ilin A. 2015. Parasporins As New Natural Anticancer Agents: A Riview. *Jbuon*, 20(1): 5-16.
- Ongena, M. and Jacques, P. 2008. *Bacillus* lipopeptides: Versatile Weapons for Plant Disease Biocontrol. *Trends in Microbiology.* 16: 115-125.
- Pangastuti, A. 2006. Definisi Spesies Prokaryota Berdasarkan Urutan Basa Gen Penyandi 16S rRNA dan Gen Penyandi Protein. *Biodiversitas* 7(3): 292-296.
- Pearson, W. R. 2014. An Introduction to Sequence Similarity ("Homology") Searching. *Curr Protoc Bioinformatics.* 1-9.
- Piper WD, Maxwell KE. 1971. Mode of action of surfactants on mosquito pupae. *J Econ Entomol.* 64:601-606.

- Pradhan, A.K., Panda, L. B., Sukla, P.K., Panda, B.K. 2013. Application of Lipopeptida Biosurfactant Isolated from a Halophile: *Bacillus tequilensis* CH for Inhibition of Biofilm. *Appl Biochem Biotechnol.* 171: 1362–1375.
- Promega protocol. 2018. *Wizard® Genomic DNA Purification Kit*. Technical Manual.
- Purnawati R, Sunarti C.T, Syamsu K, dan Rahayuningsih M, 2015. Characterization of Novel *Bacillus thuringiensis* Isolated from *Attacus atlas* and Its Growth Kinetics in The Cultivation Media of Tofu Whey for Bioinsecticide Production. *Journal of Biology, Agriculture and Healthcare*, 4(16): 33-39.
- Raza, Z.A., M.S. Khan, Z.M. Khalid and A A. Rehman. 2005. Production of Biosurfactant Using Different Hydrocarbons by *Pseudomonas aeruginosa* EBN-8 Mutant. *Naturforsch.* 61c: 87-94.
- Rinanda, T. 2011. Analisis Sekuensing 16S rRNA di Bidang Mikrobiologi. *Jurnal Kedokteran Syiah Kuala.* 11(3): 172-177.
- Rodrigues, L., Moldes, A., Teixeira, J., Oliveira, R. 2006. Kinetic Study of Fermentative Biosurfactant Productin by *Lactobacillus* Strains. *Biochemical Engineering Journal.* 28: 109-116.
- Rooney AP, Price NPJ, Ehrhardt C, Sewzey JL, Bannan JD. 2009. Phylogeny and molecular taxonomy of the *Bacillus subtilis* species complex and description of *Bacillus subtilis* subsp. *inaquosorum* subsp. nov. *Int J Syst Evol Microbiol.* 59:2429–2436.
- Rusmana, I., dan Hadioetomo, R.S., 1994, Isolasi *Bacillus thuringiensis* Berl. Dari peternakan ulat sutera dan toksisitasnya terhadap larva *Crocodolomia binotalis* Zell. dan *Spodoptera litura* F. *Hayati.* 1(1): 21-23
- Scopes RK. 1993. *Protein Purification: Principles and Practice*. Ed ke-3. New York: Springer Press.
- Seikh, A. Ahmad., Wani M, Ahmad., Banu, Parveena., Nabi, S. Un., Bhat, T. Ahmad, Bhat M. Amin., Dar, M. Saleem. 2016. An Overview on Resistance of Insect Pests Against Bt Crops. *Journal of Entomology ad Zoology Studies.* 5(1):941-948.
- Senfi F, Safaralizadeh MH, Safavi SA, dan Aramideh S. 2012. Isolation and Characterization of Native *Bacillus thuringiensis* Strains from Apple Prchads at Urma, Iran and their Toxicity to Lepidoptera Pests, *Ephestia kuehniella* Zeller and *Pieric brassicae* L. *Egyptian Journal of Biological Pest Control.* 22(1): 33-37.

- Shiddiqi, M. Hero. 2011. Eksplorasi Protein Toksin *Bacillus thuringiensis* dari Tanah di Kabupaten Tangerang. Jakarta: Universitas Islam Negeri Syarif Hidayatullah.
- Singh, P., Cameotra, S.S. 2012. Potential applications of microbial surfactants in biomedical sciences. *Trends Biotechnol.* 22, 142–146.
- Sneh, B., Schuster, S., Gross, S. 1983. Improvement of the insecticidal activity of *Bacillus thuringiensis* var. entomocidus on larvae of *Spodoptera littoralis* (Lepidoptera, Noctuidae) by addition of chitinolytic bacteria, a phagostimulant and a UV-protectant. *Z. ang. Entomology.* 96: 77–83.
- Soarez, Da silva, J., Pinheiro, V.C.S., Litaiff-Abreu, E. 2015. Isolation of *Bacillus thuringiensis* from the state of Amazonas, in Brazil, and screening against *Aedes aegypti* (Diptera, Culicidae). *Revista Brasileira de Entomologia.* 59: 1-6.
- Steinborn G, Hajirezaei MR, Hofemeister J. 2005. Bac genes for recombinant bacilysin and anticapsin production in *Bacillus* host strains. *Arch Microbiol.* 183:71–79.
- Suryani, A., I. Sailah dan E. Hambali. 2000. *Teknologi Emulsi*. Jurusan Teknologi Industri Pertanian. IPB. Bogor.
- Susetyo, R. Danang. 2018. Karakterisasi Entomopatogen *Bacillus* sp. terhadap Larva *Aedes aegypti* dari Sampel Tanah Taman Nasional Baluran. Surabaya: Universitas Airlangga.
- Taborsky, V. 1992. Small-Scale Processing of Microbial Pesticides. *FAO Agricultural Services Bulletin.*
- Techaoei, S., Lumyong, Prathumpai, Santiarwarn, D., Leelapornpisid, P. 2011. Screening characterization and stability of biosurfactant produced by *Pseudomonas aeruginosa* SCMU106 isolated from soil in Northern Thailand. *Asian Journal of Biological Sciences.* 4(4): 340-35.
- Terra, W.R. Terra, Ferreira, C. 2005. Biochemistry of digestion, in: L.I. Gilbert, K. Iatrou, S.S. Gill (Eds.), *Comprehensive Molecular Insect Science Biochem and Mol Biology*, Elsevier Press, Oxford, UK. 171–224.
- Thanabalu, T., Berry, C., Hindley, J. 1993. Cytotoxicity and ADP-ribosylating activity of the mosquitocidal toxin from *Bacillus sphaericus* SSII-1: possible roles of the 27- and 70-kilodalton peptides. *Journal of Bacteriology.* 175(8): 2314–2320.
- Vollenbroich D, Ozel M, Vater J, Kamp RM, Pauli G. 1997. Mechanism of inactivation of enveloped viruses by the biosurfactant surfactin from *Bacillus subtilis*. *Biologicals.* 25:289–297.

- Wang, S.L., Lin, T.Y., Yen, Y.H., Liao, H.F., Chen, Y.J. 2006. Bioconversion of shellfish chitin waste for the production of *Bacillus subtilis* W-188 chitinase. *Carbohydr. Res.* 34: 2507–2515.
- Weaver, F. Robert., Hedrick W. Phillip. 1997. *Genetics*. W. C. Brown.
- Willumsen P, Karlson U. 1997. Screening of bacteria, isolated from PAH-contaminated soils, for production of biosurfactants and bioemulsifiers. *Biodegradation.* 7(5):415-423.
- Youssef, N. H., Duncan, K.E., Nagle, D. P., Savage, K.N. Knapp, R.M., Mc Inerney. M. J. 2004. Comparison of methods to detect biosurfactant production by diverse microorganisms. *J. Microbiol.* 56: 339–347.
- Yurnaliza, Margino S. Sembiring, L. 2008. Kondisi Optimum untuk Produksi Kitinase dari *Streptomyces* Rkt5 dan Karakterisasi pH dan Suhu Enzim. *Biota.* 13(3): 169-174.
- Zaragoza A, Aranda FJ, Espuny MJ, Teruel JA, Marques A, Manresa A, Ortiz, A. 2010. Hemolytic activity of a bacterial trehalose lipid biosurfactant produced by *Rhodococcus* sp.: evidence of colloid-osmotic mechanism. *Langmuir.* 26 (11): 8567-8572.
- Zhao P, Quan C, Wang Y, Wang J, Fan S. 2014. *Bacillus amyloliquefaciens* Q-426 as a potential biocontrol agent against *Fusarium oxysporum* f. sp. spinaciae. *Journal of Basic Microbiology.* 54: 448–456.
- Zhenzhen, Z., Qiushuo, W., Kaimei, W., Kemp, B., Changhong, L. 2009. Study of the antifungal activity of *Bacillus vallismortis* ZZ185 in vitro and identification of its antifungal components. *Bioresource Technology.* 101: 292–297.