

## DAFTAR PUSTAKA

- Ali N, (2019), **Polycyclic aromatic hydrocarbons (PAHs) in indoor air and dust samples of different Saudi microenvironments; health and carcinogenic risk assessment for the general population**, *Science of the Total Environment*. **696**, 133995.
- Aguero, Angel; Quiles-Carrillo, Luis; Jorda-Vilaplana, Amparo; Fenollar, Octavio; Montanes, Nestor. (2019). **Effect of different compatibilizers on environmentally friendly composites from poly(lactic acid) and diatomaceous earth**. *Polymer International*.
- Amin, J.S., Abkenar, M.V., Zendehboudi, S., (2015). **A Natural Sorbent for Oil Spill Cleanup from Water Surface: Environmental Implications**, *Environmental Implications*, **6**, 3, 628-647.
- Armedya, T.P., Muhammad, F.D., Satya, S.C.W., Abdulloh, Yanuardi, R., Siti, W., Purwati. (2019), **Kinectical Release Study of Copper Ferrite Nanoparticle Incorporated on PCL/Collagen Nanofiber for Naproxen Delivery**, *Bio Nano Science*, 1-11.
- Bakhtiary, Z., Saei, A. A., Hajipour, M. J., Raoufi, M., Vermesh, O., & Mahmoudi, M. (2016). **Targeted superparamagnetic iron oxide nanoparticles for early detection of cancer: Possibilities and challenges**. *Nanomedicine: Nanotechnology, Biology and Medicine*, **12**(2), 287–307.
- Benhouria. A., Islam M. A., Zaghouane-Boudiaf H., M. Boutahala., & B. H. Hameed, (2015). **Calcium alginate–bentonite–activated carbon composite beads as highly effective adsorbent for methylene blue**. *Journal of Chemical Engineering Science*, **270**, 621–630.
- Bhardwaj, N., Bhaskarwar, A.N., **A review on sorbent devices for oil-spill control**, (2018), *Environmental Pollutant*. **243**, 1758-1771.
- Bullock, R.J., Perkins, R.A., Aggarwal, S, (2019), **In-situ burning with chemical herders for Arctic oil spill response: Meta-analysis and review**, *Science of the Total Environment*. **675**, 705–716.
- Castelló, J.,Gallardo, M., Busquets, M. A., & Estelrich, J., (2015). **Chitosan (or alginate)-coated iron oxide nanoparticles: A comparative study**. *Colloids and Surfaces, A Physicochemical and Engineering Aspects*, **468**, 151–158.

- Chien, S.H., W.R, Clayton (1980), **Application of elovich equation to the kinetics of phosphate release and sorption on solids**, *Soil Science Society of America Journal*.
- Cho, E., Park, M., Hur, M., Kang, G., Kim, Y.H., Kim, S. (2019), **Molecular-level investigation of soils contaminated by oil spilled during the Gulf War**, *Journal of Hazardous Materials*. **373**, 271–277.
- Delvita, Haryona., Djamas, Djasmaini., Ramli. (2015). **Effect of calcination temperature variations on the characteristics of calcium carbonate (caco3) in rice conch shells (pila ampullacea) found in the pasaman city**. *Pillar of Physics*, Vol. 6, 17-24.
- Dhaouadi H. and M'Henni F. (2009). **Vat dye sorption onto crude dehydrated sewage sludge**. *Journal of Hazardous Materials*; 164 (2-3): 448–458.
- Duke, N.C., (2016), **Oil spill impacts on mangroves: Recommendations for operational planning and action based on a global review**, *Journal of Marine Pollution Bulletin*. **109**, 700–715.
- Dutra, G.V.S., Araújo, O.A., Neto, W.S., Garg, V.K., Oliveira, A.C., Júnior, A.F., (2017), **Obtaining superhydrophobic magnetic nanoparticles applicable in the removal of oils on aqueous surface**, *Material Chemistry Physics* **200**, 204–216.
- Dzinun, H., Othman, M.H.D., Ismail, A.F., Puteh, M.H., Rahman, M.A., Jaafar, J., (2015), **Morfological study of co-extruded dual-layer hollow fibre membranes incorporated with different TiO<sub>2</sub> loadings**. *Journal Membrane Science*, **479**, 134: 62.
- ElSayed, E.E. (2018), **Natural diatomite as an effective adsorbent for heavy metals in water and wastewater treatment (a batch study)**, *Water Science*. **32**, 32–43.
- Eskhan A., F, Banat., (2018), **Removal of Oil from Water by Calcium Alginate Hydrogel Modified with Maleic Anhydride**, *Journal. Polymer. Environmental*. **26**, 2901–2916.
- Farooq, U., Taban, I.C., Daling, P.S, (2018), **Study of the oil interaction towards oil spill recovery skimmer material: Effect of the oil weathering and emulsification properties**, *Marine Pollutan Bulletin*. **135**, 119–128.
- Fertah, M., Belfkira, A., Dahmane, E., montassir, Taourirte, M., & Brouillette, F. (2014). **Extraction and characterization of sodium alginate from Moroccan Laminaria digitata brown seaweed**. *Arabian Journal of Chemistry*, **10**, S3707–S3714.

- Freundlich, H.M.,(1906),**Über die adsorption in losungen, Zeitschrift für physics, Chemistry.** **57**, 385-470.
- Gopalakannan, V., & Viswanathan, N., (2015). **Synthesis of magnetic alginate hybrid beads for efficient chromium (VI) removal.** *International Journal of Biological Macromolecules*, **72**, 862–867.
- Guan, J., Liu, Q., Zhang,X., Zhang, Y., Chokshi, R., Wu, H., Mao, S, (2018), **Alginate as a potential diphase solid dispersion carrier with enhanced drug dissolution and improved storage stability,** *Europe Journal Pharmacist Science.* **114**, 346–355.
- Haeruddin., Pamungkas, Fajar Sidik., Rudiyanti., Siti. (2017). **The effectiveness of the use of Oil Skimmer in Efforts Handling Oil Spill in Tegalsari Fishing Port, Tegal.** *Journal of Maquares*, **6**, 2, 120-127.
- Hamdaoui O, Naffrechoux E. (2007). **Modeling of adsorption isotherms of phenol and chlorophenols onto granular activated carbon Part II. Models with more than two parameters.** *Journal of Hazardous Materials*; 147: 401–411
- Hammouda, S.B., Adhoum, N., & Monser, L., (2015). **Synthesis of magnetic alginate beads based on Fe<sub>3</sub>O<sub>4</sub> nanoparticles for the removal of 3-methylindole from aqueous solution using Fenton process.** *Journal of Hazardous Materials*, **294**, 128–136.
- Han, Y., Nambi, I.M., Prabhakar Clement, T, (2018), **Environmental impacts of the Chennai oil spill accident – A case study,** *Science of the Total Environment.* **626**, 795–806.
- Hatamie, A., Parham, H., Zargar, B., Heidari, Z., (2016), **Evaluating magnetic nano-ferrofluid as a novel coagulant for surface water treatment,** *Journal of Molecular Liquids.* **219**, 694–702.
- Hisada, M., Tomizawa, Y., Kawase, Y., (2019), **Removal kinetics of cationic azo-dye from aqueous solution by poly-γ-glutamic acid biosorbent: Contributions of adsorption and complexation/precipitation to Basic Orange 2 removal,** *Journal of Environmental Chemical Engineering*, **7** 103157.
- Huang S.L., Lin, Y.S., (2017), **The Size Stability of Alginate Beads by Different Ionic Crosslinkers,** *Advanced Material Science Engineering*.
- Hu, H., Yang, L., Lin, Z., Xiang, X., Jiang, X., Hou, L, (2018), **Preparation and characterization of novel magnetic Fe<sub>3</sub>O<sub>4</sub>/chitosan/Al(OH)<sub>3</sub> beads and its adsorption for fluoride,** *International Journal of Biological Macromolecular.* **114**, 256–262.
- Husni, Amir., Subaryono., Pranoto, Yudi., Tazwir., Ustadi. (2012). **Development of Alginate Extraction Method from Sargassum sp. as Thickening.** *Agritech*, **32**, 1.

- Ho, Y, (2000), **The Kinetics of sorption of divalent metal ions onto sphagnum moss peat**, *Water reseacrh.* **34**, 735-742.
- Ho, Y.S., (1995), **Adsorpstion of Heavy metals from waste streams by peat**, Ph.D Thesis. University of Birmingham, Birmingham, UK.
- Jafarinejad, S., Jiang, S.C, (2019), **Current technologies and future directions for treating petroleum refineries and petrochemical plants (PRPP) wastewaters**, *Journal of Environmental Chemical Engineering.* **7** 103326.
- Jiang, S., Zhang, Y., Li, Z., (2019), **A new industrial process of NaHCO<sub>3</sub> and its crystallization kinetics by using the common ion effect of Na<sub>2</sub>CO<sub>3</sub>**, *Chemical Engineering. J.* 740–749.
- Johannsdottir, L., Cook, D., **Systemic risk of maritime-related oil spills viewed from an Arctic and insurance perspective**, (2019), *Ocean Coast. Manag.* **179** , 104853.
- Kleindienst, S., Seidel, M., Ziervogel, K., Grim, S., Loftis, K., Harrison, S., Malkin, S.Y., Perkins, M.J., Field, J., Sogin, M.L., Dittmar, T., Passow, U., Medeiros, P.M., Joye, S.B., (2015), **Chemical dispersants can suppress the activity of natural oil-degrading microorganisms**, *Proceedings of the National Academy of Science. U. S. A.* **112**, 14900–14905.
- Lagergren, S., (1898) , **About the theory of so-called adsorption of soluble substance**, *K. Sven, K. Handlingar tidskr.* **24**, 1-39.
- Lee, C., Hong, S., Noh, J., Lee, J., Yoon, S.J., Kim, T., Kim, H., Kwon, B.O., Lee, H., Ha, S.Y., Ryu, J., Kim, J.J., Kwon, K.K., Yim, U.H., Khim, J.S., (2019), **Comparative evaluation of bioremediation techniques on oil contaminated sediments in long-term recovery of benthic community health**, *Environmental. Pollutan.* **252**, 137–145.
- Liu, M., Wei, F., Yang, X., Dong, S., Li, Y., & He, X, (2018). **Synthesis of porous graphene-like carbon materials for high-performance supercapacitors from petroleum pitch using nano-CaCO<sub>3</sub> as a template**. *New Carbon Materials*, 33(4), 316–323.
- Mahmoud, E., Watson, D.A., & Lobo, R.F., (2014). **Renewable production of phthalic anhydride from biomass-derived furan and maleic anhydride**. *Green Chemistry.*, **16**(1), 167–175.
- Mapelli, F., Scoma,A., Michoud, G., Aulenta, F., Boon, N., Borin, N., Kalogerakis, N., Daffonchio, D. (2017), **Biotechnologies for Marine Oil Spill Cleanup: Indissoluble Ties with Microorganisms**, *Trends Biotechnology.* **35**, 860–870.
- Marshall, P., Papadimitriou, V.C., Papanastasiou, D.K., Roberts, J.M., Burkholder, J.B (2019), **UV and infrared absorption spectra and 248**

- nm photolysis of maleic anhydride ( $C_4H_2O_3$ ), Journal of Photochemistry and Photobiology A Chemistry.** **382**, 111953.
- Narita, Y., Sakti, S.C.W., Akemoto, Y., Tanaka, S, (2019), **Ultra-rapid removal of cationic organic dyes by novel single- and double-stranded DNA immobilized on quaternary ammonium magnetic chitosan**, *Journal of Environmental Chemical Engineering*. **7**, 103308.
- Nasution, A.R., Suhaidi, I., Limbong, N., Lasma., (2018). **Pengaruh Penambahan Natrium Bikarbonat ( $NaHCO_3$ ) dan Asam Sitrat Terhadap Mutu Minuman Sari Buah Kedondong Berkarbonasi**. *Jurnal Rekayasa Pangan dan Pertanian*, Vol.6 No.2.
- N'diaye, A.D, Kankou, M.S.A, (2019). **Volarization of Balanites aegyptiace Seeds from Mauritania : Modeling of Adsorption Isoterms of Caffein from Aqueous Solution**, *Journal of Environmental Treatment Techniques*. Vol. 7. 450-455.
- Nuryono, N., Rosiati, N.M., Rusdiarso, B., Sakti, S.C.W., Tanaka, Shunitz. (2014). **Coating of magnetite with mercapto modified rice hull ash silica in a one-pot process**. *SpringerPlus*, **3**. 515.
- Pančić, M., Köhler, E., Paulsen, M.L., Toxværd, K., Lacroix, C., Le Floch, S., Hjorth, M., Nielsen, T.G, (2019), **Effects of oil spill response technologies on marine microorganisms in the high Arctic**, *Marine Environmental Research*, 104785.
- Peter, M, L., Friendedich, K.T., Walter, E., Rudolf, J., Naresh, B., Wolfgang, H., (2007). **Phthalic Acid and Derivatives**. *Ullmann's Encyclopedia of Industrial Chemistry*. **27**, 132 – 180.
- Qiao, K., Tian, W., Bai, J., Wang, L., Zhao, J., Du, Z., Gong, X, (2019), **Application of magnetic adsorbents based on iron oxide nanoparticles for oil spill remediation: A review**, *Journal Taiwan Institute Chemical Engineering*, **97**, 227–236.
- Ramdhani, T., Ching, S.H., Prakash, S., Bhandari, B, (2019), **Time dependent gelling properties of cuboid alginate gels made by external gelation method: Effects of alginate-CaCl<sub>2</sub> solution ratios and pH**, *Food Hydrocolloid*. **90**, 232–240.
- Rawat, D., Sharma, R.S., Karmakar, S., Arora, L.S., Mishra, V., (2018), **Ecotoxic potential of a presumably non-toxic azo dye**, *Ecotoxicology and Environmental Safety Journal*. **148**, 528–537.
- Rinaudo, M., (2014). **Biomaterials based on a natural polysaccharide: alginate**. *TIP*, **17(1)**, 92–96.
- Saeed, M., Rusheed, A., Ahmed, N., (1996), *Radioanal. Nucl. Chem.* **211**, 283.

- Samper, M. D., Fombuena, V., Boronat, T., García-Sanoguera, D., Balart, R., (2012). **Thermal and Mechanical Characterization of Epoxy Resins (ELO and ESO) Cured with Anhydrides.** *Journal of the American Oil Chemists' Society.* **89**, 8.
- Smallman, R.E., dan Bishop, R.J., (2000), **Modern Physical Metallurgy and Materials Engineering Science**, Process, Applications Sixth Edition, Butterworth-Heinemann, New York.
- Smeltz, M., Rowland-Faux, L., Ghiran, C., Patterson, W.F., Garner, S.B., Beers, A., Mièvre, Q., Kane, A.S., James, M.O, (2017), **A multi-year study of hepatic biomarkers in coastal fishes from the Gulf of Mexico after the Deepwater Horizon Oil Spill,** *Marine Environmental Research*, **129**, 57–67.
- Simonsen., G., Strand, M., Oye, M., (2018). **Potential applications of magnetic nanoparticles within separation in the petroleum industry.** *Journal of Petroleum Science and Engineering*, **165**, 488 – 495.
- Sun, F., Guo, ., Li., Y., Yu, (2019), **Preparation, characterizations and properties of sodium alginate grafted acrylonitrile/polyethylene glycol electrospun nanofibers,** *International Journal Biology of Macromolecular*, **137**, 420–425.
- Solomons, G., Fryhle, C., Snyder, S., (2014), **Organic Chemistry 11<sup>th</sup> edition.**, John Wiley & Sons, Inc., United States.
- Souza Neto, F. N. D., Araújo, O. A., Guilherme, L. R., Garg, V. K., Oliveira, A. C., de Souza, P. E. N., & Franco Júnior, A. (2015). **Particles that slide over the water surface: Synthesis and characterization of iron oxides particles coated with PDMS, with hydrophobic and magnetic properties.** *Materials Chemistry and Physics*, **162**, 100–105.
- Sosa, G.L., Fernández Morantes, C., Flores, F.M., Torres Sánchez, R.M., Zalts, A., Ramirez, S.A.,(2019), **Characterization of diatomaceous earth modified by organic ligands for enhanced zinc adsorption,** *Journal of Environmental Chemistry Engineering*. **7**, 103197.
- Spark, D.L., (1989), *Kinetics of Soil Chemical Process*, Academic Press, New York.
- Stromer, B.S., Woodbury, B., Williams, C.F., (2018) , **Tylosin sorption to diatomaceous earth described by Langmuir isotherm and Freundlich isotherm models,** *Chemosphere.* **193**, 912–920.
- Suwattanamala, A., Bandis, N., Tedsree, K., Issro, C., (2017), **Synthesis, characterization and adsorption properties of Fe<sub>3</sub>O<sub>4</sub>/MWCNT magnetic nanocomposites,** *Materials. Today Proceedings.* **4**, 6567–6575.

- Temkin, M., Pyzhev, V, (1950) , **Recent modification to langmuir isotherms**, *Acta Physchim.* **12**, 217.
- Tipsawat, P., Wongpratat, U., Phumying, S., Chanlek, N., Chokprasombat, K., Maensiri, S, (2018), **Magnetite ( $Fe_3O_4$ ) nanoparticles: Synthesis, characterization and electrochemical properties**, *Application of Surface Science.* **446**, 287–292.
- Trans, V.T., Xu, X., Mredha, M.T.I., Cui, J., Vlassak, J.J., Jeon, I, (2018), **Hydrogel bowls for cleaning oil spills on water**, *Water Researchs.* **145**, 640-649.
- Vacchi, F.I., Vendemiatti, J.A. de S., da Silva, B.F., Zanoni, M.V.B., Umbuzeiro, G. de A., (2017), **Quantifying the contribution of dyes to the mutagenicity of waters under the influence of textile activities**, *Science of the Total Environment.* 601–602, 230–236.
- Wang, Y., Liu, X., Yu, X., Zheng, X, (2018) , **Assessing response capabilities for responding to ship-related oil spills in the Chinese Bohai Sea**, *International of Journal Disaster Risk Reduction (IJDRR).* **28**, 251–257.
- Weber Jr., W.J., Morris, J.C. and Sanit, J. (1963) **Kinetics of Adsorption on Carbon from Solution.** *Journal of the Sanitary Engineering Division, American Society of Civil Engineers,* **89**, 31-38.
- Yang, S., Jiang, J.T., Xu, C.Y., Wang, Y., Xu, Y.Y., Cao, L., Zhen, L, (2017), **Synthesis of Zn(II)-doped magnetite leaf-like nanorings for efficient electromagnetic wave absorption**, *Scientific. Report.* **7**, 1–10.
- Yesiltas, B., Sørensen, A.D.M., García-Moreno, P.J., Anankabil, S., Guo, Z., Jacobsen, C., (2018), **Combination of sodium caseinate and succinylated alginate improved stability of high fat fish oil-in-water emulsions**, *Journal of Food Chemistry.* **25**, 290–299.
- Zong, Y., Xin, H., Zhang, J., Li, X., Feng, J., Deng, X., Sun, Y., Zheng, X, (2017), **One-pot, template and surfactant-free solvothermal synthesis of high-crystalline  $Fe_3O_4$  nanostructures with adjustable morphologies and high magnetization**, *Journal of Magnetism and Magnetic Materials.* **423**, 321–326.