

DAFTAR PUSTAKA

Abbott, K.L., B.B. Friday, D. Thaloor, T.J. Murphy, and G.K. Pavlath. Activation and cellular localization of the cyclosporine A-sensitive transcription factor NF-AT in skeletal muscle cells. *Mol. Biol. Cell.* 1998;9:2905–2916.

Armesilla, A.L., E. Lorenzo, P. Gomez del Arco, S. Martinez-Martinez, A. Alfranca, and J.M. Redondo. Vascular endothelial growth factor activates nuclear factor of activated T cells in human endothelial cells: a role for tissue factor gene expression. *Mol. Cell. Biol.* 1999;19:2032–2043.

Balemans W, Van Hul W. Identification of the disease-causing gene in sclerosteosis—discovery of a novel bone anabolic target? *Journal of musculoskeletal & neuronal interactions.* 2004; 4(2):139–42.

Byun MR, Sung MK, Kim AR, Lee CH, Jang EJ, Jeong MJ, noh M, Hwang ES, Hong JH, Epicatechin Gallate (ECG) Stimulated Osteoblast Differentiation via Runt Related Transcription Factor 2 (RUNX2) and Transcriptional Coactivator with PDZ-binding Motif (TAZ)-Mediated Transcriptional Activation. 2014, *J Biol Chem*; 289 (14) : 9926-9935.

Capelli J., Fidel R, Figueredo CM, Teles RP. Change in the Gingival fluid volume during maxillary canine retraction. *Dental Press J. Orthod.* 2010. Vol.15. No.2

Dolce, C., J. Scott Malone, Timothy T. Wheeler. Current Concepts in The Biology of Orthodontic Tooth Movement. Seminars in Orthodontics 2002. Volume 8, Issue 1, March, p. 6–12.

Ellies DL, Viviano B, McCarthy J, Rey JP, Itasaki N, Saunders S, et al. Bone density ligand, Sclerostin, directly interacts with LRP5 but not LRP5G171V to modulate Wnt activity. Journal of bone and mineral research: the official journal of the American Society for Bone and Mineral Research. 2006; 21 (11):1738–49.

Ferguson DB. Oral bioscience. China: Churchill livingstone; 1999

Hernandez, G.L., O.V. Volpert, M.A. Iniguez, E. Lorenzo, S. Martinez-Martinez, R. Grau, M. Fresno, and J.M. Redondo. Selective inhibition of vascular endothelial growth factor-mediated angiogenesis by cyclosporin A: roles of the nuclear factor of activated T cells and cyclooxygenase 2. J. Exp. Med. 2001;193:607–620.

Heath JK, Atkinson SJ, Meikle MC, Reynold JJ. Mouse Osteoblast Synthesize Colagenase in Response to Bone Resorbing Agent. Biochim Biophys Acta. 1984;802:151-4.

Henneman, S., J. W. Von den Hoff and J. C. Maltha . Mechanobiology of tooth movement. *European Journal of Orthodontics* 2008. (30) : 299–306.

Hill, P. A. Bone Remodelling, *British Journal of Orthodontics* 1998; 25 : 101-107.

Krishnan V and Davidovitch Z, *Biological Mechanism of Tooth Movement*. Oxford. Blackwell Publishing Ltd, 2009. P.155, 173-174.

Krishnan V, Davidovitch Z. Cellular, Molecular and Tissue-level Reactions to Orthodontic Force. *Am J Orthod Dentofacial Orthop* 2006 ; 129-469.

Le Li M, Yi J, Yang Y, Zhang X, Zheng W, Li Y, et al. Compression and hypoxia play independent roles while having combinative effects in the osteoclastogenesis induced by periodontal ligament cells. *The Angle orthodontist*. 2015.

Li X, Zhang Y, Kang H, Liu W, Liu P, Zhang J, et al. Sclerostin binds to LRP5/6 and antagonizes canonical Wnt signaling. *The Journal of biological chemistry*. 2005; 280(20):19883–7. doi: 10.1074/jbc. M413274200 PMID: 15778503.

Lin RW, Chen CH, Wang YH, et al. Epigallocatechin gallate Inhibition of Osteoclastic Differentiation via NF-Kappa β . *Biochem Biophys Res Commun*. 2009 Jan 14.

Meikle MC. The Tissue, Cellular and Molecular Regulation of Orthodontic Tooth Movement : 100 Years After Carl Sandstedt. *European J Orthod* 2006; 28 : 221-0.

Moustafa A, Sugiyama T, Prasad J, Zaman G, Gross TS, Lanyon LE, et al. Mechanical loading-related changes in osteocyte sclerostin expression in mice are more closely associated with the subsequent osteogenic response than the peak strains engendered. *Osteoporosis international: a journal established as result of cooperation between the European Foundation for Osteoporosis and the National Osteoporosis Foundation of the USA*. 2012; 23(4):1225–34.

Nanda R, *Biomechanics and Esthetic Strategy in Clinical Orthodontic*. St. Louis. Elsevier Saunders, 2005. P 17-27.

Odagaki, Y. Ishihara, Z. Wang, E. Ei Hsu Hlaing, M. Nakamura, et al.

Role of Osteocyte-PDL Crosstalk in Tooth Movement via SOST/Sclerostin
J Dent. Res 2018, Vol. 97(12) 1374–1382.

Pixley FJ, Stanley ER, CSF-1 Regulation of Wandering Macrophage: Complexity
in Action. *Trend Cell Biol.* 2004;14(11):628-38.

Profit WR, and Fields, HW. *Contemporary Orthodontics*, ed.3, Mosby,
Philladelphia, 2000 p 145-294.

Rao, A., C. Luo, and P.G. Hogan. Transcription factors of the NFAT family:
regulation and function. *Annu. Rev. Immunol.* 1997;15:707–747.

Robling AG, Niziolek PJ, Baldrige LA, Condon KW, Allen MR, Alam I, et al.
Mechanical stimulation of bone in vivo reduces osteocyte expression of
Sost/sclerostin. *The Journal of biological chemistry.* 2008; 283(9):5866–
75. doi: 10.1074/jbc.M705092200 PMID: 18089564.

Rusnak, F., and P. Mertz. Calcineurin: form and function. *Physiol.Rev.*2001;80:
1483–1521.

Schneider C, Segre T. Green tea: potential health benefits. *Am Fam Physician*
2009;79(7):591–4. (PubMed: 19378876).

Shen CL, Cao JJ, Dagda RY, James K, Wang JS. Green Tea and Bone
Metabolism. 2009. *Nutr Res*; 29(7) : 437-456.

Suda T, Takahashi N, Udagawa N, et al. Modulation of Osteoclast Differentiation and Function by the New Number of the Tumor Necrosis Factor Receptor and Ligand Families. *Endocr Rev.* 1999;20(3):345-57.

Takayanagi H, Kim S, Taniguchi T. Signaling crosstalk between RANKL and Interferons in Osteoclast Differentiation *Arthritis Res.* 2002;4 (Suppl 3):S227-32.

Theoleyre S, et al. The molecular triad OPG/RANK/RANKL: involvement in the orchestration of pathophysiological bone remodeling. *Cytokine Growth F R.* 2004;15:457–75.

Uematsu S, Mogi M, Deguchi T. Interleukin IL-1 β IL-6, tumor necrosis factor α , epidermal growth factor and β 2 microglobulin are elevated in gingival crevicular fluid during human orthodontic tooth movement. *J Dent Res* 1996;75:562-7.

Ullmann U, Haller J, Decourt JP, Girault N et al. A single Ascending Dose Study of Epigallocatechin gallate in Healthy Volunteers. *Journal of International Medical Research.* 2003;31:88-101.

Waddington RJ, Embery G. Proteoglycans and orthodontic tooth movement. *J Orthod* 2001;28:281-90.

Wergedal JE, Veskovik K, Hellan M, Nyght C, Balemans W, Libanati C, et al. Patients with Van Buchem disease, an osteosclerotic genetic disease, have elevated bone formation markers, higher bone density, and greater derived polar moment of inertia than normal. *The Journal of clinical endocrinology and metabolism*. 2003; 88(12):5778–83. doi: 10.1210/jc.2003-030201 PMID: 14671168.

Wijenayaka AR, Kogawa M, Lim HP, Bonewald LF, Findlay DM, Atkins GJ. Sclerostin stimulates osteocyte support of osteoclast activity by a RANKL-dependent pathway. *PloS one*. 2011; 6(10):e25900. doi: 10.1371/journal.pone.0025900 PMID: 21991382.

Yang CS, Landau JM. Effect of Tea Consumption on Nutrition and Health. *J Nutr*. 2000;130:2409-12.