

BAB 7

KESIMPULAN DAN SARAN

7.1 Kesimpulan

1. Ekspresi MMP1 pada aplikasi kombinasi kalsium hidroksida dengan ekstrak propolis hari ke-3 dan hari ke-7 lebih rendah dibandingkan dengan kalsium hidroksida.
2. Densitas Kolagen tipe 1 pada aplikasi kombinasi kalsium hidroksida dengan ekstrak propolis hari ke-3 dan hari ke-7 lebih tinggi dibandingkan dengan kalsium hidroksida.

7.2 Saran

Diperlukan penelitian uji klinis lebih lanjut agar kombinasi kalsium hidroksida dan propolis dapat digunakan sebagai bahan *pulp capping*.

DAFTAR PUSTAKA

- Alencar SM. 2007. Chemical composition and biological activity of a new type of Brazilian propolis: Red propolis. *J Ethnopharmacol*, 113(2), 278- 283.
- Ansorge S, Reinhold D and Lendeckel U. 2003. Propolis and Some of its Constituents Down-Regulate DNA Synthesis and Inflammatory Cytokine Production but Induce TGF- β 1 Production of Human Immune Cells. *Z. Naturforsch.* 58c, 580-589.
- Asmoro, FF. 2016. Perbedaan daya antibakteri kalsium hidoksida dengan dan tanpa penambahan propolis terhadap *Enterococcus faecalis*. Skripsi Fakultas Kedokteran Gigi Universitas Airlangga Surabaya
- Bankova V, Trusheva B, & Popova M. 2008. New developments in propolis chemical diversity studies (since 2000). Scientific evidence of the use of propolis in ethnomedicine, 1-13.
- Bergenholtz, G., Reit, C., and Hørsted-Bindslev, P., 2010. Introduction to endodontology. *Textbook of endodontology. 2nd ed. Wiley-Blackwell*, pp.3-7.
- Bretz, W.A., Chiego, D.J., Marcucci, M.C., Cunha, I., Custódio, A. and Schneider, L.G., 2008. Preliminary report on the effects of propolis on wound healing in the dental pulp. *Zeitschrift für Naturforschung C*, 53(11-12), pp.1045-1048.
- Castaldo S, Capasso F. 2002. Propolis, an old remedy used in modern medicine. *Fitoterapia* 73 Suppl. 1; S1-S6.
- Chang, H. H., Chang, M. C., Wang, H. H., Huang, G. F., Lee, Y. L., Wang, Y. L., & Jeng, J. H. 2014. Urethane dimethacrylate induces cytotoxicity and regulates cyclooxygenase-2,

- hemeoxygenase and carboxylesterase expression in human dental pulp cells. *Acta biomaterialia*, 10(2), 722-731.
- Chua, E.G., Parolia, A., Ahlawat, P., Pau, A. and Amalraj, F.D., 2014. Antifungal effectiveness of various intracanal medicaments against *Candida albicans*: an ex-vivo study. *BMC oral health*, 14(1): 53
- Cohen, S., Hargreaves, K.M. and Berman, L.H., 2011. *Cohen's pathways of the pulp*. 10th ed., Mosby Elsevier.
- Dammaschke, T., 2010. Rat molar teeth as a study model for direct pulp capping research in dentistry. *Laboratory animals*, 44(1), pp.1-6.
- Desai S., & Chandler N. 2009. *Calcium Hydroxide-Based Root Canal Sealers: A Review*. *Journal of Endodontics*, 35(4): 1-2
- Dwiandhono, I., Effendy, R. and Kunarti, S., 2016. The thickness of odontoblast-like cell layer after induced by propolis extract and calcium hydroxide. *Dental Journal (Majalah Kedokteran Gigi)*, 49(1), pp.17-21.
- Ehsani, M, Marashi, MA and Khafri, S. 2013. A Comparison between Antibacterial Activity of Propolis and Aloe vera on *Enterococcus faecalis* (an *In Vitro* Study). *International Journal of Molecular and Cellular Medicine*
- Evrosimovska., Dimova., Kovacevska. 2012. Concentration of collagenase in patient with chronically inflamed dental pulp tissue. *Contributions Sec Biol Med Science*.33(2).p: 191-204.
- Galvao J. 2007. Biological therapy using propolis as nutritional supelemen in cancer treatment. *Int J Cancer Res*, 3(1), 43-53.

- Ghasemi, N., Rahimi, S., Shahi, S., Milani, A.S., Rezaei, Y. and Nobakht, M., 2016. Compressive strength of mineral trioxide aggregate with propylene glycol. *Iranian endodontic journal*, 11(4): 325.
- Goldberg, M., Farges, J.C., Lacerda-Pinheiro, S., Six, N., Jegat, N., Decup, F., Septier, D., Carrouel, F., Durand, S., Chaussain-Miller, C. and DenBesten, P., 2008. Inflammatory and immunological aspects of dental pulp repair. *Pharmacological Research*, 58(2), pp.137-147.
- Grossman, L.I., Oliet, D. and Del Rio, C.E., 2010. Ilmu Endodontik dalam Praktek (terj.), edisi ke-11. Penerbit Buku Kedokteran EGC, Jakarta. PP : 32-35
- Hahn, Chin lo., Lieweber, Frederick R. 2007. Innate Immune Responses of The Dental Pulp to Caries. *J Endod.* 33.p: 643-51.
- Hargreaves, Kenneth M., Goodis, Harold E. dan Tay, Franklin.R., 2012. Seltzer and Bender's Dental Pulp. 2nd ed. Quintessence Publishing. Chicago. p:301-13.
- He, G. and George, A., 2004. Dentin matrix protein 1 immobilized on type I collagen fibrils facilitates apatite deposition in vitro. *Journal of Biological Chemistry*, 279(12), pp.11649-11656.
- Hilton, T.J., 2009. Keys to clinical success with pulp capping: a review of the literature. *Operative dentistry*, 34(5), pp.615-625.
- Hu, C.C., Zhang, C., Qian, Q. and Tatum, N.B., 2008. Reparative dentin formation in rat molars after direct pulp capping with growth factors. *Journal of endodontics*, 24(11), pp.744-751.

- Ivoclar Vivadent AG. 2016. *Cention N: Scientific Documentation*. Retrieved from <http://www.ivoclarvivadent.in/p/all/cention-n>.
- Kaur, P. and Kakar, V., 2014. Collagen: role in oral tissues. *Int. J. Sci. Res.*, 3(5), pp.273-276.
- Kumar, Vinay., Abbas, Abul K., Aster, Jon C. 2015. *Robbins and Cotran Pathologic Basis of Disease*, 8th ed, Saunders. Philadelphia.p:96-110.
- Kumazawa S, Hamasaka T, & Nakayama T. 2007. Antioxidant activity of propolis of various geographic origin. *Food Chemistry*, 84, 329-339.
- Kunarti, S. 2007. Stimulation of Pulp Fibroblast Activity with TGF β in Direct Pulp Capping: An Experimental Study. Sutabaya: Fakultas Kedokteran Gigi Universitas Airlangga.
- Kunarti, S., 2008. Pulp tissue inflammation and angiogenesis after pulp capping with transforming growth factor β 1. *Dental Journal (Majalah Kedokteran Gigi)*, 41(2), pp.88-90.
- Lofty M. 2006. Biological activity of bee propolis in health and disease. *Asia Pac J Cancer Prev*, 7, 22-31.
- Lucchini, M., Romeas, A., Couble, M.L., Bleicher, F., Magloire, H. and Farges, J.C., 2002. TGF β 1 signaling and stimulation of osteoadherin in human odontoblasts in vitro. *Connective tissue research*, 43(2-3), pp.345-353.
- Mazzieri R, Munger J S, Rifkin D B. 2000. Measurement of Active TGF – Beta Generated by Cultured Cells. *Methods in Molecular Biology. Transforming Growth Factor-Beta Protocol*.142.p:13-27

- Modena, K. C. D. S., Casas-Apayco, L. C., Atta, M. T., Costa, C. A. D. S., Hebling, J., Sipert, C. R., ... & Santos, C. F. 2009. Cytotoxicity and biocompatibility of direct and indirect pulp capping materials. *Journal of applied oral science*, 17(6), 544-554.
- Mohammadi, Z. and Dummer, P.M.H., 2011. Properties and applications of calcium hydroxide in endodontics and dental traumatology. *International endodontic journal*, 44(8), pp.697-730.
- Montero J.C, & Mori, G.G. 2012 *Assessment of ion diffusion from a calcium hydroxide-propolis paste throug dentin*. Brizilian Oral Research, 26(4): 319-322
- Mooduto L. 2012. *Respon Imun Pada Inflamasi Jaringan Pulpa*. Surabaya. Revka Petra Media, Surabaya. Pp 1-7
- Mori G.G, da Silva Rodrigues S, Shibayama S.T, Pomini M, & do Amaral C.O.F. 2014. *Biocompability of a calcium hydroxide-propolis experimental paste in rat subcutaneous tissue*. Brizillian Dental Journal, 25(2): 104-108.
- Nakashima, M., Nagasawa, H., Yamada, Y. and Reddi, A.H., 1994. Regulatory role of transforming growth factor- β , bone morphogenetic protein-2, and protein-4 on gene expression of extracellular matrix proteins and differentiation of dental pulp cells. *Developmental biology*, 162(1), pp.18-28.
- Nakashima, M., 1994. Induction of dentin formation on canine amputated pulp by recombinant human bone morphogenetic proteins (BMP)-2 and-4. *Journal of Dental Research*, 73(9), pp.1515-1522.
- Neelakantan, P., Jagannathan, N. and Nazar, N., 2011. Ethnopharmacological approach in endodontic treatment: A focused review. *International Journal of Drug Development and Research*. 3(4):68-77.

- Nisha G, Amit G. 2010. *Textbook of Endodontics Second Edition*. New Delhi, India. Jaypee Brothers Medical Publishers (P) Ltd
- Ozório, J.E.V., de Oliveira, D.A., de Sousa-Neto, M.D. and Perez, D.E.D.C., 2012. Standardized propolis extract and calcium hydroxide as pulpotomy agents in primary pig teeth. *Journal of Dentistry for Children*, 79(2), pp.53-58.
- Parolia, A., Kundabala, M., Rao, N.N., Acharya, S.R., Agrawal, P., Mohan, M. and Thomas, M., 2010. A comparative histological analysis of human pulp following direct pulp capping with Propolis, mineral trioxide aggregate and Dycal. *Australian dental journal*, 55(1), pp.59-64.
- Pietta P.G, Gardana C, Pietta A.M. 2002. Analytical Methods or Quality Control Of Propolis. *Fitoterapia* 73 Suppl. 1; S7-S20.
- Pizem, J., Cor,A., 2003, Detection of Apoptosis Cells in Tumour Paraffin Section, *Radiol. Oncol.*, 37(4): 225-232.
- Rohman, MS, Rastini, EK, Sarbini, D, Titi, AW, Widodo, and Sargowo, D. 2006, Penghambatan Aktifasi Nfk Kκ Kb Oleh Cape (Caffeic Acid Phenethyl Ester), Komponen Aktif Madu Lebah (Honeybee Hives), Pada Huvec's (Human Umbilical Vein Endothelial Cells) Yang Dipapar Ldl Teroksidasi." *Jurnal Kedokteran Brawijaya* 22 (1): 1-5.
- Sabir, A., Tabbu, C.R., Agustiono, P. and Sosroseno, W., 2005. Histological analysis of rat dental pulp tissue capped with propolis. *Journal of oral science*, 47(3), pp.135-138.
- Sabir, A., 2016. The Effect of Propolis on Cytokines during Dental Pulp Inflammation. *Journal of Apiculture Hasanudin University*, 31(1), pp.135-142.

- Sabir, A., Mooduto, L., Kaelan, C. and Horax, S., 2016. Impact of the Use of Ethanolic Extract of Propolis, Flavonoid and Non-Flavonoid Propolis for Direct Pulp Capping in Collagen Type I Density. *Brazilian Journal of Oral Sciences*, 15(4), pp.264-268.
- Slobodnikova, L., Fialva, S., Rendekova, K., Kovac, J., Mucaji, P. 2016. Antibiofilm Activity of Plant Polyphenols. *Molecules*; 21(1717): 1-15
- Soedjono, P., Mooduto, L., dan Setyowati, L. 2009. *Penutupan apeks pada pengisian saluran akar dengan bahan kalsium oksida lebih baik dibanding kalsium hidroksida*. Journal PDGI. 5-8: 1-5
- Soini, Y., Paakko, P. and Lehto, V-P. 1998, Histopathological Evaluation of Apoptosis in Cancer, *American Journal of Pathology*, 153(4): 1041-1048.
- Spoto, G., Fioroni, M., Rubini, C., Tripodi, D., Di Stilio, M. and Piattelli, A., 2001. Alkaline phosphatase activity in normal and inflamed dental pulps. *Journal of endodontics*, 27(3), pp.180-182.
- Srinivas, S., Jibhkate, N.G., Baranwal, R., Avinash, A. and Rathi, S., 2016. Propylene glycol: a new alternative for an intracanal medicament. *Journal of International Oral Health*, 8(5), p.611.
- Sutedjo, J. 2015. Perbedaan Ketebalan Dentin Reparatif pada Pulpa Terbuka Menggunakan Ekstrak Propolis dan Kalsium Hidroksida. Tesis Universitas Airlangga
- Teixeria, MM., Penha, SH., and Gomes-Filho, J.E., 2008. Mechanism of calcium hydroxide-induced neutrophil migration into air-pouch cavity. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontology*, 105(6), pp.814-821.
- Tjaderhane, Leo., D, Fabio., Pashley, David H. 2014. Optimizing dentin bond