


# NATURAL PRODUCT COMMUNICATIONS

An International Journal for Communications and Reviews Covering all  
Aspects of Natural Products Research



Volume 13. Issue 11. Pages 1419-1568. 2018  
ISSN 1934-578X (printed); ISSN 1555-9475 (online)  
[www.naturalproduct.us](http://www.naturalproduct.us)

**EDITOR-IN-CHIEF****DR. PAWAN K AGRAWAL**

Natural Product Inc.  
7963, Anderson Park Lane,  
Westerville, Ohio 43081, USA  
agrawal@naturalproduct.us

**EDITORS****PROFESSOR MAURIZIO BRUNO**

Department STEBICEF,  
University of Palermo, Viale delle Scienze,  
Parco d'Orleans II - 90128 Palermo, Italy  
maurizio.bruno@unipa.it

**PROFESSOR CARMEN MARTIN-CORDERO**

Department of Pharmacology, Faculty of Pharmacy,  
University of Seville, Seville, Spain  
carmenmc@us.es

**PROFESSOR VLADIMIR I. KALININ**

G.B. Elyakov Pacific Institute of Bioorganic Chemistry,  
Far Eastern Branch, Russian Academy of Sciences,  
Pr. 100-letya Vladivostoka 159, 690022,  
Vladivostok, Russian Federation  
kalininv@piboc.dvo.ru

**PROFESSOR YOSHIHIRO MIMAKI**

School of Pharmacy,  
Tokyo University of Pharmacy and Life Sciences,  
Horinouchi 1432-1, Hachioji, Tokyo 192-0392, Japan  
mimakiy@ps.toyaku.ac.jp

**PROFESSOR STEPHEN G. PYNE**

Department of Chemistry, University of Wollongong,  
Wollongong, New South Wales, 2522, Australia  
spyne@uow.edu.au

**PROFESSOR MANFRED G. REINECKE**

Department of Chemistry, Texas Christian University,  
Forts Worth, TX 76129, USA  
m.reinecke@tcu.edu

**PROFESSOR WILLIAM N. SETZER**

Department of Chemistry, The University of Alabama in Huntsville,  
Huntsville, AL 35809, USA  
wsetzer@chemistry.uah.edu

**PROFESSOR PING-JYUN SUNG**

National Museum of Marine Biology and Aquarium  
Checheng, Pingtung 944  
Taiwan  
pjsung@nmba.gov.tw

**PROFESSOR YASUHIRO TEZUKA**

Faculty of Pharmaceutical Sciences, Hokuriku University,  
Ho-3 Kanagawa-machi, Kanazawa 920-1181, Japan  
y-tezuka@hokuriku-u.ac.jp

**PROFESSOR DAVID E. THURSTON**

Institute of Pharmaceutical Science  
Faculty of Life Sciences & Medicine  
King's College London, Britannia House  
7 Trinity Street, London SE1 1DB, UK  
david.thurston@kcl.ac.uk

**HONORARY EDITOR****PROFESSOR GERALD BLUNDEN**

The School of Pharmacy & Biomedical Sciences,  
University of Portsmouth,  
Portsmouth, PO1 2DT U.K.  
axuf64@dsl.pipex.com

**ADVISORY BOARD**

Prof. Giovanni Appendino  
Novara, Italy

Prof. Norbert Arnold  
Halle, Germany

Prof. Yoshinori Asakawa  
Tokushima, Japan

Prof. Vassaya Bankova  
Sofia, Bulgaria

Prof. Roberto G. S. Berlinck  
São Carlos, Brazil

Prof. Anna R. Bilia  
Florence, Italy

Prof. Geoffrey Cordell  
Chicago, IL, USA

Prof. Fatih Demirci  
Eskişehir, Turkey

Prof. Francesco Epifano  
Chieti Scalo, Italy

Prof. Ana Cristina Figueiredo  
Lisbon, Portugal

Prof. Cristina Gracia-Viguera  
Murcia, Spain

Dr. Christopher Gray  
Saint John, NB, Canada

Prof. Dominique Guillaume  
Reims, France

Prof. Duvvuru Gunasekar  
Tirupati, India

Prof. Hisahiro Hagiwara  
Niigata, Japan

Prof. Judith Hohmann  
Szeged, Hungary

Prof. Tsukasa Iwashina  
Tsukuba, Japan

Prof. Leopold Jirovetz  
Vienna, Austria

Prof. Phan Van Kiem  
Hanoi, Vietnam

Prof. Niel A. Koorbanally  
Durban, South Africa

Prof. Chiaki Kuroda  
Tokyo, Japan

Prof. Hartmut Laatsch  
Gottingen, Germany

Prof. Marie Laccaille-Dubois  
Dijon, France

Prof. Shoen-Sheng Lee  
Taipei, Taiwan

Prof. M. Soledade C. Pedras  
Saskatoon, Canada

Prof. Luc Pieters  
Antwerp, Belgium

Prof. Peter Proksch  
Düsseldorf, Germany

Prof. Phila Raharivelomanana  
Tahiti, French Polynesia

Prof. Stefano Serra  
Milano, Italy

Dr. Bikram Singh  
Palampur, India

Prof. Marina Stefova  
Skopje, Republic of Macedonia

Prof. Leandros A. Skaltsounis  
Zografou, Greece

Prof. John L. Sorensen  
Manitoba, Canada

Prof. Johannes van Staden  
Scottsville, South Africa

Prof. Valentin Stonik  
Vladivostok, Russia

Prof. Winston F. Tinto  
Barbados, West Indies

Prof. Sylvia Urban  
Melbourne, Australia

Prof. Karen Valant-Vetschera  
Vienna, Austria

**INFORMATION FOR AUTHORS**

Full details of how to submit a manuscript for publication in Natural Product Communications are given in Information for Authors on our Web site <http://www.naturalproduct.us>.

Authors may reproduce/republish portions of their published contribution without seeking permission from NPC, provided that any such republication is accompanied by an acknowledgment (original citation)-Reproduced by permission of Natural Product Communications. Any unauthorized reproduction, transmission or storage may result in either civil or criminal liability.

The publication of each of the articles contained herein is protected by copyright. Except as allowed under national "fair use" laws, copying is not permitted by any means or for any purpose, such as for distribution to any third party (whether by sale, loan, gift, or otherwise); as agent (express or implied) of any third party; for purposes of advertising or promotion; or to create collective or derivative works. Such permission requests, or other inquiries, should be addressed to the Natural Product Inc. (NPI). A photocopy license is available from the NPI for institutional subscribers that need to make multiple copies of single articles for internal study or research purposes.

**To Subscribe:** Natural Product Communications is a journal published monthly. 2018 subscription price: US\$2,595 (Print, ISSN# 1934-578X); US\$2,595 (Web edition, ISSN# 1555-9475); US\$2,995 (Print + single site online); US\$595 (Personal online). Orders should be addressed to Subscription Department, Natural Product Communications, Natural Product Inc., 7963 Anderson Park Lane, Westerville, Ohio 43081, USA. Subscriptions are renewed on an annual basis. Claims for nonreceipt of issues will be honored if made within three months of publication of the issue. All issues are dispatched by airmail throughout the world, excluding the USA and Canada.

## Effect of Resveratrol Dimers and Tetramers Isolated from Vitaceous and Dipterocarpaceous Plants on Human SIRT1 Enzyme Activity

Kiyomi Hikita<sup>a</sup>, Norikazu Seto<sup>a</sup>, Yusuke Takahashi<sup>a</sup>, Ayako Nishigaki<sup>a</sup>, Yuya Suzuki<sup>a</sup>, Tomiyasu Murata<sup>a</sup>, Arthorn Loisuangsinn<sup>b</sup>, Nanik Siti Aminah<sup>c</sup>, Yoshiaki Takaya<sup>d</sup>, Masatake Niwa<sup>c</sup> and Norio Kaneda<sup>a\*</sup>

<sup>a</sup>Laboratory of Analytical Neurobiology, Faculty of Pharmacy, Meijo University, Yagotoyama 150, Tempaku, Nagoya, Aichi 468-8503, Japan

<sup>b</sup>Division of Chemistry, Faculty of Liberal Arts and Science, Kasetsart University, 1 Moo 6, Kamphaeng San District, NakhonPathom Province 73140, Thailand

<sup>c</sup>Department of Chemistry, Faculty of Science and Technology, Universitas Airlangga, Surabaya 60115, Indonesia

<sup>d</sup>Laboratory of Medicinal Resources Chemistry, Faculty of Pharmacy, Meijo University, Yagotoyama 150, Tempaku, Nagoya, Aichi 468-8503, Japan

nkaneda@meijo-u.ac.jp

Received: May 15<sup>th</sup>, 2018; Accepted: August 9<sup>th</sup>, 2018

SIRT1 is a mammalian ortholog of the yeast enzyme Sir2, which is an NAD<sup>+</sup>-dependent deacetylase of histones, p53, FOXO, NF-κB, PGC-1α, and other transcription factors. The Sir2 protein is reported as a longevity protein in yeast. Resveratrol, a polyphenol isolated from various types of plant families, particularly the Vitaceae family, is a known naturally occurring SIRT1 activator. In this study, we evaluated the effects of four types of resveratrol dimers and four types of tetramers isolated from vitaceous plants, and one type of resveratrol tetramer isolated from a dipterocarpaceous plant on purified human SIRT1 enzyme activity. Of the resveratrol dimers examined, (+)-ε-viniferin and pallidol exhibited no effect on SIRT1 enzyme activity, whereas (+)-ampelopsin B and (-)-ampelopsin F showed inhibitory activity on SIRT1. However, all the resveratrol tetramers examined, i.e., (+)-vitisin A, (-)-vitisin B, (+)-hopeaphenol, (-)-hopeaphenol, and (-)-isohopeaphenol markedly inhibited the human SIRT1 enzyme activity. (+)-Hopeaphenol exhibited the most potent inhibitory activity, which was comparable with that exhibited by a known SIRT1 inhibitor suramin. Since SIRT1 inhibitors reportedly possess anticancer activity, (+)-hopeaphenol and other resveratrol oligomers can be used as a seed compound for anticancer drugs.

**Keywords:** Sirtuin, Resveratrol oligomer, (+)-Hopeaphenol, SIRT1 inhibitor.

Sirtuins are members of a family of yeast silent information regulator 2 (Sir2), which are NAD<sup>+</sup>-dependent protein deacetylases that promote yeast longevity [1, 2]. DNA sequences of sirtuins are highly conserved from bacteria to humans [3]. Seven types of sirtuins (SIRT1–SIRT7) are found in mammals, and SIRT1 is a mammalian ortholog of yeast Sir2 [4, 5]. SIRT1 has been most extensively studied in the contexts of aging and longevity in mammals [6]. It catalyzes the deacetylation of many proteins, including histones and transcription factors such as p53, FOXO, NF-κB, and PGC-1α [6, 7], and activates stress defense and DNA repair mechanisms, thus aiding the preservation of genomic integrity [8]. SIRT1 also functions in the regulation of metabolism and has thus been described as a potential tumor suppressor gene [9]. Reportedly, SIRT1 has a pivotal role in the pathophysiology of various metabolic and neurodegenerative diseases as well as cancers [6, 8-11].

Resveratrol (3,5,4'-trihydroxy-*trans*-stilbene), a phytoalexin isolated from vitaceous plants such as *Vitis vinifera* [12], is a well-known small molecule activator of SIRT1 [13, 14]. Resveratrol and many resveratrol oligomers (oligostilbenes) have been isolated from plants of families, such as Vitaceae, Dipterocarpaceae, Leguminosae, Cyperaceae, and Gnetaceae, and their chemical structures have been elucidated [15]. Resveratrol and its oligomers have been reported to exhibit inhibitory activity against cancer cell proliferation [16-19] and anti-inflammatory activity against lipopolysaccharide-induced arthritis [20].


Because resveratrol is an effective activator of SIRT1, it will be interesting to examine whether the resveratrol oligomers have the ability to regulate the SIRT1 enzyme activity. In the present study, we evaluated the effects of resveratrol dimers and tetramers (Figure 1) isolated from vitaceous plants and a tetramer isolated from dipterocarpaceous plants on recombinant human SIRT1 (rhSIRT1) enzyme activity.

His-tagged rhSIRT1 was expressed using the *Escherichia coli* (*E. coli*) expression system and purified by Ni<sup>2+</sup>-Sepharose affinity chromatography. The enzyme showed a single band on SDS-polyacrylamide gel electrophoresis (SDS-PAGE) (Figure 2a). The molecular weight estimated using SDS-PAGE was larger than the value estimated from the cDNA sequence of hSIRT1 (84 kDa). Although the reason for this discrepancy remains unknown, the protein band was identified as SIRT1 by western blotting (Figure 2a).

**Table 1:** Effect of resveratrol and related compounds on rhSIRT1 enzyme activity.

Compounds		Relative enzyme activity
resveratrol	monomer	7.51 ± 0.76**
(+)-ε-viniferin	dimer	1.47 ± 0.27
pallidol	dimer	0.876 ± 0.059
(+)-ampelopsin B	dimer	0.741 ± 0.051*
(-)-ampelopsin F	dimer	0.014 ± 0.005**
(+)-vitisin A	tetramer	0.147 ± 0.140**
(-)-vitisin B	tetramer	0.033 ± 0.003**
(+)-hopeaphenol	tetramer	0.018 ± 0.018**
(-)-hopeaphenol	tetramer	0.002 ± 0.002**
(-)-isohopeaphenol	tetramer	0.045 ± 0.024**

The concentration of each compound is 100 μM. Enzyme activity is expressed relative to the control (DMSO), which was taken as 1.0. Data are expressed as the average ± SE from three independent experiments. \*P<0.05, \*\*P<0.01 by one-sample *t*-test




**Figure 1:** Structures of resveratrol oligomers isolated from vitaceae or dipterocarpaceae plants.

The structural and functional integrity of the purified rhSIRT1 was demonstrated by measuring the enzyme activity using a fluorescent derivative of p53 tetrapeptide. Fluorescence intensity was linearly increased, as a function of the concentration of the enzyme present (Figure 2b). The effect of resveratrol on the purified rhSIRT1 enzyme was then examined. As shown in Table 1, resveratrol enhanced the enzyme activity 7.5-fold higher than that in the control. These results indicated that rhSIRT1 used in the study had an intact and native conformation with sufficient enzyme activity, which is essential for regulating protein function by small molecules.


The effect of resveratrol oligomers at a concentration of 100  $\mu$ M on the enzyme activity is shown in Table 1. Among the resveratrol dimers examined, (+)- $\epsilon$ -viniferin and pallidol exhibited no effect on the rhSIRT1 enzyme activity, whereas (+)-ampelopsin B and (-)-ampelopsin F exhibited an inhibitory effect. However, all of the resveratrol tetramers examined, i.e., (+)-vitisin A, (-)-vitisin B, (+)-hopeaphenol, (-)-hopeaphenol, and (-)-isohopeaphenol markedly inhibited rhSIRT1 enzyme activity.

Next, we evaluated the dose dependency of the compounds possessing inhibitory activity on rhSIRT1 and determined their  $IC_{50}$  values (Figure 3). (+)-Ampelopsin B was excluded as its  $IC_{50}$  value was estimated to be higher than 100  $\mu$ M. Of the compounds examined, (+)-hopeaphenol showed the most potent inhibition of rhSIRT1, with an  $IC_{50}$  value of 3.45  $\mu$ M, which was almost comparable with that of suramin (1.71  $\mu$ M), a known inhibitor of SIRT1. The other compounds exhibited moderate inhibitory activity ( $IC_{50}$  = 18.1–24.4  $\mu$ M).



**Figure 2:** Characterization of the purified His-tagged rhSIRT1. a, SDS-PAGE and western blotting. His-tagged rhSIRT1 was expressed using the *E. coli* expression system and purified by affinity column chromatography. The purified His-tagged rhSIRT1 was analyzed by SDS-PAGE (lane 1, 5  $\mu$ g) and western blotting (lane 2, 2  $\mu$ g) as described in Experimental. b, Enzyme activity of the purified His-tagged rhSIRT1. Fluorescence intensity is in an arbitrary unit.

Resveratrol is known to be a direct activator of SIRT1 [13, 14]. Reportedly, two resveratrol molecules can interact with the N-terminal domain of SIRT1, which is responsible for promoting tighter binding between SIRT1 and its peptide substrate, thus stimulating SIRT1 activity [21]. In a preliminary enzyme kinetics analysis, we observed that (+)-hopeaphenol interacts competitively with SIRT1 protein at the  $NAD^+$  binding site. Distinct binding sites may explain the differences in the effects (activation or inhibition) of these small molecules. For better understanding of this aspect, a molecular docking study is underway to elucidate the accurate binding conformation of (+)-hopeaphenol with SIRT1.



compounds	(-)- ampelopsin F	(+)-vitisin A	(-)-vitisin B	(+)-hopeaphenol	(-)-hopeaphenol	(-)-isohopeaphenol	suramin
IC <sub>50</sub> (μM)	24.4	22.0	21.1	3.45	18.1	21.6	1.71

**Figure 3:** Inhibitory effect of the six types of resveratrol oligomers on the hSIRT1 enzyme activity and their IC<sub>50</sub> values. Dose dependency of the compounds on the hSIRT1 enzyme activity was measured at concentrations of 0–100 μM and expressed as the average ± SE from three independent experiments. IC<sub>50</sub> value was defined as the concentration of a compound required to reduce the hSIRT1 enzyme activity by 50% compared with that of vehicle (DMSO). Suramin, a known inhibitor of SIRT1, was used as a standard.

Small molecule SIRT1 inhibitors have been reported to repress the growth of cancer cells and show potential as anticancer drugs [9, 16–19]. Because (+)-hopeaphenol and other resveratrol oligomers possess inhibitory activity on SIRT1, they can be used as a seed compound for anticancer drugs.

## Experimental

**Materials:** Restriction enzymes were purchased from Toyobo (Otsu, Japan), and the bacterial expression vector pET-14b was from Novagen (Darmstadt, Germany). Resveratrol and related oligostilbenes (Figure 1) were isolated from vitaceous and dipterocarpaceous plants as previously described [22–27]. The structures of all test compounds were confirmed by spectroscopic measurements. All the test compounds were dissolved in a 50-mM dimethyl sulfoxide (DMSO) stock solution and stored at –80°C. All other chemicals used were of reagent grade.

**Expression and purification of rhSIRT1:** hSIRT1 cDNA was obtained by PCR from a human lung cDNA library (BioChain, Hayward, CA, USA). Nucleotide sequences of the primers used for PCR were as follows: Forward primer: 5'-ACAGGATCCATGGCGGACGAGGCGGCCCTCGC-3'; Reverse primer: 5'-CAGGTCGACGTGGAACAATTCCTGTACCTGCAC-3'. A full-length hSIRT1 cDNA was subcloned into pET-14b vector at the *Bam*H I and *Xho* I sites to construct the plasmid pET-hSIRT1, which expressed a recombinant 6× His-tagged fusion protein for hSIRT1. The pET-hSIRT1 plasmid was introduced into *E. coli* strain BL21 (DE3). The expression and purification of rhSIRT1 from the bacteria were performed according to the method previously described [28], with some modifications. The *E. coli* cells were incubated overnight at 37° C in Luria–Bertani (LB) broth (Lennox; Difco, BD, Franklin Lakes, NJ, USA) containing 100 μg/mL ampicillin. The overnight incubated culture was then inoculated into 250 mL of fresh LB broth (ratio, 1: 100) containing 100 μg/mL ampicillin and incubated at 30°C for 4 h with vigorous shaking until the OD<sub>600</sub> reached 0.7–1.0. Expression of the recombinant protein was induced by overnight incubation (OD<sub>600</sub>:

1.2–1.7) at 18°C in the presence of 1 mM isopropyl-β-D-thiogalactopyranoside. After incubation and subsequent centrifugation, the bacterial pellet was homogenized in 2.5 mL of 30 mM Tris-HCl buffer, pH 7.5, containing 1 mM EDTA and 1 mM dithiothreitol (DTT), on ice using an ultrasonic homogenizer. The homogenate was centrifuged at 543,200 ×g for 15 min at 4°C, and the supernatant was first applied to a PD-10 column (GE Healthcare, Uppsala, Sweden) to replace the buffer into a binding buffer comprising 20 mM sodium phosphate, 500 mM NaCl, and 40 mM imidazole (pH 7.4), and then applied to a Ni<sup>2+</sup>-chelating affinity column (HisTrap™ HP, 1 mL; GE Healthcare) pre-equilibrated with the binding buffer. After washing the column with binding buffer, the enzyme was eluted with an elution buffer comprising 20 mM sodium phosphate, 500 mM NaCl, and 500 mM imidazole (pH 7.4). The yield of the purified enzyme was approximately 10 mg from 1 L of bacterial culture. The purified enzyme was stored in a solution of 25 mM Tris-HCl buffer (pH 7.5), 10% glycerol, 100 mM NaCl, and 5 mM DTT at –80°C.

**SDS-PAGE and western blotting:** SDS-PAGE was performed according to the method described by Laemmli [29] using a 7.5% polyacrylamide gel, and was followed by western blotting. After electrophoresis, the proteins were transferred onto polyvinylidene difluoride membranes (Millipore, Bedford, MA, USA) and incubated with anti-6× His-tag goat IgG (1:1,000 dilution in blocking buffer of 2% bovine serum albumin, Thermo Scientific, Rockford, IL, USA). After washing and incubating with alkaline phosphatase-conjugated anti-goat IgG (1:2,000 dilution in blocking buffer, Sigma, St. Louis, MO, USA), immunoreactive bands were visualized using nitroblue tetrazolium/5-bromo-4-chloro-3-indolyl phosphate (NBT/BCIP, Roche, Mannheim, Germany).

**rhSIRT1 enzyme assay:** His-tagged rhSIRT1 enzyme activity was measured using the *Fluor de Lys* SIRT1 fluorometric drug discovery assay kit (AK-555, Enzo Life Sciences, Farmingdale, NY, USA) according to the manufacturer's instructions with some modifications. For experiments which examined the linearity of

enzyme activity at varying protein concentrations, rhSIRT1 (0–8 µg) was incubated for 30 min at 37°C with 25 µM *Fluor de Lys* SIRT1 substrate, which contained tetrapeptide comprising the amino acid sequence 379–382 of human p53 (Arg-His-Lys-Lys[ε-acetyl]), and 125 µM NAD<sup>+</sup> in a 0.5-mL tube. This reaction mixture was then transferred to a black, half-area, flat-bottomed well of a 96-well microplate (Corning 3694, Corning, NY, USA), and the same volume of Developer II in 2 mM nicotinamide was added to stop the reaction. The deacetylation-dependent fluorescent signal was then allowed to develop in the reaction mixture for an additional 45 min at 37°C. The fluorescence intensities were measured using a multi-label plate reader (Wallac 1420 ARVOSX, Perkin Elmer, Waltham, MA, USA; Ex. 355 nm, Em. 450 nm).

Simultaneously, the reaction buffer was used instead of rhSIRT1 to compensate for the background fluorescence intensity. In experiments assessing the effect of small molecules on the SIRT1 enzyme activity, enzyme assays were performed as described above using rhSIRT1 (1 µg) in the presence of various concentrations (0–100 µM) of the test compounds or DMSO as a control.

**Statistical analysis:** *P* values were calculated from one-sample *t* test. *P* < 0.05 was considered to be statistically significant.

**Acknowledgments** - This work was partly supported by JSPS KAKENHI Grant Number JP16K08311 and the Research Institute of Meijo University.

## References

- [1] Imai S. (2000) Transcriptional silencing and longevity protein Sir2 is an NAD-dependent histone deacetylase. *Nature*, **403**, 795-800.
- [2] Kaeberlein M, McVey M, Guarente L. (1999) The *SIR2/3/4* complex and *SIR2* alone promote longevity in *Saccharomyces cerevisiae* by two different mechanisms. *Genes and Development*, **13**, 2570-2580.
- [3] Brachmann CB, Sherman JM, Devine SE, Cameron EE, Pillus L, Boeke JD. (1995) The *SIR2* gene family, conserved from bacteria to humans, functions in silencing, cell cycle progression, and chromosome stability. *Genes and Development*, **9**, 2888-2902.
- [4] Frye RA. (1999) Characterization of five human cDNAs with homology to the yeast *SIR2* gene: Sir2-like proteins (sirtuins) metabolize NAD and may have protein ADP-ribosyltransferase activity. *Biochemical and Biophysical Research Communications*, **260**, 273-279.
- [5] Frye RA. (2000). Phylogenetic classification of prokaryotic and eukaryotic Sir2-like proteins. *Biochemical and Biophysical Research Communications*, **273**, 793-798.
- [6] Imai S, Guarente L. (2010) Ten years of NAD-dependent *SIR2* family deacetylases: implications for metabolic diseases. *Trends in Pharmacological Sciences*, **31**, 212-220.
- [7] Finkel T, Deng CX, Mostoslavsky R. (2009) Recent progress in the biology and physiology of sirtuins. *Nature*, **460**, 587-591.
- [8] Imai S, Guarente L. (2014) NAD<sup>+</sup> and sirtuins in aging and disease. *Trends in Cell Biology*, **24**, 464-471.
- [9] Kazako T, Suzuki T, Yoshimitsu M, Arima N, Honda S, Soeda S. (2014) Anticancer agents targeted to sirtuins. *Molecules*, **19**, 20295-20313.
- [10] Li K, Luo J. (2011) The role of SIRT1 in tumorigenesis. *North American Journal of Medicine & Science (Boston)*, **4**, 104-106.
- [11] Song NY, Surh YJ. (2012) Janus-faced role of SIRT1 in tumorigenesis. *Annals of the New York Academy of Sciences*, **1271**, 10-19.
- [12] Langcake P, Pryce RJ. (1976) The production of resveratrol by *Vitis vinifera* and other members of the Vitaceae as a response to infection or injury. *Physiological Plant Pathology*, **9**, 77-86.
- [13] Howitz KT, Bitterman KJ, Cohen HY, Lamming DW, Lavu S, Wood JG, Zipkin RE, Chung P, Kisielewski A, Zhang LL, Scherer B, Sinclair DA. (2003) Small molecule activators of sirtuins extend *Saccharomyces cerevisiae* lifespan. *Nature*, **425**, 191-196.
- [14] Kulkarni SS, Cantó C. (2015) The molecular targets of resveratrol. *Biochimica et Biophysica Acta*, **1852**, 1114-1123.
- [15] Takaya Y, Niwa M. (2001) Oligostilbenes from Vitaceaeous plants. *Trends in Heterocycles Chemistry*, **7**, 41-54.
- [16] Kang JH, Park YH, Choi SW, Yang EK, Lee WJ. (2003) Resveratrol derivatives potently induce apoptosis in human promyelocytic leukemia cells. *Experimental and Molecular Medicine*, **35**, 467-474.
- [17] Fulda S. (2012) Regulation of cell death and survival by resveratrol: implications for cancer therapy. *Anti-Cancer Agents in Medicinal Chemistry*, **12**, 874-879.
- [18] Pizarro JG, Verdager E, Ancrenaz V, Junyent F, Sureda F, Pallàs M, Folch J, Camins A. (2011) Resveratrol inhibits proliferation and promotes apoptosis of neuroblastoma cells: role of sirtuin 1. *Neurochemical Research*, **36**, 187-194.
- [19] Lim KG, Gray AI, Pyne S, Pyne NJ. (2012) Resveratrol dimers are novel sphingosine kinase 1 inhibitors and affect sphingosine kinase 1 expression and cancer cell growth and survival. *British Journal of Pharmacology*, **166**, 1605-1616.
- [20] Wang KT, Chen LG, Tseng SH, Huang JS, Hsieh MS, Wang CC. (2011) Anti-inflammatory effects of resveratrol and oligostilbenes from *Vitis thunbergii* var. *taiwaniana* against lipopolysaccharide-induced arthritis. *Journal of Agricultural and Food Chemistry*, **59**, 3649-3656.
- [21] Cao D, Wang M, Qiu X, Liu D, Jiang H, Yang N, Xu RM. (2015) Structural basis for allosteric, substrate-dependent stimulation of SIRT1 activity by resveratrol. *Genes and Development*, **29**, 1316-1325.
- [22] Ito J, Niwa M, Oshima Y. (1997) A new hydroxystilbene tetramer named isohopeaphenol from *Vitis Vinifera* Kyohou. *Heterocycles*, **45**, 1809-1813.
- [23] Oshima Y, Kamijou A, Ohizumi Y, Niwa M, Ito J, Hisamichi K, Takeshita M. (1995) Novel oligostilbenes from *Vitis coignetiae*. *Tetrahedron*, **51**, 11979-11986.
- [24] Ito J, Goharu K, Shimamura T, Niwa M, Takaya Y, Oshima Y. (1998) Absolute configurations of some oligostilbenes from *Vitis coignetiae* and *Vitis vinifera* 'Kyohou'. *Tetrahedron*, **54**, 6651-6660.
- [25] Ito J, Niwa M. (1996) Absolute structures of new hydroxystilbenoids, vitisin C and viniferal, from *Vitis vinifera* 'Kyohou'. *Tetrahedron*, **52**, 9991-9998.
- [26] Takaya Y, Yan KX, Terashima K, Ito J, Niwa M. (2002) Chemical determination of the absolute structures of resveratrol dimers, ampelopsins A, B, D and F. *Tetrahedron*, **58**, 7259-7265.
- [27] Aminah NS, Achmad SA, Aimi N, Ghisalberti EL, Hakim EH, Kitajima M, Syah YM, Takayama H. (2002) Diptoinonesin A, a new C-glucoside of ε-viniferin from *Shorea seminis* (Dipterocarpaceae). *Fitoterapia*, **73**, 501-507.
- [28] Hikita K, Tanaka H, Murata T, Kato K, Hirata M, Sakai T, Kaneda N. (2014) Phenolic constituents from stem bark of *Erythrina poeppigiana* and their inhibitory activity on human glyoxalase I. *Journal of Natural Medicines*, **68**, 636-642.
- [29] Laemmli, U. K. (1970) Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature*, **227**, 680-685.

<b>Synthesis and Biological Activity of Novel Comenic Acid Derivatives Containing Isoxazole and Isothiazole Moieties</b> Alexey V. Kletskov, Vladimir I. Potkin, Irina A. Kolesnik, Sergey K. Petkevich, Anastasia V. Kvachonak, Margarita O. Dosina, Diana O. Loiko, Maria V. Larchenko, Svetlana G. Pashkevich and Vladimir A. Kulchitsky	1507
<b>Characterization and Quantitation of Polyphenolic Compounds in <i>Senna gardneri</i> and <i>S. georgica</i> from the Northeast of Brazil</b> Irvila Ricarte de O. Maia, Maria Teresa Salles Trevisan, Maria Goretti de V. Silva, Andrea Breuer and Robert W. Owen	1511
<b>Identification of 6,7-Dimethoxychromone as a Potent Allelochemical from <i>Jatropha podagrica</i></b> Sutjaritpan Boonmee, Arihiro Iwasaki, Kiyotake Suenaga and Hisashi Kato-Noguchi	1515
<b>Identification and Quantification of Human Neutrophil Elastase Inhibitory Caffeoylquinic Acids in the Leaves of <i>Aster koraiensis</i></b> Ik-Soo Lee, Chan-Sik Kim and Jin Sook Kim	1519
<b>Antitumor Effects of Nordihydroguaiaretic Acid (NDGA) in Bladder T24 Cancer Cells are Related to Increase in ROS Production and Mitochondrial Leak Respiration</b> Gustavo Ignacio Vázquez-Cervantes, Karla Villaseñor-Aguayo, Jacqueline Hernández-Damiána, Omar Emiliano Aparicio-Trejoa, Omar Noel Medina-Campos, Rebeca López-Marureb and José Pedraza-Chaverria	1523
<b>Effect of Precursor and Phytohormones on Podophyllotoxin Production in <i>Juniperus virginiana</i> Suspension Cultures</b> Marie Kašparová, Pavla Pilařová, Lenka Tůmová and Tomáš Siatka	1527
<b>Effect of Resveratrol Dimers and Tetramers Isolated from Vitaceous and Dipterocarpaceous Plants on Human SIRT1 Enzyme Activity</b> Kiyomi Hikita, Norikazu Seto, Yusuke Takahashi, Ayako Nishigaki, Yuya Suzuki, Tomiyasu Murata, Arthorn Loisuangsin, Nanik Siti Aminah, Yoshiaki Takaya, Masatake Niwa and Norio Kaneda	1531
<b>A Concise Asymmetric Synthesis of the Macrolide Antibiotic (-)-A26771B and Evaluation of its Antibacterial Activity and Some of its Precursors</b> Sucheta Chatterjee, Mahesh Subramanian, Anubha Sharma and Subrata Chattopadhyay	1535
<b>Screening of Chemical Composition, <i>in vitro</i> Antioxidant, <math>\alpha</math>-Amylase and <math>\alpha</math>-Glucosidase Inhibitory Activities of the Leaf Essential Oils of <i>Cinnamomum wightii</i> from Different Populations</b> Venkatraman Sriramavaratharajan and Ramar Murugan	1539

### Accounts/Reviews

<b>Potential Phytopharmacy and Food Applications of <i>Capsicum</i> spp.: A Comprehensive Review</b> Bahare Salehi, Alan Javier Hernández-Álvarez, María del Mar Contreras, Miquel Martorell, Karina Ramírez-Alarcón, Guiomar Melgar-Lalanne, Karl R. Matthews, Mehdi Sharifi-Rad, William N. Setzer, Muhammad Nadeem, Zubaida Yousaf and Javad Sharifi-Rad	1543
<b>A Review of Common Medicinal Plants in Chin State, Myanmar</b> Zaw Min Thu, Mya Mu Aye, Hnin Thanda Aung, Myint Myint Sein and Giovanni Vidari	1557



# Natural Product Communications

2018

Volume 13, Number 11

## Contents

<u>Original Paper</u>	<u>Page</u>
<b>Sesquiterpenes Isolated from <i>Aspergillus fumigatus</i>, an Endophytic Fungus from <i>Ligusticum wallichii</i></b> Xiao-Hua Li, Han-Wen Hu, Lu Tan, Wen-Lin Wu, Zhi-Xing Cao, Yu-Cheng Gu, Yun Deng and Da-le Guo	1419
<b>Kojic Acid Derivatives and Sesquiterpenes from the <i>Aspergillus flavus</i> GZWMJZ-288, A Fungal Endophyte of <i>Garcinia multiflora</i></b> Yanchao Xu, Liping Wang, Qianyu Gong, Guoliang Zhu, Chunmao Yuan, Mingxing Zuo, Qing Rao, Weiming Zhu and Xiaojiang Hao	1421
<b>A New Taxane Diterpenoid and a New Neolignan from <i>Taxus baccata</i></b> Xiaoyun Lei, Shuai Huang, Hu Xiao, Feng Gao and Xianli Zhou	1425
<b>Diterpenoid Alkaloids from <i>Delphinium aemulans</i></b> Nurfida Ablajan, Bo Zhao, Wenjuan Xue, Zukela Ruzi, Jianguy Zhao and Haji Akber Aisa	1429
<b>Trinulactones A–D, New Dinorserterpenoids from <i>Streptomyces</i> sp. S006</b> Feifei Wei, Wen Li, Rentai Song and Yuemao Shen	1433
<b>Grapefruit Seed Extract Inhibits the Formation of Amyloid-like Fibrils by Trypsin in Aqueous Ethanol</b> Phanindra Babu Kasi, Attila Borics, Mónika Varga, Gábor Endre, Kinga Molnár, Lajos László and Márta Kotormán	1437
<b>Lanostane-type Triterpenoids from <i>Ganoderma lucidum</i> and <i>G. multipileum</i> Fruiting Bodies</b> Pham Thanh Binh, Nguyen Phuong Thao, Nguyen Thi Luyen, Duong Thu Trang, Phung Thi Xuan Binh, Nguyen Phuong Dai Nguyen, Nguyen Tuan Hiep, Nguyen Hai Dang, Tran Manh Tri and Nguyen Tien Dat	1441
<b>Cytotoxic Effects of Cucurbitacin I and <i>Ecballium elaterium</i> on Breast Cancer Cells</b> Kadir Yılmaz, Fuat Karakuş, Ergül Eyol, Emir Tosun, İsmet Yılmaz and Songül Ünüvar	1445
<b>Anti-HIV-1 Activities and Chemical Constituents from Leaves and Twigs of <i>Santisia pagetii</i> (Bignoniaceae)</b> Suphitcha Limjiasahapong, Patoomratana Tuchinda, Vichai Reutrakul, Manat Pohmakotr, Radeekorn Akkarawongsapat, Jitra Limthongkul, Chanita Napaswad and Narong Nuntasana	1449
<b>Two New Oleanane-type Saponins from <i>Hydrocotyle multifida</i></b> Mayra Rengifo Carrillo, Anne-Claire Mitaine-Offer, Thomas Paululat, Laurent Pouységu, Stéphane Quideau, Luis Rojas, Carmelo Rosquete Porcar and Marie-Aleth Lacaille-Dubois	1453
<b>Two New Steroidal Alkaloid Saponins from the Whole Plants of <i>Solanum nigrum</i></b> Bui Huu Tai, Vu Van Doan, Pham Hai Yen, Nguyen Xuan Nhiem, Nguyen Thi Cuc, Do Thi Trang, Dan Thi Thuy Hang, Duong Thi Dung, Duong Thi Hai Yen, Tran Hong Quang, Nguyen Hai Dang, Nguyen Thi Mai, Chau Van Minh and Phan Van Kiem	1457
<b>Competitive Inhibition of Mammalian Hyaluronidase by Tomato Saponin, Esculeoside A</b> Jian-Rong Zhou, Souta Kimura, Toshihiro Nohara and Kazumi Yokomizo	1461
<b>Application of Racemization Process to Dynamic Resolution of (<i>RS</i>)-Phenylephrine to (<i>R</i>)-Phenylephrine <math>\beta</math>-D-Glucoside by <i>Nicotiana tabacum</i> Glucosyltransferase</b> Yuya Fujitaka, Daisuke Uesugi, Hatsuyuki Hamada, Hiroki Hamada, Kei Shimoda, Masayoshi Yanagi, Manami Inoue and Shin-ichi Ozaki	1465
<b>Cytotoxic Activity of Alkaloids from the Fruits of <i>Piper nigrum</i></b> Quynh Mai Thi Ngo, Thao Quyen Cao, Le Son Hoang, Manh Tuan Ha, Mi Hee Woo and Byung Sun Min	1467
<b>A New Oxoaporphine Alkaloid from the Root of <i>Dasymaschalon glaucum</i></b> Weerachai Silprakob, Nuntaporn Sukhamsri, Chutima Kuhakarn, Sakchai Hongthong, Surawat Jariyawat, Kanoknetr Suksen, Radeekorn Akkarawongsapat, Jitra Limthongkul, Narong Nantasaen and Vichai Reutrakul	1471
<b>Boldine Does Not Modify Gender Specific Wound Healing in Zucker Diabetic Rats</b> Renata Köhlerová, Eva Čermáková and Milena Hajzlerová	1475
<b>Phytochemical Analysis and Antimicrobial Efficacy of <i>Macleaya cordata</i> against Extensively Drug-Resistant <i>Staphylococcus aureus</i></b> Manead Khin, Alan M. Jones, Nadja B. Cech and Lindsay K. Caesar	1479
<b>Polyphenol Compounds Melanin Prevented Hepatic Inflammation in Rats with Experimental Obesity</b> Natalia Belemets, Nazarii Kobylak, Tetyana Falalyeyeva, Olena Kuryk, Oksana Sulaieva, Tetyana Vovk, Tetyana Beregova and Liudmila Ostapchenko	1485
<b>Antioxidant and <math>\alpha</math>-Glucosidase Inhibitory Activities of Fisetin</b> Yike Yue, Yongsheng Chen, Sheng Geng, Guizhao Liang and Benguo Liu	1489
<b>Simultaneous Quantification of Two Flavonoids in <i>Morus alba</i> by High Performance Liquid Chromatography Coupled with Photodiode Array Detector</b> Chang-Seob Seo and Hyeun-Kyoo Shin	1493
<b>Chemical Composition and Cytotoxicity of <i>Garcinia rubro-echinata</i>, a Western Ghats Endemic Species</b> Lekshmi N. Menon, Ganapathy Sindhu, Kozhiparambil G. Raghu and Koranappallil B. Rameshkumar	1497
<b>Antioxidant and Anti-inflammatory Activities of Cynaroside from <i>Elsholtzia bodinieri</i></b> Ying Zou, Min Zhang, Tingrui Zhang, Junwen Wu, Jun Wang, Kehai Liu and Nannan Zhan	1501
<b>Phenolic Constituents from <i>Xyloselinum leonidii</i></b> Nguyen Phuong Hanh, Nguyen Sinh Khang, Chu Thi Thu Ha, Nguyen Quoc Binh and Nguyen Tien Dat	1505

Continued inside backcover





SJR

Scimago Journal &amp; Country Rank

Enter Journal Title, ISSN or Publisher Name

[Home](#)[Journal Rankings](#)[Country Rankings](#)[Viz Tools](#)[Help](#)[About Us](#)

# Natural product communications








<b>Country</b>	<a href="#">United States</a> - <a href="#">IIII</a> <a href="#">SJR Ranking of United States</a>
<b>Subject Area and Category</b>	<a href="#">Agricultural and Biological Sciences</a> <a href="#">Plant Science</a>  <a href="#">Medicine</a> <a href="#">Complementary and Alternative Medicine</a> <a href="#">Medicine (miscellaneous)</a>  <a href="#">Pharmacology, Toxicology and Pharmaceutics</a> <a href="#">Drug Discovery</a> <a href="#">Pharmacology</a>
<b>Publisher</b>	<a href="#">Natural Product Communications</a>
<b>Publication type</b>	Journals
<b>ISSN</b>	15559475, 1934578X
<b>Coverage</b>	2008-ongoing
<b>Scope</b>	Natural Product Communications (NPC) is an open access, peer reviewed journal bringing studies on all aspects of natural products, including isolation, characterization, spectroscopic properties, biological activities, synthesis, structure-activity, biotransformation, biosynthesis, tissue culture and fermentation into one journal. It publishes communications, full papers, accounts and reviews covering the full breadth of chemistry, biochemistry, biotechnology, pharmacology, and chemical ecology of natural products. Readership includes: Academic and Industrial Scientists working in all aspects of Organic, Pharmaceutical, Medicinal, Bioorganic and Analytical Chemistry, Biotechnology, Biodiversity and Chemotaxonomy.
	<a href="#">Homepage</a> <a href="#">How to publish in this journal</a> <a href="#">Contact</a>  <a href="#">Join the conversation about this journal</a>

# 35

H Index

Quartiles





Show this widget in your own website

Just copy the code below and paste within your html code:

```
<a href="https://www.scimagoj
```

Natural product  
communications

Q2

Complementary  
and Alternative  
Medicine

U

**Unang Supratman** 2 weeks ago

I try to submit but can not entrance due to incorrect username and password.  
Can you give me a new username and password?

I waiting for your further information.

reply



**Melanie Ortiz** 2 weeks ago

Dear Unang,  
thank you for contacting us.

Sorry to tell you that SCImago Journal & Country Rank is not a journal. SJR is a portal with scientometric indicators of journals indexed in Elsevier/Scopus.

Unfortunately, we cannot help you with your request, we suggest you to contact the journal's editorial staff , so they could inform you more deeply. Best Regards, SCImago Team

### Leave a comment

Name

Email

(will not be published)



I'm not a robot

reCAPTCHA  
Privacy - Terms

Submit

The users of Scimago Journal & Country Rank have the possibility to dialogue through comments linked to a specific journal. The purpose is to have a forum in which general doubts about the processes of publication in the journal, experiences and other issues derived from the publication of papers are resolved. For topics on particular articles, maintain the dialogue through the usual channels with your editor.

Developed by:



Powered by:



Follow us on @ScimagoJR

Scimago Lab, Copyright 2007-2019. Data Source: Scopus®

EST MODUS IN REBUS  
Horatio (Satire 1,1,106)

# Natural Product Communications

## Table of Contents

Volume 13 Issue 11, November 2018

### Article

---



#### **Sesquiterpenes Isolated from *Aspergillus fumigatus*, an Endophytic Fungus from *Ligusticum wallichii***

Xiao-Hua Li, Han-Wen Hu, Lu Tan, Wen-Lin Wu, Zhi-Xing Cao, Yu-Cheng Gu, Yun Deng, Da-le Guo

First Published November 1, 2018

[Abstract](#)

> [Preview](#)



#### **Kojic Acid Derivatives and Sesquiterpenes from the *Aspergillus flavus* GZWMJZ-288, A Fungal Endophyte of *Garcinia multiflora***

Yanchao Xu, Liping Wang, Qianyu Gong, Guoliang Zhu, Chunmao Yuan, Mingxing Zuo, Qing Rao, Weiming Zhu, Xiaojiang Hao

First Published November 1, 2018

[Abstract](#)

> [Preview](#)





## A New Taxane Diterpenoid and a New Neolignan from *Taxus baccata*

Xiaoyun Lei, Shuai Huang, Hu Xiao, Feng Gao, Xianli Zhou

First Published November 1, 2018

[Abstract](#)

> [Preview](#)



## Diterpenoid Alkaloids from *Delphinium aemulans*

Nurfida Ablajan, Bo Zhao, Wenjuan Xue, Zukela Ruzi, Jiangyu Zhao, Haji Akber Aisa

First Published November 1, 2018

[Abstract](#)

> [Preview](#)



## Trinulactones A–D, New Dinorsesterterpenoids from *Streptomyces* sp. S006

Feifei Wei, Wen Li, Rentai Song, Yuemao Shen

First Published November 1, 2018

[Abstract](#)

> [Preview](#)



## Grapefruit Seed Extract Inhibits the Formation of Amyloid-like Fibrils by Trypsin in Aqueous Ethanol

Phanindra Babu Kasi, Attila Borics, Mónika Varga, Gábor Endre, Kinga Molnár, Lajos László, Márta Kotormán

First Published November 1, 2018

[Abstract](#)

> [Preview](#)





## **Lanostane-type Triterpenoids from *Ganoderma lucidum* and *G. multipileum* Fruiting Bodies**

Pham Thanh Binh, Nguyen Phuong Thao, Nguyen Thi Luyen, Duong Thu Trang, Phung Thi Xuan Binh, Nguyen Phuong Dai Nguyen, Nguyen Tuan Hiep, Nguyen Hai Dang, Tran Manh Tri, Nguyen Tien Dat

First Published November 1, 2018

[Abstract](#)

> [Preview](#)



## **Cytotoxic Effects of Cucurbitacin I and *Ecballium elaterium* on Breast Cancer Cells**

Kadir Yılmaz, Fuat Karakuş, Ergül Eyol, Emir Tosun, İsmet Yılmaz, Songül Ünüvar

First Published November 1, 2018

[Abstract](#)

> [Preview](#)



## **Anti-HIV-1 Activities and Chemical Constituents from Leaves and Twigs of *Santisukia pagetii* (Bignoniaceae)**

Suphitcha Limjiasahapong, Patoomratana Tuchinda, Vichai Reutrakul, Manat Pohmakotr, Radeekorn Akkarawongsapat, Jitra Limthongkul, Chanita Napaswad, Narong Nuntasaen

First Published November 1, 2018

[Abstract](#)

> [Preview](#)





## Two New Oleanane-type Saponins from *Hydrocotyle multifida*

Mayra Rengifo Carrillo, Anne-Claire Mitaine-Offer, Thomas Paululat, Laurent Pouységu, Stéphane Quideau, Luis Rojas, Carmelo Rosquete Porcar, Marie-Aleth Lacaille-Dubois

First Published November 1, 2018

[Abstract](#)

> [Preview](#)



## Two New Steroidal Alkaloid Saponins from the Whole Plants of *Solanum nigrum*

Bui Huu Tai, Vu Van Doan, Pham Hai Yen, Nguyen Xuan Nhiem, Nguyen Thi Cuc, Do Thi Trang, Dan Thi Thuy Hang, Duong Thi Dung, Duong Thi Hai Yen, Tran Hong Quang, Nguyen Hai Dang, Nguyen Thi Mai, Chau Van Minh, Phan Van Kiem

First Published November 1, 2018

[Abstract](#)

> [Preview](#)



## Competitive Inhibition of Mammalian Hyaluronidase by Tomato Saponin, Esculeoside A

Jian-Rong Zhou, Souta Kimura, Toshihiro Nohara, Kazumi Yokomizo

First Published November 1, 2018

[Abstract](#)

> [Preview](#)



## Application of Racemization Process to Dynamic Resolution of (*RS*)-Phenylephrine to (*R*)-Phenylephrine $\beta$ -D-Glucoside by *Nicotiana tabacum* Glucosyltransferase

**Yuya Fujitaka, Daisuke Uesugi, Hatsuyuki Hamada, Hiroki Hamada, Kei Shimoda, Masayoshi Yanagi, Manami Inoue, Shin-ichi Ozaki**

First Published November 1, 2018

[Abstract](#)

> [Preview](#)



## **Cytotoxic Activity of Alkaloids from the Fruits of *Piper nigrum***

**Quynh Mai Thi Ngo, Thao Quyen Cao, Le Son Hoang, Manh Tuan Ha, Mi Hee Woo, Byung Sun Min**

First Published November 1, 2018

[Abstract](#)

> [Preview](#)



## **A New Oxoaporphine Alkaloid from the Root of *Dasymaschalon glaucum***

**Weerachai Silprakob, Nuntaporn Sukhamsri, Chutima Kuhakarn, Sakchai Hongthong, Surawat Jariyawat, Kanoknetr Suksen, Radeekorn Akkarawongsapat, Jitra Limthongkul, Narong Nantasaen, Vichai Reutrakul**

First Published November 1, 2018

[Abstract](#)

> [Preview](#)



## **Boldine Does Not Modify Gender Specific Wound Healing in Zucker Diabetic Rats**

**Renata Köhlerová, Eva Čermáková, Milena Hajzlerová**

First Published November 1, 2018

[Abstract](#)

> [Preview](#)



## Phytochemical Analysis and Antimicrobial Efficacy of *Macleaya cordata* against Extensively Drug-Resistant *Staphylococcus aureus*

Manead Khin, Alan M. Jones, Nadja B. Cech, Lindsay K. Caesar

First Published November 1, 2018

[Abstract](#)

[> Preview](#)



## Polyphenol Compounds Melanin Prevented Hepatic Inflammation in Rats with Experimental Obesity

Natalia Belemets, Nazarii Kobylak, Tetyana Falalyeyeva, Olena Kuryk, Oksana Sulaieva, Tetyana Vovk, Tetyana Beregova, Liudmila Ostapchenko

First Published November 1, 2018

[Abstract](#)

[> Preview](#)



## Antioxidant and $\alpha$ -Glucosidase Inhibitory Activities of Fisetin

Yike Yue, Yongsheng Chen, Sheng Geng, Guizhao Liang, Benguo Liu

First Published November 1, 2018

[Abstract](#)

[> Preview](#)



## Simultaneous Quantification of Two Flavonoids in *Morus alba* by High Performance Liquid Chromatography Coupled with Photodiode Array Detector

Chang-Seob Seo, Hyeun-Kyoo Shin

First Published November 1, 2018

[Abstract](#)  
> [Preview](#)



## Chemical Composition and Cytotoxicity of *Garcinia rubro-echinata*, a Western Ghats Endemic Species

Lekshmi N. Menon, Ganapathy Sindhu, Kozhiparambil G. Raghu, Koranappallil B. Rameshkumar

First Published November 1, 2018

[Abstract](#)  
> [Preview](#)



## Antioxidant and Anti-inflammatory Activities of Cynaroside from *Elsholtzia bodinieri*

Ying Zou, Min Zhang, Tingrui Zhang, Junwen Wu, Jun Wang, Kehai Liu, Nannan Zhan

First Published November 1, 2018

[Abstract](#)  
> [Preview](#)



## Phenolic Constituents from *Xyloselinum leonidii*

Nguyen Phuong Hanh, Nguyen Sinh Khang, Chu Thi Thu Ha, Nguyen Quoc Binh, Nguyen Tien Dat

First Published November 1, 2018

[Abstract](#)  
> [Preview](#)



## Synthesis and Biological Activity of Novel Comenic Acid Derivatives Containing Isoxazole and Isothiazole Moieties

Alexey V. Kletskov, Vladimir I. Potkin, Irina A. Kolesnik, Sergey K. Petkevich, Anastasia V. Kvachonak, Margarita O. Dosina, Diana O. Loiko, Maria V. Larchenko, Svetlana G. Pashkevich, Vladimir A. Kulchitsky

First Published November 1, 2018

[Abstract](#)  
> [Preview](#)



## Characterization and Quantitation of Polyphenolic Compounds in *Senna gardneri* and *S. georgica* from the Northeast of Brazil

Irvila Ricarte de O. Maia, Maria Teresa Salles Trevisan, Maria Goretti de V. Silva, Andrea Breuer, Robert W. Owen

First Published November 1, 2018

[Abstract](#)  
> [Preview](#)



## Identification of 6,7-Dimethoxychromone as a Potent Allelochemical from *Jatropha podagrica*

Sutjaritpan Boonmee, Arihiro Iwasaki, Kiyotake Suenaga, Hisashi Kato-Noguchi

First Published November 1, 2018

[Abstract](#)  
> [Preview](#)





## Identification and Quantification of Human Neutrophil Elastase Inhibitory Caffeoylquinic Acids in the Leaves of *Aster koraiensis*

Ik-Soo Lee, Chan-Sik Kim, Jin Sook Kim

First Published November 1, 2018

[Abstract](#)

[> Preview](#)



## Antitumor Effects of Nordihydroguaiaretic Acid (NDGA) in Bladder T24 Cancer Cells are Related to Increase in ROS Production and Mitochondrial Leak Respiration

Gustavo Ignacio Vázquez-Cervantes, Karla Villaseñor-Aguayo, Jacqueline Hernández-Damiána, Omar Emiliano Aparicio-Trejo, Omar Noel Medina-Camposa, Rebeca López-Marureb, José Pedraza-Chaverria

First Published November 1, 2018

[Abstract](#)

[> Preview](#)



## Effect of Precursor and Phytohormones on Podophyllotoxin Production in *Juniperus virginiana* Suspension Cultures

Marie Kašparová, Pavla Pilařová, Lenka Tůmová, Tomáš Siatka

First Published November 1, 2018

[Abstract](#)

[> Preview](#)





## Effect of Resveratrol Dimers and Tetramers Isolated from Vitaceous and Dipterocarpaceous Plants on Human SIRT1 Enzyme Activity

Kiyomi Hikita, Norikazu Seto, Yusuke Takahashi, Ayako Nishigaki, Yuya Suzuki, Tomiyasu Murata, Arthorn Loisruangsin, Nanik Siti Aminah, Yoshiaki Takaya, Masatake Niwa, Norio Kaneda

First Published November 1, 2018

[Abstract](#)

> [Preview](#)



## A Concise Asymmetric Synthesis of the Macrolide Antibiotic (-)-A26771B and Evaluation of its Antibacterial Activity and Some of its Precursors

Sucheta Chatterjee, Mahesh Subramanian, Anubha Sharma, Subrata Chattopadhyay

First Published November 1, 2018

[Abstract](#)

> [Preview](#)



## Screening of Chemical Composition, *in vitro* Antioxidant, $\alpha$ -Amylase and $\alpha$ -Glucosidase Inhibitory Activities of the Leaf Essential Oils of *Cinnamomum wightii* from Different Populations

Venkatraman Sriramavaratharajan, Ramar Murugan

First Published November 1, 2018

[Abstract](#)

> [Preview](#)



## Potential Phytopharmacy and Food Applications of *Capsicum* spp.: A Comprehensive Review

Bahare Salehi, Alan Javier Hernández-Álvarez, María del Mar Contreras, Miquel Martorell, Karina Ramírez-Alarcón, Guiomar Melgar-Lalanne, Karl R. Matthews, Mehdi Sharifi-Rad, William N. Setzer, Muhammad Nadeem, Zubaida Yousaf, Javad Sharifi-Rad

First Published November 1, 2018

[Abstract](#)

> [Preview](#)



## A Review of Common Medicinal Plants in Chin State, Myanmar

Zaw Min Thu, Mya Mu Aye, Hnin Thanda Aung, Myint Myint Sein, Giovanni Vidari

First Published November 1, 2018

[Abstract](#)

> [Preview](#)



## Manuscripts in Press Volume 13, Number 11 (2018)

First Published November 1, 2018

[Abstract](#)

