



#### Available online at BCREC Website: http://bcrec.undip.ac.id

BCREC

Bulletin of Chemical Reaction Engineering & Catalysis, 9 (1), 2014, 66-73

#### **Research Article**

# Modification of Turen's Bentonite with AlCl<sub>3</sub> for Esterification of Palmitic Acid

A. Abdulloh <sup>1,2</sup>, Siti Maryam <sup>2</sup>, Nanik Siti Aminah <sup>2</sup>, T. Triyono <sup>1</sup>, Wega Trisunaryanti <sup>1</sup>, M. Mudasir <sup>1</sup>, Didik Prasetyoko <sup>3\*</sup>

- <sup>1</sup> Department of Chemistry, Faculty of Mathematics and Natural Science, Universitas Gadjah Mada, Yogyakarta, Indonesia
- <sup>2</sup> Department of Chemistry, Faculty of Science and Technology, Universitas Airlangga, Surabaya, 60115, Indonesia
- <sup>3</sup> Laboratory of Material Chemistry and Energy, Department of Chemistry, Faculty of Mathematics and Natural Science, Institut Teknologi Sepuluh Nopember, Surabaya, 60111, Indonesia

Received: 24th September 2013; Revised: 31st December 2013; Accepted: 26th January 2014

#### **Abstract**

Natural Turen's bentonite has been purified, modified and applied as catalyst for palmitic acid esterification. Modification of natural Turen's bentonite was conducted by cation exchange method using AlCl3 solution. Catalyst characterization was performed on X-ray Fluorescence, X-ray Diffraction, nitrogen adsorption-desorption and infrared spectroscopy techniques. The catalytic activity test in the esterification reaction of palmitic acid with methanol was conducted by bath at 65 °C with a variation of reaction time of 1, 2, 3, 4 and 5 h. Catalytic activity has been observed qualitatively using GC-MS and quantitatively by changes in acid number. The analysis showed the formation of Al³+-bentonite. Observation on the elements has shown that the presence of calcium decreased from 10.2 to 4.17 %, with an increase of aluminium content from 9.9 to 13 %. Diffraction line at 20 5.7379° became 5.6489°, along with changes in d-spacing of 15.3895 to 15.6319 Å. The surface area increased from 83.78 to 91.26 m²/g, while Brönsted acid sites increased from 10.2 to 67.5 µmol/g and Lewis acid sites increased from 94.9 to 132 µmol/g. Furthermore, Al³+-bentonite has showed as active catalyst in the esterification reaction of palmitic acid with palmitic acid with conversion of 78.78 % for 7 h. © 2014 BCREC UNDIP. All rights reserved

Keywords: natural Turen's bentonite; Al3+-bentonite; esterification; palmitic acid

How to Cite: Abdulloh, A., Maryam, S., Aminah, N.S., Triyono, T., Trisunaryanti, W., Mudasir, M., Prasetyoko, D. (2014). Modification of Turen's Bentonite with AlCl<sub>3</sub> for Esterification of Palmitic Acid. Bulletin of Chemical Reaction Engineering & Catalysis, 9 (1): 66-73. (doi:10.9767/bcrec.9.1.5513.66-73)

**Permalink/DOI**: http://dx.doi.org/10.9767/bcrec.9.1.5513.66-73

#### 1. Introduction

Fuel scarcity is solution current issue which continues to demand the finding of new solutions. Government and the society continue to seek alternative energy sources to substitute petroleum-based energy. One of the new and renewable energy sources (renewable resources) which could be relied upon is derived from various types of vegetable oils, as raw material for the manufacture of biodiesel. Synthesis of biodiesel from vegetable oils can be made through transesterification reaction using an acid or base catalyst. The profitable use of basic catalysts for the reaction is because of fast reaction [1]. However, the use of basic catalysts can lead

\* Corresponding Author. E-mail: didikp@chem.its.ac.id; didik.prasetyoko@gmail.com (D. Prasetyoko to the formation of soap if FFA content in vegetable oils is greater than 2%, which can complicate the separation of glycerol from biodiesel.

Tiwari et al. [2] reported that in order to avoid the formation of soap, the synthesis of biodiesel from Jatropha oil containing 14% free fatty acids can be carried out in two stages, namely esterification catalyst with H<sub>2</sub>SO<sub>4</sub> and transesterification with KOH catalyst to generate conversions up to 99 %. The results of the conversion are slightly reduced to 90 % if the FFA Jatropha oil contains 15 % KOH in the transesterification process and replaced with NaOH [3]. Although the method is quite effective, the use of catalysts KOH, NaOH and H<sub>2</sub>SO<sub>4</sub> are relatively less effective in large-scale production [4]. Therefore, the catalyst used needs to be replaced with heterogeneous catalysts.

One of the heterogeneous catalysts that has been used for the esterification reaction is Al<sup>3+</sup>montmorillonite. The of Al3+use montmorillonite in the esterification reaction of succinic acid with 1-butanol can produce dibutyl succinate 94 %, penilacetate acid esterification with p-cresol produced 67 % p-cresol penilacetate [5], succinic acid esterification with pcresol generated 75 % p-cresol succinate [6], succinic acid esterification with isobutanol producing isobutyl succinate 94 % [7], propanoic acid esterification with p-cresol ester with 88 % conversion [8].

Montmorillonite is the main constituent of bentonite component. In East Java, bentonite can be found mainly in the area of Pacitan, Trenggalek, Blitar, and Malang with quartz and iron oxide as significant impurities. Based on this background, this study has been done to purify and modify the natural bentonite of Turen-Malang, East Java to Al3+-bentonite via mechanical separation (purification) and apply for the esterification of palmitic acid. This due to the palmitic acid found in any vegetable oil can be used as the raw material for biodiesel production. A total of 42.47 % of palmitic acid is found in red palm oil, 36.77 % in palm oil, 12.43 % in corn oil, 9.16 % coconut oil (9) and 11.30 % within jatropha oil [2].

#### 2. Materials and Methods

#### 2.1. Materials

Natural bentonite comes from Turen-Malang (East Java). Another materials include palmitic acid, methanol,  $AlCl_3$ ,  $H_2C_2O_4$ ,  $Na_2SO_4$ , anhydrous, KOH, ethanol, phenolphtalein indicator, bromothymol,  $AgNO_3$  and n-hexane.

# 2.2. Preparation and Characterization of Catalysts

Natural Turen's bentonite was purified by pouring in water with ratio bentonite:water 1:4 (wt./wt.), stirring for 15 minutes, and letting the mixture stand a day. This process was repeated seven times. Finally, one third of solids at the top was taken and dried at 110 °C for 24 h

A total of 5 g of purified natural Turen's bentonite (said Turen's bentonite) was placed into a glass beaker containing 200 ml of 0.5 M AlCl<sub>3</sub> and stirred with a magnetic stirrer for 24 h. The mixture was then centrifuged to separate the precipitated Al<sup>3+</sup>-bentonite with a solution of AlCl<sub>3</sub>. The Al<sup>3+</sup>-bentonite was then washed with distilled water until free of Clions. Test of Clions were performed by adding 2 drops of AgNO<sub>3</sub> 0.1 M into the former washing water until no more white precipitate formed [8].

Characterization to determine the surface area and pore size of the catalyst was performed by  $N_2$  adsorption-desorption method. Concentration of elements in the samples were determined by a XRF spectrophotometer, while the structural analysis were monitored using a XRD spectrophotometer with CuK $\alpha$  radiation ( $\lambda$  = 1.5405 Å). The types and amounts of acid sites were determined using pyridine adsorption coupled with infrared spectrophotometer [8].

#### 2.3. Catalytic Activity

For catalytic activity determination, a total of 0.25 grams of Al³+-bentonite, palmitic acid and methanol with a molar ratio of 1:30 to palmitic acid was used in the reaction. Methanol and Al³+-bentonite was mixed in the reaction flask and then refluxed for 30 minutes [10]. Further esterification reaction achieved at a temperature of 65 °C, by addition of palmitic acid into the reaction flask. To observe how the reaction of palmitic acid esterification by Al³+-bentonite can take place, the reaction was stopped after 1 h, the mixture of substances in the reaction flask was taken and separated from the catalyst and methanol.

Characterization by GC-MS spectrophotometer was conducted to observe the formation of methyl palmitate. Conversion to methyl palmitate from palmitic acid (x(%)) was determined by changes in acid number according to the equation [11]:

$$x(\%) = \left(1 - \frac{AV_t}{AV_o}\right) \times 100\% \tag{1}$$

in which  $AV_t$  and  $AV_o$  as the number before and after esterification reaction.

#### 3. Result and Discussion

# 3.1. Characterization of Al³+-Bentonite Catalyst

Testing the characteristics of the structure by XRD, and elemental content by XRF samples of Turen's bentonite were done first to prove that the sample was bentonite. Based on the XRD analysis, Turen's bentonite samples have multiple diffraction angle  $2\theta$  (Figure 1): 5.7380°, 17.3511°, 19.8309°, 20.8906°, 23.6664°, 25.0697°, 26.6773°, 29.0217°, 35,1642°, and 41.3079°. The peaks have compatibility with XRD pattern of montmorillonite (bentonite constituent minerals) with PDF number 00-029- $1498 \text{ (Na}_{0.3}(Al,Mg)_2Si_4O_{10}(OH)_2.4H_2O)$  and clinoptilolite with PDF number 00-039-1383 (K,Na<sub>2</sub>Ca<sub>2</sub>(Si<sub>29</sub>Al<sub>7</sub>)O<sub>72</sub>.24H<sub>2</sub>O) with cristobalite (SiO<sub>2</sub>) with PDF number 00-039-1425 and quartz (SiO<sub>2</sub>) with PDF number 00-046-1045 as an impurities.

The results of the XRF elemental analysis also showed that the bentonite samples contained elements of Si, Al, Ca, Mg and Fe (Table 1). The results of elemental analysis also showed isomorphic substitution of Al<sup>3+</sup> in an octahedral field by Fe<sup>2+</sup>, as the ratio of the amount of Si and Al in the coating unit was 2:1 (consisting of two sheets of silica tetrahedral and one sheet of alumina octahedral) on montmorillonite, without any element of O and H, was 67.47 % and 32.53 %. Results of XRF analysis of bentonite samples showed contents of Si and Al, at 43.3 % and 9.9 %, respectively. Isomorphic substitution of Al<sup>3+</sup> by Fe<sup>2+</sup> bentonite




Figure 1. XRD pattern of Turen's bentonite

deficiency caused a positive charge so that in general the montmorillonite interlayer cations that serves as a balancing charge, usually Ca or Na. Based on the results of elemental analysis (Table 1), cations balancing the charge in Turen Malang's bentonite samples were Ca<sup>2+</sup>, so the bentonite samples including Cabentonite occurs isomorphic substitution of Fe<sup>2+</sup> in octahedral field.

Characterisation of the structure and content of elements was also performed on samples of Turen's bentonite to observe changes in the structure by shifting the field (change 2θ and dspacing) and the percentage change in Al and Ca to prove the exchange of Ca<sup>2+</sup> cations in the interlayer region of Al3+ from AlCl3 solution. Based on the analysis of the elements of Ca and Al. Table 1 shows that the total percentage of elemental Ca decreased from 10.2 to 4.17 % and the Al elements increased from 9.9 to 13%. This suggests that there has been an exchange of cations. The cation exchange of Ca<sup>2+</sup> by Al<sup>3+</sup> was also observed by a shift in the field, shown by the shift in angle  $2\theta$  from  $5.7379^{\circ}$  to  $5.6489^{\circ}$ and d-spacing changes from 15.3895 Å to 15.6319 Å from the XRD structure analysis (Figure 2). Cation exchange processed Ca2+ by Al3+ ions due to differences in the interaction of Ca<sup>2+</sup> and Al<sup>3+</sup> to the siloxane cavity (-SiO<sub>3</sub>) on the surface of bentonite. Ca2+ ions interacted with the siloxane cavity in the form of hydrates forming cation outer-sphere surface complex of which bonds are weaker than the Al3+ ions

**Table 1.** Number and percentage of elements from natural Turen bentonite, before and after cation exchange using a solution of AlCl<sub>3</sub>


Element	Turen's bentonite	Al <sup>3+</sup> -Turen's ben-
Liement	(%)	tonite (%)
Al	9.90	13.00
Si	43.30	48.20
Ca	10.20	4.17
Fe	30.90	30.20
K	1.50	1.40
Cu	0.19	0.19
Ti	1.10	1.10
V	0.05	0.07
Cr	0.08	0.08
Mn	0.10	0.14
Ni	0.27	0.36
Zn	0.14	0.17
Sr	1.10	0.59
Ba	0.49	0.30
Re	0.30	0.10

#### Bulletin of Chemical Reaction Engineering & Catalysis, 9 (1), 2014, 69

which could interact directly with siloxane cavity, forming an inner-sphere surface complex [12]. Besides, there were no other significant changes of shifting  $2\theta$  and d-spacing. This indicates that after the cation occurs exchange process, bentonite structure did not collapse.

Characterization of the surface area and the amount of acid sites was also done because both are factors that can affect the catalytic activity in heterogeneous catalytic reactions. Pyridine was used to determine of the number of acid sites in the samples. This was done because pyridine could be coordination covalently bonded with the Lewis acid sites and covalently bonded with Brönsted acid sites. Reddy et.al. [8] reported that the interaction of pyridine with Brönsted, both Brönsted and Lewis, and Lewis acid sites were observed at wavenumbers 1545, 1490, and 1450 cm<sup>-1</sup>, respectively. In this study, the acidity of Turen's bentonite was indicated by the peak at 1551.81, 1491.25 and 1443.44 cm<sup>-1</sup>. For the Al<sup>3+</sup>-bentonite, the peak was indicated at 1549.40, 1489.71, and 1441.32 cm-1 (Figure 3).

Quantitatively, the amount of acid sites was determined by area under the peak [13]. Based on FTIR spectrum curves of Turen's bentonite, peaks area at 1551.81 and 1443.44 cm<sup>-1</sup> were 0.3670 and 2.5745, respectively. Therefore, Turen's bentonite had Brönsted acid sites of 10.2 μmol/g and Lewis of 94.9 μmol/g. The peak area of 1549.40 and 1441.32 cm<sup>-1</sup> in the infrared spectra of Al³+-bentonite were 2.4240 and 3.5825 in which Al³+-bentonite having Brönsted acid sites of 67.5 μmol/g and Lewis of 132 μmol/g. Increasing the amount of acidity in Al³+-bentonite (Brönsted from 10.2 μmol/g to 67.5 μmol/g and Lewis from 94.9 μmol/g to 132 μmol/g) due to the ability of ion Al³+-dissociated




**Figure 2**. XRD patterns of natural Turen's bentonite and Al<sup>3+</sup>-bentonite (modified from Turen's bentonite)


hydrate water molecules bound to the interlayer region into H<sup>+</sup> (equation 2) and provided an empty orbital which increased the amount of Lewis acid sites [14].

$$\left[Al(H_2O)_6\right]^{3+} \longleftrightarrow \left[Al(H_2O)_5OH\right]^{2+} + H^+$$
(2)

The BET surface area analysis shows that the cation exchange of  $Ca^{2+}$  by  $Al^{3+}$  caused an increased surface area of 83.781 to 91.266 m<sup>2</sup>/g and pore size increase of 6.32 to 20.09 Å. Adsorption-desorption isotherm of  $Al^{3+}$ -bentonite Turen Malang (Figure 4) showed hysteresis loupe starting at  $P/P_{\theta}$  of 0.4, which is the type IV isotherm of adsorption-desorption that occurs in mesoporous materials [15].



**Figure 3**. Infrared spectra of Turen's bentonite and Al<sup>3+</sup>-Turen's bentonite after adsorption of pyridine and evacuation at 150 °C



**Figure 4.** Nitrogen adsorption-desorption isotherm of Al<sup>3+</sup>-Turen's bentonite

#### Bulletin of Chemical Reaction Engineering & Catalysis, 9 (1), 2014, 70




Figure 5. Chromatogram results of palmitic acid esterification




Figure 6. The mass spectra of the product of palmitic acid esterification




Figure 7. Mechanism of methyl palmitate fragmentation [17]


Copyright © 2014, BCREC, ISSN 1978-2993

#### 3.2 Catalytic Activity

Qualitatively, catalytic activity of Al³+bentonite in the esterification reaction between methanol to palmitic acid is determined by the formation of methyl palmitate. Analysis of methyl palmitate was performed using GC-MS on a non-polar phase, as the methyl ester is classified as a non-polar compound and mixed with fatty acids after esterification reaction. The studies on this, after esterification formed three layers, namely layer deposition of catalyst Al³+-bentonite, nonpolar layers and layers of methanol (polar compounds) which have not reacted.

Based on the analysis of the GC chromatogram of the non-polar layer, a second peak was seen with a retention time of 18.536 min and 19.284 min (Figure 5). Based on the mass spectra data library, peaks on the chromatogram 1 is methyl palmitate (or similarity index SI = 95) and the top 2 are palmitic acid (SI = 95) which is a products of the esterification reaction and the reactants which did not react.

In the spectrum of peak No. 1 from the esterification reaction using catalysts  $Al^{3+}$ bentonite (Figure 6) appeared molecular ion m/z 270 derived from the  $C_{17}H_{34}O^{2+}$  (ion molecule methyl palmitate), while the base peak m/z 74 derived from  $C_3H_6O^{2+}$  was formed by the breakdown of -8 through McLafferty rearrangement. A fragments of m/z 239 derived from the  $C_{16}H_{31}O^{+}$  was produced by the loss of a methoxy group from the molecular ion peak. The fragment with m/z 43 was derived from the release of radical  $C_{12}H_{24}COOCH_3$ . Peaks at m/z 87,



**Figure 8**. Conversion of palmitic acid in the esterification reaction using Al<sup>3+</sup>-bentonite

101, 115, 129, 143, 157, 171, 185, 199, 213 and 227 were due to the fragmentation pattern of the solution at each  $CH_2CH_2$  bonds, known as ion fragmentation pattern of the series  $C_nH_{2n-1}O^{2+}$  [16]. Mechanism of fragmentation of methyl palmitate is shown in Figure 7 [17].


Determination of acid number indicates that during the reaction time of 1 hour, the amount of palmitic acid converted to methyl palmitate was 51.12 % (Figure 8). Catalytic activity reaction of Al³+-bentonite tended to decrease, although the resulting conversion always increased. At the beginning of the reaction, catalytic activity of Al³+-bentonite was quite large at 51.12 % per 1 hour (51.12 %/h), but then decreased with increasing reaction time into 61.88 % per 2 hours (30.94 %/h), 68.48 % by the reaction of 3 hours (22.83 %/h), 73.04 % per reaction of 4 hours (18.26 %/h), and 78.78 % with a reaction time of 5 hours (15.76 %/h.) This was because the interaction of the catalyst-reactant,

**Figure 9.** Palmitic acid esterification reaction mechanism using Al<sup>3+</sup>-bentonite

catalyst-oxygen intermediates, catalysts and reaction products played a significant role in the esterification reaction with the catalyst Al<sup>3+</sup>-bentonite, although the reaction mechanism of catalyst esterification which occurred in Al<sup>3+</sup>-bentonite (Figure 9) was similar to the mechanism of the esterification reaction in homogeneous acid catalyst (H<sub>2</sub>SO<sub>4</sub>).

Based on the principle of Sabatier, interactions of catalyst-reactant, catalyst-oxygen intermediates, catalysts and reaction products in reactions using heterogeneous catalysts must be just right. If the interactions are too weak, the reactants will move away from catalyst, so that reaction will not take place and if it happened too strong, reactants or the reaction will not leave the catalyst which could eventually poison the catalyst, or inhibit the reaction. Hydrophobicity of the surface of the catalyst in the esterification of fatty acids is a crucial factor. If the amount of Brönsted acid sites are too low, then the activity is lower. Otherwise if Brönsted acid sites appeared too much, it will lead to water adsorption and deactivation [18].

There are three types of relationship in which appeared the activity of catalyst surface hydrophobicity. Firstly, if the Brönsted acid sites appeared in an isolated environment



**Figure 10**. Catalyst surface hydrophobicity relations of the catalytic activity of fatty acid esterification: (a) isolated Brönsted acid sites (too little) (b) some Brönsted acid sites (too much) (c) too many Brönsted acid sites [18]

around hydrophobic (neutral siloxane O atoms from the surface of the Al3+-bentonite), tail palmitic acid is hydrophobic which will be adsorbed parallel to the surface hydrophobic of catalyst Al3+-bentonite (Figure 10a). Secondly, if there are several sites in the vicinity of Brönsted acid, fatty acid molecules can be adsorbed perpendicular to the surface (Figure 10 b). Thirdly, if the catalyst is highly acidic or hydrophilic (lots of acid sites adjacent or group hydroxyl), esterification reaction will produce water, which can be adsorbed on the surface of catalyst and will prevent access of fatty acids towards the catalyst, and thus the catalyst can lose its activity (Figure 10c). These three phenomena caused the catalytic activity of Al3+bentonite in the esterification reaction of palmitic acid changes.

#### 4. Conclusions

Turen's bentonite Malang as Ca-bentonite can be modified to be  $Al^{3+}$ -bentonite with a characteristic number of Brönsted acid sites of 67.5 mmol/g, Lewis acid sites of 132  $\mu$ mol/g, a surface area of 91.266 m²/g and also as a mesoporous material (having pores of 20, 0956 Å).  $Al^{3+}$ -bentonite can be used as a catalyst in the esterification reaction of palmitic acid into methyl palmitate by the number of conversions 78.78 % at a reaction time of 5 hours.

#### Acknowledgments

The authors gratefully acknowledge the financial support from Ministry of Education and Culture under "Unggulan" grant, Indonesia.

#### References

- Schuchardt, U., Sercheli, R., Vargas, R.M. (1998). Transesterification of vegetable oils: A review, J. Braz. Chem. Soc., 9: 199 – 210.
- [2] Tiwari, A.K., Kumar, A., Raheman, H. (2007). Biodiesel production from jatropha oil (Jatropha Curcas) with high free fatty acid: An optimized process, *Biomass Bioenerg.*, 31: 569 – 575.
- [3] Berchmans, H.J., Hirata, S. (2008). Biodiesel production from crude Jatropha curcas L. seed oil with a high content of free fatty acids, *Bioresour. Technol.* 99: 1716 1721.
- [4] Jothiramalingam, R., Wang, M.K. (2009). Review of Recent Developments in Solid Acid, Base, and Enzyme Catalysts (Heterogeneous) for Biodiesel Production via Transesterification, Ind. Eng. Chem. Res. 48: 6162–6172.

#### Bulletin of Chemical Reaction Engineering & Catalysis, 9 (1), 2014, 73

- [5] Reddy, C.R., Iyengar, P, Nagendrappa, G., Prakash, B.S.J. (2005). Esterification of succinic anhydride to di-(p-cresyl) succinate over Mn+-Montmorillonite Clay Catalysts, J. Mol. Catal. A: Chemical, 229: 31 – 37.
- [6] Reddy, C.R., Iyengar, P, Nagendrappa, G., Prakash, B.S.J. (2005). Esterification of dicarboxylic acid to diester over Mn+montmorillonite clay catalysts, Catal. Lett., 101: 87 – 91.
- [7] Reddy, C.R., Nagendrappa, G., Prakash, B.S.J. (2005). Surface acidity of Mn+ montmorillonite clay catalysts by FTIR spectroscopy: Correlation with esterification activity, Catal. Commun., 8: 241 – 246.
- [8] Reddy, C.R., Bhat, Y.S., Prakash, B.S.J. (2009). Brönsted and Lewis acidity of modified montmorillonite clay catalysts determined by FT-IR spectroscopy, Catal. Today, 141: 157 – 160.
- [9] Dauqan, E.M.A, Sani, A.H., Abdullah, A., Kasim, M.Z. (2011). Fatty Acids Composition of Four Different Vegetable Oils (Red Palm Olein, Palm Olein, Corn Oil and Coconut Oil) by Gas Chromatography, 2nd Int. Conf. on Chem. and Chem. Eng., IPCBEE Vol.14, p. 31 – 34
- [10] Meunier, J.N.F.C. (2007). Esterification of free fatty acids in sunflower oil over solid acid catalysts, *Appl. Catal. A*, 333: 122 – 130.

- [11] Mengyu, G., Deng, P., Li, M., En, Y., Jianbing, H. (2009). The kinetics of the esterification of free fatty acids in waste cooking oil using Fe<sub>2</sub>(SO<sub>4</sub>)<sub>3</sub>/C catalyst, *Chinese. J. Chem.* Eng., 17: 83 – 87.
- [12] Kehew, E.A. (2001). Applied Chemical Hydrogeology, Prentice Hall, New
- [13] Emeis, C.A. (1993). Determination of integrated molar extinction coefficients for infrared absorption of pyridine adsorbed on solid acid catalysts, *J. Catal.*, 141: 347 354.
- [14] Stylish, F., Theng, B.K.G., Lagaly, G. (2006). Handbook of Clay Science, 1st ed., Elsevier, Amsterdam.
- [15] Lowel, S., Shields, E.J., Thomas, A.M., Thommes, M. (2006). Characterization of Porous Solids and Powder: Surface Area, Pore Size and Density, Kluwer academic Publ., Dordrecht., p. 12 14
- [16] Silverstein, R.M., Bassler, G.C., Morrill, T.C., (1991). Spectrometric identification of organic compounds, Wiley, New York.
- [17] Soerya, D.M., Desi, S.H. (2003). Analisis Spektrofotometer Infra Merah dan Kromatografi Gas-Spektrometri Massa Kandungan Senyawa Non polar Ekstrak Biji Kakao (Theobroma cacao Linn.) Fermentasi. *J. Alchemy*, 2: 57 66.
- [18] Rothenberg, G. (2008). Catalysis: Concept and Green Application, WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim, p. 64 65, 186 187

also developed by scimago:





Scimago Journal & Country Rank

Enter Journal Title, ISSN or Publisher Name

Home

**Journal Rankings** 


**Country Rankings** 


Viz Tools


Help


About Us


# Bulletin of Chemical Reaction Engineering and Catalysis 8

























Leave a comment	
Name	
Email (will not be published)	

Submit

I'm not a robot


The users of Scimago Journal & Country Rank have the possibility to dialogue through comments linked to a specific journal. The purpose is to have a forum in which general doubts about the processes of publication in the journal, experiences and other issues derived from the publication of papers are resolved. For topics on particular articles, maintain the dialogue through the usual channels with your editor.

Developed by:

reCAPTCHA Privacy - Terms



Powered by:



Follow us on @ScimagoJR

Scimago Lab, Copyright 2007-2019. Data Source: Scopus®

EST MODUS IN REBUS

Horatio (Satire 1,1,106)



# Bulletin of Chemical Reaction Engineering & Catalysis

An International Journal. Available online at: http://ejournal2.undip.ac.id/index.php/bcrec

User
Username
Password
Remember me
Login
Journal Content
Search
Search Scope
All
Search
Browse
By Issue (https://ejournal.undip.ac.id/index.php/bcrec/issue/archive)
By Author (https://ejournal.undip.ac.id/index.php/bcrec/search/authors)
By Title (https://ejournal.undip.ac.id/index.php/bcrec/search/titles)
Other Journals (https://ejournal.undip.ac.id/index.php/index/search)
<u>Categories (https://ejournal.undip.ac.id/index.php/index/search/categories)</u>
Article In Press 2019 (https://ejournal2.undip.ac.id/index.php/bcrec/issue/view/81)
■ Indexing and Abstracting (https://ejournal2.undip.ac.id/index.php/bcrec/pages/view/indexing)
<u>Copyright Transfer Agreement Form</u> ( <a href="https://ejournal2.undip.ac.id/index.php/bcrec/pages/view/copyright_bcrec/">https://ejournal2.undip.ac.id/index.php/bcrec/pages/view/copyright_bcrec/</a>
<u>Graphical Abstract Guide</u> ( <a href="https://ejournal2.undip.ac.id/index.php/bcrec/pages/view/graphicalabstract">https://ejournal2.undip.ac.id/index.php/bcrec/pages/view/graphicalabstract</a> )
<u>Publication Ethics &amp; Malpractice Policy</u> ( <a href="https://ejournal2.undip.ac.id/index.php/bcrec/pages/view/pems">https://ejournal2.undip.ac.id/index.php/bcrec/pages/view/pems</a> )
<u>Applying CrossMark Policy Page</u> (https://ejournal2.undip.ac.id/index.php/bcrec/pages/view/crossmark)

<u>Author Guidelines (https://ejournal2.undip.ac.id/index.php/bcrec/pages/view/authorquide)</u>

Manuscript Template

(https://ejournal2.undip.ac.id/download/author\_quidelines\_bcrec\_2017.doc)

**■** Request Conference Collaboration

(https://ejournal2.undip.ac.id/index.php/bcrec/pages/view/conference)

- Training Division of BCREC Group (https://training.bcrec.web.id/)
- BCREC Blog of Journal Management (https://blog.bcrec.web.id/)

#### **Notifications**

- View (https://ejournal.undip.ac.id/index.php/bcrec/notification)
- Subscribe (https://ejournal.undip.ac.id/index.php/bcrec/notification/subscribeMailList)

People > <u>Editorial Team (https://ejournal.undip.ac.id/index.php/bcre International Peer-Reviewers (https://ejournal.undip.ac.i</u>

# **Editorial Team**

### **Editor-in-Chief**



Assoc. Prof. Dr. Istadi Istadi (Editor in Chief) (SCOPUS ID = 6506850769) Department of Chemical Engineering, Diponegoro University, Indonesia

# Regional Managing Editor for Asia-Pacific



Prof. Dr. Y.H. Taufiq-Yap (Regional Managing Editor for Asia-Pacific) (SCOPUS ID = 56272773200), Catalysis Science and Technology Research Centre, Universiti Putra Malaysia, 43400 UPM Serdang, Selangor, Malaysia, Malaysia

# **Regional Managing Editor for Europe**



#### Prof. Dr. Dmitry Yu. Murzin

(Regional Managing Editor for Europe)(Scopus ID = 18037974700) Laboratory of Industrial Chemistry and Reaction Engineering, Abo Akademi University, Åbo, Finland

#### **Associate Editors**

#### Dr. Mohamad Djaeni

(Associate Editor) (SCOPUS ID = 16027817500) Department of Chemical Engineering, Diponegoro University, Indonesia

#### Prof. Dr. Heru Susanto

(Associate Editor) (SCOPUS ID = 15835800800); Department of Chemical Engineering, Diponegoro University, Indonesia

#### Dr. Didi Dwi Anggoro

(Associate Editor) (SCOPUS ID = 6507823375) Department of Chemical Engineering, Diponegoro University, Indonesia

Prof. Dr. Andri Cahyo Kumoro (ScopusID: <u>22980375000</u> (<a href="http://www.scopus.com/authid/detail.uri?authorld=22980375000">http://www.scopus.com/authid/detail.uri?authorld=22980375000</a>) Department of Chemical Engineering, Diponegoro University, Indonesia

## **Advisory International Editorial Board**

#### **Dr Rodiansono** Rodiansono

(Scopus ID = 55785853800) Department of Chemistry, Lambung Mangkurat University, Indonesia

#### Prof. Dr. Jose Eduardo Castanheiro

(Scopus ID= 6506163997), Department of Chemistry, Universidade of Evora, CQE, Evora,, Portugal

#### Prof. Dr. Rafael Molina

(SCOPUS ID=7202381846) Estado Sólido y Catálisis Ambiental, Departamento de Química, Facultad de Ciencias, Universidad Nacional de Colombia, Carrera 30 45-03, Bogotá, D.C., Colombia

#### Assoc. Prof. Kalala Jalama

(SCOPUS ID = 15029880600) Department of Chemical Engineering, University of Johannesburg, P.O. Box 17011, Doorrnfontein 2028, Johannesburg, South Africa

#### Prof. Dr. Ho-Shing Wu

(SCOPUS ID=7405581723), Department of Chemical Engineering and Material Science, Yuan-Ze University, 135 Yuan Tung Road, Chung Li, Taoyuan, 32003,, Taiwan

#### Prof. Dr. Toru Wakihara

(SCOPUS ID = 12789042600), University of Tokyo, Department of Chemical System Engineering, Tokyo,, Japan

#### Prof. Dr. Xian-ji GUO

(SCOPUS h-index: 4); Department of Chemistry, Zhengzhou University, Zhengzhou 450052,, China

#### Prof. Dr. P. Purwanto (ScopusID: 57191578095

(http://www.scopus.com/authid/detail.uri?authorld=57191578095) Chemical Engineering Dept. Diponegoro University. Indonesia

#### Dr. Rino R.Mukti

(SCOPUS h-index=7); Division of Inorganic and Physical Chemistry Faculty of Mathematics and Natural Sciences Institut Teknologi Bandung, Jl. Ganesha no.10 Bandung 40132, Indonesia, India

#### Prof. Dr. Mostafa Barigou

(SCOPUS h-index: 16); School of Chemical Engineering, University of Birmingham; Edgbaston, Birmingham B15 2TT, United Kingdom Tel: +44 (0) 121 414 5277; Fax: +44 (0) 121 414 5324. Website:

http://www.birmingham.ac.uk/schools/chemical-engineering/people/individual.aspx? ReferenceId=5680&Name=professor-mostafa-barigou, United Kingdom

#### Prof. Dr. Raghunath V. Chaudhari

(SCOPUS h-index: 25); Center for Environmental Beneficial Catalysis Department of Chemical and Petroleum Engineering, The University of Kansas, 1501 Wakarusa Dr., Building B-Room 112B, Lawrence, KS 66047-1803, USA Phone: 785 864 1634; Fax: 785 864 6051, United States

#### Assoc. Prof. Dr. Sibudjing Kawi

(SCOPUS h-index: 26); Department of Chemical and Biochemical Engineering, National University of Singapore, Singapore

#### Prof. Dr. Abdul Rahman Mohamed

(SCOPUS h-index: 26); School of Chemical Engineering, Universiti Sains Malaysia; 14300 Nibong Tebal, Pulau Penang, Malaysia

#### Prof. Dr. Hadi Nur

(SCOPUS h-index: 14); Ibnu Sina Institute for Fundamental Science Studies, Universiti Teknologi Malaysia, 81310 UTM Skudai, Johor, Malaysia

#### Prof. Dr. Nor Aishah Saidina Amin

(SCOPUS h-index: 10); Chemical Reaction Engineering Group (CREG), Faculty of Chemical Engineering, Universiti Teknologi Malaysia, 81310 UTM Skudai, Johor, Malaysia

#### Prof. Dr. Ram Prasad

SCOPUS h-index:3); Department of Chemical Engineering and Technology, Institute of Technology, Banaras Hindu University, India

#### Assoc. Prof. Dr. SUbagjo Subagjo

Department of Chemical Engineering, Institut Teknologi Bandung, Jln. Ganesha 10, Bandung, Indonesia

#### Dr. Hery Haerudin

(SCOPUS h-index: 1); R & D Refinery – PT. PERTAMINA

(Persero), Jl. Raya Bekasi Km. 20 Pulogadung Jakarta Timur 13920, Indonesia



#### Dr. Oki Muraza

CENT & Department of Chemical Engineering, King Fahd University of Petroleum and Minerals (KFUPM), PO Box 5040 Dhahran 31261 KSA, Saudi Arabia

#### Dr. Kusmiyati Kusmiyati

(SCOPUS h-index: 2); Department of Chemical Engineering, Muhammadiyah University of Surakarta, Pabelan, Surakarta, Indonesia, Telp/Fax: +62-271-717417, Indonesia

## **Layout Editor**

#### Mr. Ivan Hartono

(Layout Editor) Department of Chemical Engineering, Diponegoro University, Indonesia

© 0 0 BY 5A

(https://creativecommons.org/licenses/by-sa/4.0/)

BCREC by <a href="https://ejournal.undip.ac.id/index.php/bcrec/">https://ejournal.undip.ac.id/index.php/bcrec/</a> (/index.php/bcrec/) is licensed under a <a href="https://creativecommons.org/licenses/by-sa/4.0/">Commons Attribution-ShareAlike 4.0 International License (https://creativecommons.org/licenses/by-sa/4.0/)</a>.

| (https://www.statcounter.com/by-798993/?guest=1)



(https://bcrec.undip.ac.id)



(https://www.crossref.org)



Copyright ©2020 <u>Diponegoro University (http://www.undip.ac.id)</u>. Powered by <u>Open Journal Systems</u> (<u>http://pkp.sfu.ca/ojs/)</u> and <u>Mason Publishing OJS theme (https://github.com/masonpublishing/OJS-Theme)</u>.



# Bulletin of Chemical Reaction Engineering & Catalysis

Issue Coverage ( 35 Authors )		
Total 6 Author's Countries		
Algeria	(3)	
Indonesia	(15)	
India	(7)	
Iran, Islamic Republic of	(3)	
Japan	(3)	
Malaysia	(4)	
Total 14 Author's Affiliations		
	(7)	
16111 Alger	(1)	
BP 1524 El'Menouer Oran 31000	(2)	
Chiba 263-8522	(3)	
Jl. A. Yani Km 36.0 Banjarbaru South Kalimantan	(1)	
Johor	(4)	
Kentingan Surakarta 57126	(1)	
Kerala	(3)	
Madhya Pradesh	(1)	
Maharashtra	(1)	
Pune 411 008	(2)	
Surabaya 60111	(4)	
Surakarta 57126	(2)	
Tehran	(3)	
User		
Password		
Remember me		
Login		
Journal Content		
Search		
Search Scope All \$		
Search		
rowse ■ By Issue (https://ejournal.undip.ac.id/index.php/bcrec/issue/archive)		
By Author (https://ejournal.undip.ac.id/index.php/bcrec/search/authors)		

<u>■ By Title (https://ejournal.undip.ac.id/index.php/bcrec/search/titles)</u>

- Other Journals (https://ejournal.undip.ac.id/index.php/index/search)
- <u>Categories</u> (https://ejournal.undip.ac.id/index.php/index/search/categories)
- Article In Press 2019 (https://ejournal2.undip.ac.id/index.php/bcrec/issue/view/81)
- Indexing and Abstracting (https://ejournal2.undip.ac.id/index.php/bcrec/pages/view/indexing)
- Copyright Transfer Agreement Form (https://ejournal2.undip.ac.id/index.php/bcrec/pages/view/copyright\_bcrec/
- Graphical Abstract Guide (https://ejournal2.undip.ac.id/index.php/bcrec/pages/view/graphicalabstract)
- Publication Ethics & Malpractice Policy (https://ejournal2.undip.ac.id/index.php/bcrec/pages/view/pems)
- Applying CrossMark Policy Page (https://ejournal2.undip.ac.id/index.php/bcrec/pages/view/crossmark)
- <u>Author Guidelines (https://ejournal2.undip.ac.id/index.php/bcrec/pages/view/authorguide)</u>
- Manuscript Template (https://ejournal2.undip.ac.id/download/author\_quidelines\_bcrec\_2017.doc)
- Request Conference Collaboration (https://ejournal2.undip.ac.id/index.php/bcrec/pages/view/conference)
- Training Division of BCREC Group (https://training.bcrec.web.id/)
- BCREC Blog of Journal Management (https://blog.bcrec.web.id/)

#### Current Issue

1001 (https://ejournal.undip.ac.id/index.php/bcrec/gateway/plugin/WebFeedGatewayPlugin/atom)

(https://ejournal.undip.ac.id/index.php/bcrec/gateway/plugin/WebFeedGatewayPlugin/rss2)

(https://ejournal.undip.ac.id/index.php/bcrec/gateway/plugin/WebFeedGatewayPlugin/rss)

#### **Notifications**

- View (https://ejournal.undip.ac.id/index.php/bcrec/notification)
- Subscribe (https://ejournal.undip.ac.id/index.php/bcrec/notification/subscribeMailList)

Home (https://ejournal.undip.ac.id/index.php/bcrec/index) / Archives

(https://ejournal.undip.ac.id/index.php/bcrec/issue/archive) / 2014

(https://ejournal.undip.ac.id/index.php/bcrec/issue/view/1241)

## 2014: BCREC Volume 9 Issue 1 Year 2014 (SCOPUS Indexed, April 2014)

Available online on March 12nd, 2014.

#### **Table of Contents**

#### **Original Research Articles**

(https://ejournal.undip.ac.id/index.php/bcrec/article/view/4899)

The Uses of Copper and Zinc Aluminates to Capture and Convert Carbon dioxide to Syn-gas at Higher Temperature (https://ejournal.undip.ac.id/ (https://ejournal.undip.ac.id/index.php/bcrec/article/view/4899)

(https://ejournal.undip.ac.id/

👤 R.Y. Raskar, A. G. Gaikwad

Views: 1339 (#)

Citations 3

(https://badge.dimensions.ai/details/doi/10.9767/bcrec.9.1.4899.1-15?

domain=https://ejournal.undip.ac.id)

| Language: EN (#) | DOI: 10.9767/bcrec.9.1.4899.1-15

(https://doi.org/10.9767/bcrec.9.1.4899.1-15)

© Received: 13 May 2013; Published: 12 Mar 2014.

(https://ejournal.undip.ac.id/index.php/bcrec/article/view/5258)

**Enolisation Kinetics of m-Nitro Acetophenone** (https://ejournal.undip.ac.id/index.php/bcrec/article/view/5258)

👤 Swati Malhotra, Dipika Kaur Jaspal

Views: 603 (#)

(https://badge.dimensions.ai/details/doi/10.9767/bcrec.9.1.5258.16-22? domain=https://ejournal.undip.ac.id)

| Language: EN (#) | DOI: 10.9767/bcrec.9.1.5258.16-22

(https://doi.org/10.9767/bcrec.9.1.5258.16-22)

© Received: 31 Jul 2013; Published: 12 Mar 2014.



#### (https://ejournal.undip.ac.id/index.php/bcrec/article/view/5142)

#### Effect of Lanthanum as a Promoter on Fe-Co/SiO2 Catalyst for Fischer-Tropsch Synthesis

(https://ejournal.undip.ac.id/index.php/bcrec/article/view/5142)

(https://ejournal.undip.ac.id/

(https://ejournal.undip.ac.id/

Ali Abbasi, Mohamadreza Ghasemi, Sepehr Sadighi

Views: 1064 (#) Citations 1

(https://badge.dimensions.ai/details/doi/10.9767/bcrec.9.1.5142.23-27?

domain=https://eiournal.undip.ac.id)

| Language: EN (#) | DOI: 10.9767/bcrec.9.1.5142.23-27

(https://doi.org/10.9767/bcrec.9.1.5142.23-27)

© Received: 8 Jul 2013; Published: 12 Mar 2014.



#### (https://ejournal.undip.ac.id/index.php/bcrec/article/view/5603)

#### The Role of Ti and Lewis Acidity in Manganese Oxide Octahedral Molecular Sieves Impregnated with Titanium in Oxidation Reactions

(https://ejournal.undip.ac.id/index.php/bcrec/article/view/5603)

♣ Fitri Hayati, Sheela Chandren, Halimaton Hamdan, Hadi Nur

Views: 653 (#)

Citations 1 (https://badge.dimensions.ai/details/doi/10.9767/bcrec.9.1.5603.28-38?

domain=https://eiournal.undip.ac.id)

| Language: EN (#) | DOI: 10.9767/bcrec.9.1.5603.28-38

(https://doi.org/10.9767/bcrec.9.1.5603.28-38)

© Received: 18 Oct 2013; Published: 12 Mar 2014.

#### Activity of Aniline Methylation over Fe-Cu-Cr Ternary **Spinel Systems**

(https://ejournal.undip.ac.id/index.php/bcrec/article/view/5169)

(https://ejournal.undip.ac.id/

👤 Reni George, Kochurani George, Sankaran Sugunan

Views: 612 (#)

Citations 1

(https://badge.dimensions.ai/details/doi/10.9767/bcrec.9.1.5169.39-44?

domain=https://ejournal.undip.ac.id)

| Language: EN (#) | DOI: 10.9767/bcrec.9.1.5169.39-44

(https://doi.org/10.9767/bcrec.9.1.5169.39-44)

© Received: 18 Jul 2013; Published: 12 Mar 2014.



#### (https://ejournal.undip.ac.id/index.php/bcrec/article/view/5374)

#### The Photocatalytic Activity of SiO2-TiO2/Graphite and Its Composite with Silver and Silver oxide

(https://ejournal.undip.ac.id/index.php/bcrec/article/view/5374)

(https://ejournal.undip.ac.id/

(https://ejournal.undip.ac.id/

👤 Fitria Rahmawati, Sayekti Wahyuningsih, Dian Irianti

Views: 833 (#)

Citations 4

(https://badge.dimensions.ai/details/doi/10.9767/bcrec.9.1.5374.45-52?

domain=https://ejournal.undip.ac.id)

| Language: EN (#) | DOI: 10.9767/bcrec.9.1.5374.45-52

(https://doi.org/10.9767/bcrec.9.1.5374.45-52)

© Received: 1 Sep 2013; Published: 12 Mar 2014.



#### (https://ejournal.undip.ac.id/index.php/bcrec/article/view/5508)

#### Kinetic Model of LiFePO4 Formation Using Non-

Isothermal Thermogravimetric Analysis

(https://ejournal.undip.ac.id/index.php/bcrec/article/view/5508)

👤 Abdul Halim, Widiyatuti Widiyastuti, Heru Setyawan, Sugeng Winardi

Views: **656 (#)** 

Citations 0

(https://badge.dimensions.ai/details/doi/10.9767/bcrec.9.1.5508.60-65?

domain=https://ejournal.undip.ac.id)

| Language: EN (#) | DOI: 10.9767/bcrec.9.1.5508.60-65

(https://doi.org/10.9767/bcrec.9.1.5508.60-65)

© Received: 19 Sep 2013; Published: 12 Mar 2014.



Modification of Turen Bentonite with AICI3 for **Esterification of Palmitic Acid** 

(https://ejournal.undip.ac.id/index.php/bcrec/article/view/5513)

(https://ejournal.undip.ac.id/

(https://ejournal.undip.ac.id/index.php/bcrec/article/view/5513) Triyono Triyono, Wega Trisunaryanti, Mudasir Mudasir, Didik Prasetyoko

Views: 709 (#)

Citations 2

(https://badge.dimensions.ai/details/doi/10.9767/bcrec.9.1.5513.66-73? domain=https://ejournal.undip.ac.id)

| Language: EN (#) | DOI: 10.9767/bcrec.9.1.5513.66-73

(https://doi.org/10.9767/bcrec.9.1.5513.66-73)

© Received: 24 Sep 2013; Published: 12 Mar 2014.



(https://ejournal.undip.ac.id/index.php/bcrec/article/view/5555)

Cationic Ring Opening polymerization of ε-caprolactam by a Montmorillonite Clay Catalyst

(https://ejournal.undip.ac.id/index.php/bcrec/article/view/5555)

(https://ejournal.undip.ac.id/

L Djamal Eddine Kherroub, Mohammed Belbachir, Saad Lamouri

Views: 1425 (#)

Citations 12

(https://badge.dimensions.ai/details/doi/10.9767/bcrec.9.1.5555.74-80?

domain=https://ejournal.undip.ac.id)

| Language: EN (#) | DOI: 10.9767/bcrec.9.1.5555.74-80

(https://doi.org/10.9767/bcrec.9.1.5555.74-80)

© Received: 3 Oct 2013: Published: 12 Mar 2014.

#### The 3rd ITB Catalysis Symposium 2013



(https://ejournal.undip.ac.id/index.php/bcrec/article/view/5529)

**Development of Nanoporous Ni-Sn Alloy and Application** for Chemoselective Hydrogenation of Furfural to Furfuryl Alcohol

(https://ejournal.undip.ac.id/

(https://ejournal.undip.ac.id/index.php/bcrec/article/view/5529)

Rodiansono Rodiansono, Takayoshi Hara, Nobuyuki Ichikuni, Shogo Shimazu

Views: 890 (#) Citations 9

(https://badge.dimensions.ai/details/doi/10.9767/bcrec.9.1.5529.53-59?

domain=https://ejournal.undip.ac.id)

| Language: EN (#) | DOI: 10.9767/bcrec.9.1.5529.53-59

(https://doi.org/10.9767/bcrec.9.1.5529.53-59) © Received: 28 Sep 2013; Published: 12 Mar 2014.

#### **Editorial**

Front-matter

**Fulltext PDF** 

i-v

(https://ejournal.undip.ac.id/index.php/bcrec/article/view/6365/5330)

Views: 163 (#)

Citations ?

(https://badge.dimensions.ai/details/doi/10.9767/bcrec.9.1.6365.i-v? domain=https://eiournal.undip.ac.id)

| Language: EN (#) | DOI: 10.9767/bcrec.9.1.6365.i-v (https://doi.org/10.9767/bcrec.9.1.6365.i-v)

© Received: 11 Mar 2014; Published: 12 Mar 2014.

App.1-5

**Fulltext PDF** 

(https://ejournal.undip.ac.id/index.php/bcrec/article/view/6366/5331)

**Author Guidelines** 

Views: 205 (#) Citations 0

(https://badge.dimensions.ai/details/doi/10.9767/bcrec.9.1.6366.App.1-5?domain=https://ejournal.undip.ac.id)

| Language: **EN (#)** | DOI:

10.9767/bcrec.9.1.6366.App.1-5

(https://doi.org/10.9767/bcrec.9.1.6366.App.1-5)

© Received: 11 Mar 2014; Published: 12 Mar 2014.

Back-matter

(https://ejournal.undip.ac.id/index.php/bcrec/article/view/6367/5332)

**Fulltext PDF** 

Views: 180 (#)

Citations 0

App.6-11 (https://badge.dimensions.ai/details/doi/10.9767/bcrec.9.1.6367.App.6-

11?domain=https://ejournal.undip.ac.id) | Language: **EN (#)** | DOI:

10.9767/bcrec.9.1.6367.App.6-11

(https://doi.org/10.9767/bcrec.9.1.6367.App.6-11) © Received: 11 Mar 2014; Published: 12 Mar 2014.

@ 0 0

BCREC by https://creativecommons.org/licenses/by-sa/4.0/) is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License (https://creativecommons.org/licenses/by-sa/4.0/).

(http://www.statcounter.com) View My Stats (https://statcounter.com/p7798993/?guest=1)

(https://bcrec.undip.ac.id)



(https://www.crossref.org)

Copyright ©2020 <u>Diponegoro University (http://www.undip.ac.id)</u>. Powered by <u>Open Journal Systems (http://pkp.sfu.ca/ojs/)</u> and <u>Mason Publishing OJS theme (https://github.com/masonpublishing/OJS-Theme)</u>.