

## DAFTAR PUSTAKA

- Adekoya-Sofowora, C.A., Adesina, O.A., Nasir, W.O., Oginni, A.O. and Ugboko, V.I., 2009. Prevalence and causes of fractured permanent incisors in 12-year-old suburban Nigerian schoolchildren. *Dental traumatology*, **25**(3), pp. 314-317.
- Ahn, J. et al., 2009. Modulation of bone morphogenetic protein antagonists to stimulate clinical osteogenesis. *Bioscience Hypotheses*, **2**(5), pp. 322-325.
- Aksu, A.E., Rubin, J.P., Dudas, J.R. and Marra, K.G., 2008. Role of gender and anatomical region on induction of osteogenic differentiation of human adipose-derived stem cells. *Annals of plastic surgery*, **60**(3), pp.306-322.
- Almaulidah, I.S., Sutadi, H., Fauziah, E., 2014. Distribusi Frekuensi Trauma Gigi Permanen Anterior pada Anak Usia 8-12 Tahun (Kajian di Sekolah Dasar Negeri Kecamatan Johar Baru, Jakarta Pusat). *Departemen Ilmu Kedokteran Gigi Anak, Fakultas Kedokteran Gigi Universitas Indonesia*. pp. 1-15
- Andreasen, J.O., Andreasen, F.M., and Anderson, L., 2007. *Textbook and Color Atlas of Traumatic Injuries to The teeth*. 4<sup>th</sup> edition. Blackwell Munksgaard. UK: 217-254
- Andelin WE, Shabahang S, Escher AP, Torabinejad M. Identification of Hard Tissue After Experimental Pulp Capping Using Dentin Sialoprotein (DSP) as A Marker. *J Endod* 2003; **29** (10):646-50.
- Ankola, A.V., Hebbal, M., Sharma, R., Nayak, S.S., 2013. Traumatic Dental Injuries in Primary School Children of South India—a Report from District-Wide Oral Health Survey. *Dental traumatology*, **29**(2), pp.134-138.
- Anusavice KJ, 2003. *Phillip's of Dental Material*, 11<sup>th</sup> edition, Elsevier Health Science.
- Arvidson, K. et al., 2011. Bone regeneration and stem cells. *Journal of Cellular and Molecular Medicine*, **15**(4), pp. 718-746.
- Asgary, S.,Ehsani, S., 2012, CASE REPORT : MTA Resorption and Periradicular Healing in An Open Apex Incisor : A Case Report, *The Saudi Dental Journal*, **24** (1) : 55-9.

Babaji, P. et al. (2015) 'Hemisection: A conservative management of periodontally involved molar tooth in a young patient', *Journal of Natural Science, Biology and Medicine*, 6(1), p. 253. doi: 10.4103/0976-9668.149212.

Bais, M. et al., 2009. BMP-2 is essential for post natal osteogenesis but not for recruitment of osteogenic stem cells. *Bone*, Agustus, 45(2), pp. 254-266.

Bernstein, A., Mayr, H. O. M. & Hube, R., 2010. Can Bone Healing in Distraction Osteogenesis Be Accelerated by Local Application of IGF-1 and TGF-b1?. *Journal of Biomedical Materials Research Part B: Applied Biomaterials*, Volume 92B, pp. 215-225.

Bogen G, KIM JS, Backland LK. 2008. Direct Pulp Capping with Mineral Trioxide Aggregate. The Journal of American Dental Association; 139; 305-315.

Bruderer, M., Richards, R., Alini, M. & Stoddart, M., 2014. ROLE AND REGULATION OF RUNX2 IN OSTEOGENESIS. *European Cells and Materials*, Volume 28, pp. 269-286.

Buttler WT . Dentin Matrix Proteins and Dentinogenesis. *Connect Tissue Res* 1995; 33 (1-3): 59-65.

Cameron, A.C. and Widmer, R.P., 2008. *Handbook of Pediatric Dentistry E-Book*. Elsevier Health Sciences: 482.

Chandra, Satish. 2004. *Textbook of dental and oral histology with embryology with MCQ*. New Delhi.

Chang, B., Ahuja, N., Ma, C. and Liu, X., 2017. Injectable scaffolds: Preparation and application in dental and craniofacial regeneration. *Materials Science and Engineering: R: Reports*, 111, pp.1-26.

Chen, H.T., Lee, M.J., Chen, C.H., Chuang, S.C., Chang, L.F., Ho, M.L., Hung, S.H., Fu, Y.C., Wang, Y.H., Wang, H.I. and Wang, G.J., 2012. Proliferation and differentiation potential of human adipose-derived mesenchymal stem cells isolated from elderly patients with osteoporotic fractures. *Journal of cellular and molecular medicine*, 16(3), pp.582-592.

Companion AL, 1991. Ikatan Kimia Edisi 2. Bandung: ITB.

Croisier, F & Jerome, C. 2013. Chitosan-based biomaterials for tissue engineering. *European Polymer Journal*. 49: 780-92.

Dash, M., Chiellini, F., Ottenbrite, R.M. and Chiellini, E., 2011. Chitosan—A versatile semi-synthetic polymer in biomedical applications. *Progress in polymer science*, 36(8), pp.981-1014.

Davies, O.G., Cooper, P.R., Shelton, R.M., Smith, A.J. and Scheven, B.A., 2015. A comparison of the in vitro mineralisation and dentinogenic potential of mesenchymal stem cells derived from adipose tissue, bone marrow and dental pulp. *Journal of bone and mineral metabolism*, 33(4), pp.371-382.

Dean, J.A., Avery, D.R., McDonald, R.E., 2011. *Dentistry for The Child and Adolescent*. 9<sup>th</sup> edition. Elsevier Health Science. Missouri: 403-404

Deschaseaux, F., Sensébe, L. & Heymann, D., 2009. Mechanisms of bone repair and regeneration. *Trends in Molecular Medicine*, 15(9), pp. 417-429.

Diaz, L., Hoare, A., Soto, C., Bugueno, I., Silva, N., Dutzan, N., et al. 2015. Changes in lipopolysaccharide profile of *Porphyromonas gingivalis* clinical isolates correlate with changes in colony morphology and polymyxin B resistance. *Anaerobe*. 33(5):25-3 2.

de Queiroz, A.M., Assed, S., Leonardo, M.R., Filho, P.N., da Silva, L>A>B. 2005. MTA and Calcium Hydroxide for Pulp Capping. *J. Appl. Oral Sci.* Vol.13 no.2 Bauru Apr/June 2005.

Egusa, H., Sonoyama, W., Nishimura, M., Atsuta, I. and Akiyama, K., 2012. Stem cells in dentistry—Part II: Clinical applications. *Journal of prosthodontic research*, 56(4), pp.229-248.

Estrela C. 2003. Calcium Hydroxide, Study Based on Scientific Evidences. *J. Appt Oral Sci*, 11(4) ; 269-82.

Ferracane, J.L 2010. Review Resin Composite-state of the art. *Dental Materials*. 1753. 1-10.  
Foroutan, F., Javadpoun. J., Khavandi, A., Atai, M and Rezale

F j Harty dan R Ogston. 1995. Kamus Kedokteran Gigi. Jakarta : EGC.

Francisoni, LF., Freitas AP., Scaffa MC., Mondelli RF., Francisconi AS, 2009. Water Sorption and Solubility of Different Calcium Hydroxide Cements. *J Appl Oral Sci.* 17(5) : 427-31.

Garber SE, Shabahang S, Escher AP, Torabinejad M. The Effect of Hyperglycemia on Pulpal Healing in Rats. *J Endod* 2009; 35(1); 60-2.

Gebauer D, Colfen H (2011), Prenucleation clusters and non-classical nucleation. *Nano Today* 6 : 564-584. Doi : 10.1016/j.nantod.2011.10.005

Goldberg, Michel, Askok B. Kulkarni, Marian Young, dkk. 2012. Dentin : Structure, Composition and Mineralization : The role of dentin ECM in dentin formation and mineralization. *NIH Public Acsess Front Biosci* (Elite ed) ; 3 : 711-735.

Gomathysankar, S., Halim, A.S., Yaacob, N.S., Noor, N.M. and Mohamed, M., 2016. Compatibility of Porous Chitosan Scaffold with the Attachment and Proliferation of human Adipose-Derived Stem Cells In vitro. *Journal of stem cells & regenerative medicine*, 12(2), p.79.

Goy, RJ, Morais, STB, & Assis, OBG. 2015. Evaluation of the antimicrobial activity of chitosan and its quaternized derivative on E. coli and S. aureus growth. *Revista Brasileira de Farmacognosia*. 26(11): 122–7.

Grottakau, BE & Lin, Y, 2013. Osteogenesis of adipose-derived stem cells. *Bone research*, 1(2), p. 133.

Hajji, S, Younes, I, Rinaudo, M, Jellouli, K, & Nasri, M. 2015. Characterization and In Vitro Evaluation of Cytotoxicity, Antimicrobial and Antioxidant Activities of Chitosans Extracted from Three Different Marine Sources. *Application of Biochemistry Biotechnology*. 177: 18–35.

Halvorsen, Y.D.C., Franklin, D., Bond, A.L., Hitt, D.C., Auchter, C., Boskey, A.L., Paschalis, E.P., Wilkison, W.O. and Gimble, J.M., 2001. Extracellular matrix mineralization and osteoblast gene expression by human adipose tissue-derived stromal cells. *Tissue engineering*, 7(6), pp.729-741.

Hapsari, D.R. 2009. Analisis Jangka Pendek Pulpa Gigi Manusia Setelah Direct Capping Menggunakan Semen Portland. *The Open Dentistry Journal*. (3);31-5.

Hargreaves, KM & Berman, LH. 2016. *Cohen's Pathways of The Pulp 11<sup>th</sup> edition*, Canada: Elsevier Inc. pp. 209,260

Hilton, Thomas J (2009). "Kunci Sukses Klinis dengan Pulp Capping: A Review of the Literature" . Kedokteran Gigi Operatif . 34 (5): 615–625. doi : 10.2341 / 09-132-0 . PMC 2856472 . PMID 19830978

Hui, Y.H. 2010. *Handbook of Food Science, Technology, and Engineering* Vol1. USA : CRC Press.

Ibrahim, MA, Neo, J, Esguerra, RJ, & Fawzy, AS. 2015. Characterization of antibacterial and adhesion properties of chitosan-modified glass ionomer cement. *Journal of Biomaterials Applications*. 30(4): 409-19.

Ingle, JL., Taintor, JF, 1985. *Endodontics*. 3<sup>rd</sup> Edition, Philadelphia : Lea and febiger. Pp. 784-7.

Ishizaka, R., Iohara, K., Murakami, M., Fukuta, O. and Nakashima, M., 2012. Regeneration of dental pulp following pulpectomy by fractionated stem/progenitor cells from bone marrow and adipose tissue. *Biomaterials*, 33(7), pp.2109-2118.

Islam, S, Bhuiyan, MAR, & Islam, MN. 2016. Chitin and Chitosan: Structure, Properties and Applications in Biomedical Engineering. *Journal of Polymer Environment*. \_\_: 1-13.

Jiang, T, Deng, M, James, R, Nair, LS, & Laurencin, T. 2014. Micro- and nanofabrication of chitosan structures for regenerative engineering. *Acta Biomaterialia*. 10:1632-1645.

Kadam, N. S. (2014) 'Management of Large Radicular Cyst by Conservative Surgical Approach: A Case Report', *Journal of Clinical and Diagnostic Research*, 8(c), pp. 239–241. doi: 10.7860/JCDR/2014/5763.4069.

Kara, F, Aksoy, EA, Yuksekdag, Z, Hasirci, N, & Aksoy, S. 2014. Synthesis and surface modification of polyurethanes with chitosan for antibacterial properties. *Carbohydrate Polymers*. 112(5): 39–47.

Kavitha, R. 2005. Clinical Radiography Evaluation of Pulpectomis using Zinc Oxide Eugenol and Calcium Hydroxide with Iodoform (a dissertation). Madras : Taminadu DR. M.G.K. Medical University.

- Khan, W.S., Tew, S.R., Adesida, A.B. and Hardingham, T.E., 2008. Human infrapatellar fat pad-derived stem cells express the pericyte marker 3G5 and show enhanced chondrogenesis after expansion in fibroblast growth factor-2. *Arthritis research & therapy*, 10(4), p.R74.
- Kim, J.-M. et al., 2012. An Activator of the cAMP/PKA/CREB Pathway Promotes Osteogenesis from Human Mesenchymal Stem Cells. *Journal of Cellular Physiology*, Volume 228, pp. 617-626.
- Kim, JS & Shin, DH 2013. Inhibitory effect on Streptococcus mutansand mechanical properties of the chitosan containing composite resin. *Restorative Dentistry and Endodontics*. \_\_\_\_: 36-42.
- Kim, KM, Son, JH, Kim, SK, Weller, CL, Hanna, MA. 2006. Properties of Chitosan Films as a Function of pH and Solvent Type. *Journal of Food Science*. 71 (3) 119-124.
- Komabayashi T, D'Souza RN, Dechow PC, Safavi RE, Spangberg LSW, 2009. Particle Size and Shape of Calcium Hydroxide. *J Endod*. 35 (2) : 284-7.
- Kuratae M, Yoshioka K, Shigetani Y, Yoshioka N, Ohshima H, Okiji T. Immunohistochemical Analysis of Nestin, Osteopontin and Proliferating Cells in Reparative Process of Exposed Dental Pulp Capped with Mineral Trioxide Aggregate. *J Endod* 2008; 34(8);636-42.
- Kusumawati, D 2014, Bersahabat dengan hewan coba, Gadjah Mada University Press, Yogyakarta, diakses 10 Januari 2019 [https://ugmpress.ugm.ac.id/  
id/product/peternakan/bersahabat-dengan-hewan-coba](https://ugmpress.ugm.ac.id/id/product/peternakan/bersahabat-dengan-hewan-coba)
- Latoo, S. et al. (2009) 'Radicular cyst', *JK Science*, 11(4), pp. 187–189.
- Lee, J.-S., Lee, J.-M. & Im, G.-I., 2011. Electroporation-mediated transfer of Runx2 and Osterix genes to enhance osteogenesis of adipose stem cells. *Biomaterials*, 32(3), pp. 760-768.
- Levengood, S.K.L. and Zhang, M., 2014. Chitosan-based scaffolds for bone tissue engineering. *Journal of Materials Chemistry B*, 2(21), pp.3161-3184.
- Li S, L'Heureux N and Elisseeff J. *Stem Cells and Tissue Engineering*. Singapore: World Scientific Publishing. 2011. P. 216.

- Liao, H.T. and Chen, C.T., 2014. Osteogenic potential: Comparison between bone marrow and adipose-derived mesenchymal stem cells. *World journal of stem cells*, 6(3), p.288.
- Liu, G. et al., 2009. Canonical Wnts function as potent regulators of osteogenesis by human mesenchymal stem cells. *The Journal of Cell Biology*, 185(1), pp. 67-75.
- Martins, V.M., Sousa, R.V., Rocha, E.S., Leite, R.B., Paiva, S.M. and Granville-Garcia, A.F., 2012. Dental trauma among Brazilian schoolchildren: prevalence, treatment and associated factors. *European Archives of Paediatric Dentistry*, 13(5), pp. 232-237.
- Martinez, M. 2010. *Sebuah Pemahaman Dasar Scanning Electron Microscopy (SEM) and Microscope Elektron (SEM) dan Energy Dispersive X-ray Detection (EDX)*. <http://karya.ilmiah.um.ac.id> (19 September 2016).
- Mekawati, F E., dan D. Sumardjo. 2000. Aplikasi Kitosan Hasil Transformasi Kitin Limbah Udang (*Penaeus Merguiensis*) untuk Adsorpsi ion Logam Timbal. Jurnal Sains and Matematika, FMIPA Undip. Semarang. Vol 8 (2), hal 51-54.
- Mian Wang, Amit K Roy, Thomas J.Webster. 2017. Development of Chitosan/Poly(Vynil Alcohol) Electropun Nanofibers for Infection Related Wound Healing. Departement of Chemical Engineering Northeastern University, Boston, MA, USA.
- Minonzio, G., Corazza, M., Mariotta, L., Gola, M., Zanzi, M., Gandolfi, E., De Fazio, D. and Soldati, G., 2014. Frozen adipose-derived mesenchymal stem cells maintain high capability to grow and differentiate. *Cryobiology*, 69(2), pp.211-216.
- Milosevic A. Calcium Hydroxide in Restorative Dentistry. *J. Dent.* 1991; 19;3-10.
- Modena KC, Casas\_Apayco LC, Atta MT, Costa CA, Hebling J, Sipert CR, Navarro MF, Santos CF. Cytotoxicity and biocompatibility of direct and indirect pulp capping. Materials. *J Appl Oral Sci* 2009; 17 (6) : 544-54.
- Muzzarelli R.A.A. 2005. “*Chittin in Polysaccharides*”, vol 3. Aspinal Press Inc. Orlando San Diego, p.147.
- Najlaa MA, Eman AEA, Ibrahim MM, Hazem MA, Khaled HEA, et al. (2017) Regeneration of Pulp/Dentin-Like Tissue in Immature Necrotic Permanent Dog Teeth Using Adipose Tissue-Derived Mesenchymal Stem Cells. *J Oral Hyg Health* 5:217. doi: 10.4172/2332-0702.1000217.

Nakamura Y, Hammarstrom L, Lundberg E, Ekhdahl H, Matsumoto K, Gestrelis S. Enamel Matrix Derivative Promotes Reparative Processes In the Dental Pulp. *Adv Dent Res* 2001; 15; 105-7.

Nather A, Zameer A., 2005. Bone Grafts And bone Substitutes-Basic Science and Clinical Applications. World Scientific Publishing co. Pte.ltd.

Navageni, N.B., Umashankara, K.V., Radhika, N.B., Manjunath, S., 2010. Successful closure of the root apex in non vital permanent incisors with wide open apices using single calcium hydroxide dressing: Report of 2 cases. *J Clin Exp Dent.* 2(1): 26-9.

Niederberger M, Colfen H (2006), Oriented attachment and mesocrystals : non-classical crystallization mechanisms based nanoparticle assembly. *Phys Chem Chem Phys* 8 : 3271-3287. Doi : 10.1039/b604589h PMID : 16835675.

Packham DE, Bright K, Malpass SW, 2003. Mechanical Factors in The Adhesion of Polyethylene to Aluminium. DOI : 10.1002. <http://www.onlinelibrary.wiley.com/doi/10.1002/app.1974.07081105> (Accesed on 31 January 2015).

Paranjipe A, Zhang H., Jhonson JD., Effects of Mineral Trioxide Aggregate on Human Dental Pulp Cell after Pulp-capping Procedures; *J Endod.* 2010; 36(6) 1042-7.

Parirokh M, Torabinejad M, Mineral Trioxide Aggregate : A comprehensive Literature Review-Part I : Chemical, Physical and Antibacterial Properties *J Endod* 2010; 36(1); 16-27.

Parirokh M, Torabinejad M, Mineral Trioxide Aggregate : A comprehensive Literature Review-Part III : Clinical Applications, Drawbacks, and Mechanism of Action *J Endod* 2010; 36(3); 400-13.

Parolia, A., Kundabala, M., Rao, N., Acharya, S., Agrawal, P., Mohan, M., et al. (2011). A Comparative Histological Analysis of Human Pulp Following Direct Pulp Capping with Propolis, Mineral Trioxide Aggregate and Dycal. *Australian Dental Jurnal*, 55, 59-64.

Peng, S. et al., 2009. Strontium Promotes Osteogenic Differentiation of Mesenchymal Stem Cells Through the Ras/MAPK Signaling Pathway. *Cellular Physiology and Biochemistry*, Volume 23, pp. 165-174.

Penumatsa, N. V. et al. (2013) ‘Case Report Conservative Approach in the Management of Radicular Cyst in a Child : Case Report’, *Hindawi Publishing Corporation*, 2013, pp. 1–3.

Perez-Sayans, M. et al., 2010. RANK/RANKL/OPG role in distraction osteogenesis. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*, 109(5), pp. 679-686.

R.A.A Muzzarelli, In : *Chitin and Chitinases*; Jolles, P., muzzarelli, R.A.A., Eds.; Birkhauser Verlag : Basel, Switzerland, 1999.

Raggatt, L. J. & Partridge, N. C., 2010. Cellular and Molecular Mechanisms of Bone Remodeling. *The Journal of Biological Chemistry*, 285(33), p. 25103–25108.

Ragethy, GR, Griffon, DJ, Lee, HB, Fredericks, LP, Gordon-Evans, W & Chung, YS, 2010. Effect of chitosan scaffold microstructure on mesenchymal stem cell chondrogenesis. *Acta Biomaterialia*, 6(4), pp. 1430-6.

Raposio, E. and Ciliberti, R., 2017. Clinical use of adipose-derived stem cells: European legislative issues. *Annals of medicine and surgery*, 24, pp.61-64.

Ratajaska m., Haberko., ienchanska D., Niekraszewicz A., Kucharska M. 2008. Hydroxyapatite-Chitosan Biocomposites. Monograph XIII : 13 ; 89-94.

Rathke, T.D. dan Hudson, S.M. 1994, Review of Chitin and Chitosan as Fiber and Film Formers, *Macromol. Chem Phys.*, C34, 375-437.

Radiological and Environment Management,. 2010. Scanning Electron Microscope. Purdue University : West Lafayette. Available at <http://www.purdue.edu>. Diakses 5 Juni 2012

Riachi, F. and Tabarani, C. (2010) ‘Effective Management of Large Radicular Cysts Using Surgical Enucleation vs. Marsupialization Two Cases Report’, *Iajd*, 1(1), pp. 44–51.

Riset Kesehatan Dasar (Risikesdas). (2013). *Badan Penelitian dan Pengembangan Kesehatan* Kementrian RI tahun 2013. Diakses : 19 Oktober 2014, dari <http://www.depkes.go.id/resources/download/general/Hasil%20Risikesdas%202013.pdf>.

Rotstein I, Friedman S, Katz J. Apical Closure of Mature Molar Roots with The Use of Calcium Hydroxide. *J Oral Surg.* 1990; 70(5); 656;60.

Safavi K, Nakayama TA, 2000. *Influence of Mixing Vehicle on Dissociation of calcium Hydroxide in Solution.* *J Endod.* 26 : 649-51.

Saouza V, Bernabe PF, Holland R, Nery MJ, Mello W, Otoboni Filho JA. *Tratamento Nao-Cirurgico De Dentes com Lesoes Periapicais.* *Rev Brasil Odont* 1989; 46;39-46.

Shavandi, A, Bekhit, AA, Bekhit, AEDA, Sun Z & Ali MA. 2015. *Preparation and characterisation of irradiated crab chitosan and New Zealand Arrow squid pen chitosan.* *Materials Chemistry and Physics.* 167: 295–302.

Shavandi, A, Hu, Z, & Teh, S. 2017. *Antioxidant and functional properties of protein hydrolysates obtained from squid pen chitosan extraction effluent.* *Food Chemistry.* 227:194–201.

Simon, S., Rilliard, F., Berdal, A. and Machtou, P., 2007. The use of mineral trioxide aggregate in one-visit apexification treatment: a prospective study. *International Endodontic Journal,* 40(3), pp. 186-197.

Sequiera JF et al. Recontamination of Coronally Unsealed Root Canals Medicated with Camphorated Paramonochlorophenol or Calcium Hydroxidepastes After Saliva Challenge. *J Endod* 1998; 24; 11-7.

Smith R. 2005. Biodegradable polymers for Industrial Application. Cambridge England : CRC press.

Smrke, D. et al. (2013) ‘Treatment of Bone Defects — Allogenic Platelet Gel and Autologous Bone Technique’, *Regenerative Medicine and Tissue Engineering.* doi: 10.5772/55987.

Solak H, Oztan MD, 2003. The pH Change of Four Different Calcium Hydroxide mixture Used for Intracanal Medication. *J. Oral Rehabab.* 30 : 436-9.

Sturdevant JR, Lundein TF, Troy Be Sludder J. Clinical Significance of Dental Anatomy, Histology, Physiology and Occlusion. In : Roberson TM, Heymann HO, Swift E, editors. Sturdevants’s Art and Science of Operative Dentistry. 5ed. St. Louis : Mosby Elsevier; 2006. P. 15-30.

Tamba S. 2011. Waktu Erupsi Gigi Permanen ditinjau dari Usia Kronologis pada anak Usia 6 sampai 12 tahun di SD ANTONIUS V MEDAN. Skripsi FKG USU. 2010 : 6-50.

Ten Cate. 2000. Ten Cate's Oral Histology Development, Structure and Function. Edisi 6. St.Louis. Mosby.

Thein-Han, W.W., Kitiyanant, Y. and Misra, R.D.K., 2008. Chitosan as scaffold matrix for tissue engineering. *Materials Science and Technology*, 24(9), pp.1062-1075.

Torneck CD, Torabinejad M. Biologi Jaringan Pulpa dan Jaringan Sekitar Akar. Diperoleh dari : Walton RE, Torabinejad M (editor). Prinsip dan Praktik Ilmu Endodonsi. Ed2. Terj. Sumawinata N, Sidharta W, Nursasongko B. Jakarta : EGC; 1997. P 18-9.

Tsuji, W., Rubin, J.P. and Marra, K.G., 2014. Adipose-derived stem cells: Implications in tissue regeneration. *World journal of stem cells*, 6(3), p.312.

Viddyasagar, M., Choudhari, S., Raurale, A. and Dahapute, S., 2010. Apexification and apexogenesis—a case report. *IJCD*, 1(3), pp. 52-4.

Walton E, Torabinejad M. 2008. Prinsip dan Praktik Ilmu Endodonsia Edisi 3. Jakarta : EGC.

Wang, SL & Liang, TW. 2016. Microbial reclamation of squid pens and shrimp shells. *Res Chem Intermed*. \_\_: 1-18.

Wangidjaja, Itjhiningsih H. 1995. Anatomi Gigi. EGC: Jakarta.

Wei Y, Sun X, Wang W, Hu Y. Adipose-derived stem cells and chondrogenesis. *Cyotherapy* 2007; 9: 712-716 [PMID: 17917888 DOI: 10.1080/14653240701620596].

WHO. 2004. *World Report on Road Traffic Injury Prevention, Report 2004-2005*. Geneve. WHO Press: 4-8

Widiadnyani, N.K.E. and Mulyawati, E., 2013. Apeksifikasi pada Gigi Insisivus Kanan Maksila dengan Mineral Trioxide Aggregate. *Majalah Kedokteran Gigi Indonesia*, 20(2), pp. 170-177.

Wiese, A. and Pape, H. C. (2010) ‘Bone Defects Caused by High-energy Injuries, Bone Loss, Infected Nonunions, and Nonunions’, *Orthopedic Clinics of North America*. Elsevier Ltd, 41(1), pp. 1–4. doi: 10.1016/j.ocl.2009.07.003.

- Wu, W., Niklason, L. and Steinbacher, D.M., 2013. The effect of age on human adipose-derived stem cells. *Plastic and reconstructive surgery*, 131(1), pp.27-37.
- Xie, H. et al., 2014. PDGF-BB secreted by preosteoclasts induces angiogenesis during coupling with osteogenesis. *Nature Medicine*, 20(11), pp. 1270-1278.
- Yudaniayanti IS, Maulana E, Ma'ruf A. Profil penggunaan kombinasi ketaminxylazine dan ketamin-midazolam sebagai anestesi umum terhadap gambaran fisiologis tubuh pada kelinci jantan. *Veterinaria Medika* 2010; 3(1): 23-30
- Zang, S., Zhu, L., Luo, K., Mu, R., Chen, F., Wei, X., Yan, X., Han, B., Shi, X., Wang, Q. and Jin, L., 2017. Chitosan composite scaffold combined with bone marrow-derived mesenchymal stem cells for bone regeneration: in vitro and in vivo evaluation. *Oncotarget*, 8(67), p.110890.
- Zhang, L. et al., 2011. TNF-alpha contributes to spinal cord synaptic plasticity and inflammatory pain: Distinct role of TNF receptor subtypes 1 and 2. *PAIN*, Volume 152, pp. 419-427.
- Zhao F, Yin Y, Lu W, Leong J, Zhang W, Zhang J, Zhang M, Kangde K. 2002. Preparation and Histological Evaluation of Biomimetic Three-Dimensional hydroxyapatite/Chitosan gelation Network Composite Scaffolds. *Biomaterials* 23:3227-3234.
- Zhu, W. and Liang, M., 2015. Periodontal ligament stem cells: current status, concerns, and future prospects. *Stem cells international*, 2015.
- Zhu, Y., Liu, T., Song, K., Fan, X., Ma, X. and Cui, Z., 2008. Adipose-derived stem cell: a better stem cell than BMSC. *Cell biochemistry and function*, 26(6), pp.664-675.