

DAFTAR PUSTAKA

1. Arvaniti, I. S., Khabbaz, M. G., 2011, Influence of Root Canal Taper on Its Cleanliness: A Scanning Electron Microscopic Study, *J Endod.*, 37(6): 871- 874
2. Blank-Goncalves, L.M., Nabeshima, C.K., Martins, G.H., dan Machado, M.E., 2011, Qualitative analysis of the removal of the smear layer in the apical third of curved roots: conventional irrigation versus activation system, *J Endod* 37: 1268-71.
3. Elumalai, D., Kumar, A., Tewari, R., Mishra, S., dan Iftekhar, H., 2014, Newer Endodontic Irrigation Devices, *IOSR-JDMS*, 13(6): 4-8.
4. Gutmann, J. L., Dumsha, T. C., Lovdahl, P. E., 2006, *Problem Solving in Endodontics*, 4th ed., Mosby, St. Louis, 143-196
5. Hagraeves, K. M., Cohen, S., 2011, *Pathways of The Pulp*, 10th ed., Mosby , St. Louis, 283-348
6. Hulsmann, M., Peters, O. A., Dummer, P. M. H., 2005, Mechanical Preparation of Root Canals: Shaping Goals, Techniques and Means, *Endodontic Topics*, 10: 30-76
7. Johnson, W. T., Noblett, W. C., 2009, Cleaning and Shaping. In Torabinejad, M., Walton, R. E., *Endodontics Principles and Practice*, 4th ed, Saunders, St. Louis, 258-286
8. Sidharta W. Penggunaan Kalsium Hidroksida di Bidang Konservasi Gigi. *Jurnal Kedokteran Gigi Universitas Indonesia*. 2000;7:435-43.
9. Van der Sluis L.W., Versiuis M., dan Wesselink P.R., 2007a, Passive Ultrasonic Irrigation of the Literature, *Int Endod J*, 40: 415-427.
10. Zmener O, Pameijer CH, Banegas G. An in vitro study of the pH of three calcium hydroxide dressing materials. *Dent Traumatol* 2007;23(1):21-5.
11. Rodig, T., Hirschleb, M., Zapf, A., dan Hulsmann, M., 2011, Comparison of Ultrasonic Irrigation and RinsEndo for the Removal of Calcium Hydroxide and Ledermix Paste from Root Canals, *Int Endod J*, 44: 1155-1161.
12. Nielsen, B., dan Baumgartner, J.C., 2007, Comparison of the EndoVac System to Needle Irrigation of Root Canals, *JOE*, 33: 1-5.
13. Calt, S., dan Serper, A., 1999, Dentinal Tubule Penetration of Root Canal Sealers After Root Canal Dressing with Calcium Hydroxide, *J Endod*, 25(6): 431-433.