

DAFTAR PUSTAKA

- Adolph, E. J., Hafeman, A. E., Davidson, J. M., Nanney, L. B., & Guelcher, S. A. „Modelling the Crystal Structure of a 30 nm Sized Particle based Hydroxyapatite Powder Synthesised under the Influence of Ultrasound Irradiation from X-ray powder Diffraction Data“, *American Journal of Materials Science*, 3(4), pp. 84–90. doi: 10.5923/j.materials.20130304.04.
- Akmammedov, R., Huysal, M., Isik, M. (2017) „Preparation and characterization of novel chitosan/zeolite scaffolds for bone tissue engineering applications“, *International Journal of Polymeric Materials and Polymeric Biomaterials*, 4037(April), pp. 1–9. doi: 10.1080/00914037.2017.1309539.
- Avelar-Freitas, B. A., Almeida, V., Pinto, M. (2014) „Trypan blue exclusion assay by flow cytometry“, *Brazilian Journal of Medical and Biological Research*, 47(4), pp. 307–315. doi: 10.1590/1414-431X20143437.
- Ayu, M., Margareta, H. (2015) „Sintesa Hydroxyapatite (Ca₁₀(PO₄)₆(OH)₂) berbasis batu kapur“, 5(1), pp. 15–20.
- Bahuguna, A., Khan, I., Bajpai, V. (2017) „MTT assay to evaluate the cytotoxic potential of a drug“, *Bangladesh Journal of Pharmacology*, 12(2), pp. 115–118. doi: 10.3329/bjp.v12i2.30892.
- Bano, N., Jikan, S., Basri, H. (2017) „Natural Hydroxyapatite Extracted From Bovine Bone“, *Journal of Science and Technology*, 9(2), pp. 22–28.
- Bayani, M., Torabi, S., Shahnaz, A. (2017) „Main properties of nanocrystalline hydroxyapatite as a bone graft material in treatment of periodontal defects. A review of literature“, *Biotechnology and Biotechnological Equipment*. Taylor & Francis, 31(2), pp. 215–220. doi: 10.1080/13102818.2017.1281760.
- Blair, H. C., Larrouture, Q., Li, Y. (2017) „Osteoblast Differentiation and Bone Matrix Formation *In Vivo* and *In Vitro*“, *Tissue Engineering Part B: Reviews*, 23(3), pp. 268–280. doi: 10.1089/ten.teb.2016.0454.
- Cahyaningrum, S. E., Herdyastuty, N., Devina, B. (2018) „Synthesis and Characterization of Hydroxyapatite Powder by Wet Precipitation Method“, *IOP Conference Series: Materials Science and Engineering*, 299(1). doi: 10.1088/1757-899X/299/1/012039.
- Calabrese, G. et al. (2017) „Human adipose-derived mesenchymal stem cells seeded into a collagen-hydroxyapatite scaffold promote bone augmentation after implantation in the mouse“, *Scientific Reports*, 7(1), pp. 1–11. doi: 10.1038/s41598-017-07672-0.

Damia, E. et al. (2018) „Adipose-derived mesenchymal stem cells: Are they a good therapeutic strategy for osteoarthritis?“, *International Journal of Molecular Sciences*, 19(7), pp. 1–14. doi: 10.3390/ijms19071926.

Dabra S, Chhina K, Soni N, Bhatnagar R, 2012. Tissue engineering in periodontal regeneration: a brief review. *Dental Research Journal*, 9(6): 671-680

Filova, E., Suchy, T., Sucharda, Z., Supova, M., Zaloudkova, M., Balik, K., ... Bacakova, L. (2014). *Support for the initial attachment, growth and differentiation of MG-63 cells: a comparison between nano-size hydroxyapatite and micro-size hydroxyapatite in composites*. *International Journal of Nanomedicine*, 3687. doi:10.2147/ijn.s56661

Francis, S. L. et al. (2018) „Adipose-Derived Mesenchymal Stem Cells in the Use of Cartilage Tissue Engineering: The Need for a Rapid Isolation Procedure“, *Stem Cells International*, 2018, pp. 1–9. doi: 10.1155/2018/8947548.

Gayathri, V., Harikrishnan, V. and Mohanan, P. V. (2016) „Integration of Rabbit Adipose Derived Mesenchymal Stem Cells to Hydroxyapatite Burr Hole Button Device for Bone Interface Regeneration“, *International Journal of Biomaterials*, 2016, pp. 1–9. doi: 10.1155/2016/1067857.

Gong, T., Xie, J., Liao, J. et al. Nanomaterials and bone regeneration. *Bone Res* 3, 15029 (2015). <https://doi.org/10.1038/boneres.2015.29>

Haider, A., Haider, S., Han, S. (2017) „Recent Advances in The Synthesis, Functionalization and Biomedical Applications of Hydroxyapatite: a review“, *RSC Advances*. Royal Society of Chemistry, 7(13), pp. 7442–7458. doi: 10.1039/c6ra26124h.

Hwidi, R. S., Tengku Izhar, T. N. and Mohd Saad, F. N. (2018) „Characterization of Limestone as Raw Material to Hydrated Lime“, p. 02042. doi: 10.1051/e3sconf/20183402042.

Isyar, M., Bilir, B., Yilmaz, I. (2015) „Are biological agents toxic to human chondrocytes and osteocytes?“, *Journal of Orthopaedic Surgery and Research*. Journal of Orthopaedic Surgery and Research, 10(1). doi: 10.1186/s13018-015-0264-y.

Iwaniec, U. T. and Turner, R. T. (2016) „Influence of body weight on bone mass, architecture and turnover“, *Journal of Endocrinology*, 230(3), pp. R115–R130. doi: 10.1530/joe-16-0089.

Jameel, A. (2016) „Study of Mechanical Properties of Bones and Mechanics of Bone Study of Mechanical Properties of Bones and“, *Istam*, (December 2015).

Jamarun, N. et al. (2015) „Effect of temperature on synthesis of hydroxyapatite from limestone“, *Rasayan Journal of Chemistry*, 8(1), pp. 133–137.

- Jamarun, N., Azharman, Z., Arief, S. (2016) „Hydroxyapatite material: Synthesis by using precipitation method from limestone“, *Der Pharma Chemica*, 8(13), pp. 302–306.
- Jo, H. Y., Yona , K., Park, H. (2015) „The Unreliability of MTT Assay in the Cytotoxic Test of Primary Cultured Glioblastoma Cells“, *Experimental Neurobiology*, 24(3), p. 235. doi: 10.5607/en.2015.24.3.235.
- Johra, F. T., Khaleque, M., Iqbal, M. (2016) „Prevalence of periodontal diseases among the patient visiting at Periodontology OPD Update Dental College Hospital, Dhaka“, *Update Dental College Journal*, 5(2), pp. 23–29. doi: 10.3329/updcj.v5i2.27265.
- Kong, B., Seog, J. H., Graham, L. M., & Lee, S. B. (2011). *Experimental considerations on the cytotoxicity of nanoparticles*. *Nanomedicine*, 6(5), 929–941. doi:10.2217/nmm.11.77
- Liu, X., Wei, J., & Wei, S. (2011). *Biological Effects of Osteoblast-Like Cells on Nanohydroxyapatite Particles at a Low Concentration Range*. *Journal of Nanomaterials*, 2011, 1–6. doi:10.1155/2011/104747
- Manoj, M., Subbiah, R., Mangalaraj, D., Ponpandian, N., Viswanathan, C., & Park, K. (2015). *Influence of Growth Parameters on the Formation of Hydroxyapatite (HAp) Nanostructures and Their Cell Viability Studies*. *Nanobiomedicine*, 2, 2. doi:10.5772/60116
- Marie, P. J. (2007) „Osteoblasts and Bone Formation“, 2590(April), pp. 445–473. doi: 10.1016/S1569-2590(08)60130-5.
- Mazini, L. et al. (2019) „Regenerative Capacity of Adipose Derived Stem Cells (ADSCs), Comparison with Mesenchymal Stem Cells (MSCs)“, *International Journal of Molecular Sciences*, 20(10), p. 2523. doi: 10.3390/ijms20102523.
- McCullough, M. B., Gomes, M., Sankar, J. (2017) „Cronicon EC ORTHOPAEDICS Research Article Development of Chitosan Based Scaffolds for Bone Regeneration: A Preliminary Report“, *EC Orthopaedics*, 8, pp. 15–25. Available at: <https://www.ecronicon.com/ecor/pdf/ECOR-08-00226.pdf>.
- Munawaroh, F., Khamsatul, L M., Triwikantoro (2018) „Calcium Oxide Characteristics Prepared From Ambunten“S Calcined Limestone“, *Jurnal Pena Sains*, 5(1).
- Newman MG, Takei HH, Klokkevold PR, Carranza FA, 2015. Carranza“s clinical periodontology, 12thed., Philadelphia: WB Saunders Company
- Olayiwola, A. O., Farombi, A. G. and Amuda, O. S. (2017) „Production and Characterization of Hydroxyapatite Prepared From Periwinkleshell“, (July).
- Rahavi, S. S., Ghaderi, O., Monshi, A. (2017) „A comparative study on physicochemical properties of hydroxyapatite powders derived from natural and

synthetic sources”, *Russian Journal of Non-Ferrous Metals*, 58(3), pp. 276–286. doi: 10.3103/s1067821217030178.

Rahmitasari F. 2016. Scaffold 3D Kitosan dan Kolagen Sebagai Graft Pada Kasus Kerusakan Tulang (Studi Pustaka). *Jurnal Material Kedokteran Gigi* 5(2):7

Remya, N. S., Syama, S., Gayathri, V. (2014) „An in vitro study on the interaction of hydroxyapatite nanoparticles and bone marrow mesenchymal stem cells for assessing the toxicological behaviour“, *Colloids and Surfaces B: Biointerfaces*. Elsevier B.V., 117, pp. 389–397. doi: 10.1016/j.colsurfb.2014.02.004.

Schallhorn, R. A. and McClain, P. K. (2014) „Periodontal regeneration: Management of periodontal osseous defects by the periodontist-dental hygienist team“, *Journal of Evidence-Based Dental Practice*. Elsevier Inc, 14(SUPPL.), p. 42–52.e1. doi: 10.1016/j.jebdp.2014.04.008.

Shokrzadeh, M. and Modanloo, M. (2017) „An overview of the most common methods for assessing cell viability“, *Journal of Research in Medical and Dental Science*, 5(2), p. 33. doi: 10.5455/jrmrds.2017526.

Singh, Dhirendra. (2017). Bioactive Glass: The Next Paradigm of Synthetic Bone Graft Materials. *Journal of Research and Advancement in Dentistry*. 6. 177-186.

Szymonowicz, M., Korczynski, M., Dobrzynski, M., Zawisza, K., Mikulewicz, M., Karuga-Kuzniewska, E., ... Wiglusz, R. (2017). *Cytotoxicity Evaluation of High-Temperature Annealed Nanohydroxyapatite in Contact with Fibroblast Cells. Materials*, 10(6), 590. doi:10.3390/ma10060590

Vahabi, S. et al. (2012) „A comparison between the efficacy of Bio-Oss, hydroxyapatite tricalcium phosphate and combination of mesenchymal stem cells in inducing bone regeneration.“, *Chang Gung medical journal*, 35(1), pp. 28–37. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/22483425>.

Van Meerloo, J., Kaspers, G. J. L., & Cloos, J. (2011). *Cell Sensitivity Assays: The MTT Assay. Cancer Cell Culture*, 237–245. doi:10.1007/978-1-61779-080-5_20

Wu, S., Xiao, S., Song, J. (2018) „Evaluation of BMP-2 Enhances the Osteoblast Differentiation of Human Amnion Mesenchymal Stem Cells Seeded on Nano-Hydroxyapatite/Collagen/Poly(l-Lactide)“, *International Journal of Molecular Sciences*, 19(8), p. 2171. doi: 10.3390/ijms19082171.

Yang, X., Li, Y., Liu, X., Zhang, R., & Feng, Q. (2018). *In Vitro Uptake of Hydroxyapatite Nanoparticles and Their Effect on Osteogenic Differentiation of Human Mesenchymal Stem Cells. Stem Cells International*, 2018, 1–10. doi:10.1155/2018/2036176

Yelten-Yilmaz, A. and Yilmaz, S. (2018) „Wet chemical precipitation synthesis of hydroxyapatite (HA) powders“, *Ceramics International*. Elsevier Ltd and Techna Group S.r.l., 44(8), pp. 9703–9710. doi: 10.1016/j.ceramint.2018.02.201.