

MJFAS MALAYSIAN JOURNAL OF FUNDAMENTAL AND APPLIED SCIENCE

PRINT ISSN: 2289-5981 | ONLINE ISSN: 2289-599X

HOME ABOUT LOGIN REGISTER SEARCH CURRENT ARCHIVES
 ANNOUNCEMENTS SUBMISSION EDITORIAL TEAM REVIEWERS IBNU SINA
 INSTITUTE UNIVERSITI TEKNOLOGI MALAYSIA

Home > Vol 15, No 5 (2019)

Malaysian Journal of Fundamental and Applied Sciences



MJFAS promotes and supports I'M Research Consortium



MJFAS is the recipient of Current Research in Malaysia (CREAM 2018) Awards by the Ministry of Education Malaysia.



Journal abbreviation: **Mal. J. Fund. Appl. Sci.**
 ISSN: 2289-5981. e-ISSN: 2289-599X.

Citations	h-index	i10-index
1187	14	23

2019 *Google Scholar* Citation Reports



The Malaysian Journal of Fundamental and Applied Sciences (MJFAS) (formerly known as Journal of Fundamental Sciences (2005-2011), ISSN: 1823-626X) is a refereed research journal published by Penerbit UTM Press, Universiti Teknologi Malaysia. The aims and scope of the journal encompass research articles, original research reports, reviews, short communications and scientific commentaries from fundamental principles to practical applications in the broad field of mathematics, physics, chemistry, and biology. All manuscript submissions must be made through the journal's online manuscript system at [Online Submissions](#). This journal is indexed by [Clarivate Analytics](#) (formerly Thomson Reuters) and [Google Scholar](#).

Starting in the year 2019, MJFAS is published online with a frequency of six (6) issues per year (February, April, June, August, October, and December). Besides that, special issues of MJFAS will be published non-periodically from time to time.

The Malaysian Journal of Fundamental and Applied Sciences (MJFAS) is now entering its fourteen years and it is now the official journal of the [Indonesia-Malaysia Research Consortium](#) (I'M Research Consortium). The consortium's aims are to foster the development of the field through a cross-disciplinary approach and to reach consensus in areas of common interest in fundamental and applied sciences field. By making The Malaysian Journal of Fundamental and Applied Sciences the official journal of the I'M Research Consortium, we hope to provide a forum to bring together society members and to publish peer-reviewed consensus documents that emerge from the activities of the consortium.




The Publishing Process of MJFAS and its Requirements

Below are the new requirements and other guidelines related to publication as well as communicating your results.

JOURNAL CONTENT
 Search

[Click image to enlarge]



Search Scope

All

Search

Browse

- [By Issue](#)
- [By Author](#)
- [By Title](#)

INFORMATION

- [For Readers](#)
- [For Authors](#)
- [For Librarians](#)

USER

Username

Password

Remember me

Login

FONT SIZE

Before the paper moves into production and is published (**Step 9**), if the author(s) is interested, the author(s) needs to register as a member of I'M Research Consortium (**Step 8**) through the following website:

<http://imresearchconsortium.ning.com/main/authorization/signUp>

The MJFAS is an Open Access journal. Publishing an article in the MJFAS requires article processing charges that will be billed to the submitting author following the acceptance of an article for publication. Apart from these article processing charges, there are no submission charges, page charges, or color charges. The fee to be paid following the acceptance of an article. The fee is **300 Malaysian Ringgit**. Article processing charges will be used for operating expenses of the journal.

For a detailed guideline for submission of an article please refer to [Online Submission](#). Please follow these guidelines to prepare and upload your article.

Editor's Message

Dear Colleagues,



As the Editor-in-Chief of the Malaysian Journal of Fundamental and Applied Sciences, I am writing to invite you to submit your most important research to the Journal. We envision the Journal as the best place to publish all of the levels of research in fundamental and applied sciences from all over the world, especially from researchers in Malaysia dan Indonesia.

Working with our knowledgeable and international Editorial Board members and I can assure you of a rapid, robust and fair peer-review process. As the Malaysian Journal of Fundamental and Applied Sciences is now indexed by [Clarivate Analytics](#) (formerly Thomson Reuters), we are especially aiming to reduce time to decision. We also have begun to work towards raising the Journal's impact factor.

For the coming submissions, the MJFAS will start implementing the "Your Paper, Your Way" initiative. In this way, authors can focus on the scientific quality of the paper. Journal-specific formatting such as reference style is no longer needed.

Thank you in advance for your valuable contributions to the Malaysian Journal of Fundamental and Applied Sciences.

Sincerely,

Prof. Dr. Hadi Nur ([short bio](#))
 Editor-in-chief
 e-mail: hadi@ibnusina.utm.my
 website: <http://hadinur.com>

Home > About the Journal > **Editorial Team**

Editorial Team

Editor-in-Chief

[Prof Dr Hadi Nur](#), Ibnu Sina Institute for Scientific and Industrial Research, Universiti Teknologi Malaysia

Regional Managing Editor for North America and Europe

[Assoc Prof Dr Hendra Hermawan](#), Department of Mining, Metallurgical and Materials Engineering & CHU de Québec Research Center, Laval University, Canada

Regional Managing Editor for the Middle East and Africa

[Assoc Prof Dr Oki Muraza](#), Chemical Engineering Department, King Fahd University of Petroleum & Minerals, Dhahran, Saudi Arabia

Special Section Editor

[Dr Sheela Chandren](#), Universiti Teknologi Malaysia, Malaysia

Editors

[Prof Dr Bassim H Hameed](#), School of Chemical Engineering, Universiti Sains Malaysia
[Prof Dr Rafaqat Hussain](#), COMSATS Institute of Information Technology, Pakistan
[Prof Dr Taufiq Yap Yun Hin](#), Department of Chemistry, Putra University, Malaysia
[Prof Dr Tahir Ahmad](#), Universiti Teknologi Malaysia, Malaysia
[Prof Dr Takashi Suzuki](#), Department of Information and Computer Sciences Mathematical Science Course, Osaka University School of Engineering Science
[Assoc Prof Dr rer nat Rino R Mukti](#), Insitut Teknologi Bandung, Indonesia
[Assoc Prof Dr KK Viswanathan](#), Kuwait College of Science and Technology, Kuwait
[Assoc Prof Dr Sharif H Zein](#), University of Hull, UK
[Assoc Prof Dr Riadh Sahnoun](#), Universiti Teknologi Malaysia, Malaysia
[Assoc Prof Dr Norma Alias](#), Universiti Teknologi Malaysia, Malaysia
[Assoc Prof Dr Siew Ling Lee](#), Universiti Teknologi Malaysia, Malaysia
[Assoc Prof Dr Sib Krishna Ghoshal](#), Dept. of Physics, Fac. of Science, Universiti Teknologi Malaysia, Malaysia
[Assoc Prof Dr Suhairul Hashim](#), Universiti Teknologi Malaysia, Malaysia
[Assoc Prof Dr Yun Hau Ng](#), School of Energy and Environment, City University of Hong Kong
[Assoc Prof Dr Hong Heng See](#), Universiti Teknologi Malaysia, Malaysia
[Assoc Prof Dr Nik Ahmad Nizam Nik Malek](#), Universiti Teknologi Malaysia
[Dr Dedy Hermawan Baqos Wicaksono](#), Swiss German University, Indonesia
[Dr Hendrik Oktendy Lintang](#), Ma Chung University, Indonesia
[Dr Yung Szen Yap](#), Universiti Teknologi Malaysia, Malaysia
[Dr Wan Heng Fong](#), Universiti Teknologi Malaysia, Malaysia
[Dr Eng Ferry Iskandar](#), Physics of Electronic Materials Research Div. Department of Physics, Faculty of Mathematic and Natural Sciences, Institut Teknologi Bandung
[Dr Leny Yuliat](#), Ma Chung University, Indonesia

Editorial Office

[Ms Siti Nur Sakinah Ahmad](#)
[Ms Sabariah Ajis](#)



Copyright © 2005-2019 Penerbit UTM Press, Universiti Teknologi Malaysia. Disclaimer: This website has been updated to the best of our knowledge to be accurate. However, Universiti Teknologi Malaysia shall not be liable for any loss or damage caused by the usage of any information obtained from this website.



MJFAS is the recipient of Current Research in Malaysia (CREAM 2018) Awards by the Ministry of Education Malaysia.



JOURNAL CONTENT

Search

Search Scope

Browse

- [By Issue](#)
- [By Author](#)
- [By Title](#)

INFORMATION

- [For Readers](#)
- [For Authors](#)
- [For Librarians](#)

USER

Username

Password

Remember me

FONT SIZE



Vol 13, No 2 (2017)

April - June

Table of Contents

Research Article

Autocovariance and autocorrelation structures of the generalised autoregressive moving average (GARMA(1,3;δ,1)) model	PDF
Sugunewary Ellappan, Norhashidah Awang, Thulasyammal Ramiah Pillai	
On the generalised conjugacy class graph of some dihedral groups	PDF
Nurhidayah Zaid, Nor Haniza Sarmin, Hamisan Rahmat	
Global convergence analysis of a new hybrid conjugate gradient method for unconstrained optimization problems	PDF
Ibrahim Abdullahi, Rohanin Ahmad	
Porosity effect on unsteady MHD free convection flow of Jeffrey fluid past an oscillating vertical plate with ramped wall temperature	PDF
Nor Athirah Mohd Zin, Ahmad Qushairi Mohamad, Ilyas Khan, Sharidan Shafie	
Heat and mass transfer of steady magnetohydrodynamics mixed convection of dusty fluid flow with chemical reaction past an exponentially stretching sheet	PDF
Siti Nur Haseela Izani, Anati Ali	
Analysis and comparison of numerical algorithms for finding the GCD of certain types of polynomials in the Chebyshev basis	PDF
Siti Nor Asiah Isa, Nor'aini Aris, Ahmad Zharif Salami Mohd Taha	
On the dominating number, independent number and the regularity of the relative co-prime graph of a group	PDF
Noraida Abd Rhani, Nor Muhainiah Mohd Ali, Nor Haniza Sarmin, Ahmad Erfanian	
Multiscale boundary element method for Poisson's equation	PDF
Nor Afifah Hanim Zulkefli, Su Hoe Yeak, Munira Ismail	
The adjacency matrix of the conjugate graph of metacyclic 2-groups	PDF
Nur Idayu Alimon, Nor Haniza Sarmin, Amira Fadina Ahmad Fadzil	
Microstructure and superconducting properties of Ag-substituted YBa2-xAgxCu3O7-δ ceramics prepared by sol-gel method	PDF
Fariesha Farha Ramli, Norazidah Abd Wahab, Azhan Hashim	
Quantile regression for analysing PM10 concentrations in Petaling Jaya	PDF
Kar Yong Ng, Norhashidah Awang	
Generated paths of an autocatalytic set of a secondary system of a pressurized water reactor	PDF
Zainab Mahamud, Tahir Ahmad	
Slant tube characterization for the implementation of k0 - standardization in Nigerian research reactor-1	PDF
Umar Aliyu Abubakar, Jonah A Sunday, Umar Sadiq, Khaidzir Hamzah	
On the conjugate graphs of finite p-groups	PDF
Athirah Zulkarnain, Nor Haniza Sarmin, Alia Husna Mohd Noor	
Mini-review: Recent updates on the mathematical modelling of radiation-induced bystander effects	PDF
Muhamad Hanis Nasir, Fuaada Mohd Siam	
The application of fuzzy logistic equations in population growth with parameter estimation via minimization	PDF
Nor Athirah Izzah Zulkefli, Su Hoe Yeak, Normah Maan	
Modelling of macrophage interactions by partial differential equations	PDF
Mohd Rashid Admon, Normah Maan	
Effects of surfactants on antibacterial drugs – A brief review	PDF
Mohd Amir Asyraf Mohd Hamzah, Claire Arul Arulidass, Wan Azlina Ahmad, Siti Aminah Setu	
Pyrolysis of torrefied oil palm wastes for better biochar	PDF
Aminu Safana Aliyu, Nurhayati Abdullahi, Fauziah Sulaiman	
The Laplacian energy of conjugacy class graph of some dihedral groups	PDF
Rabiha Birkia Mahmoud, Nor Haniza Sarmin, Ahmad Erfanian, Amira Fadina Ahmad Fadzil	
Effect of gravity modulation on mixed convection flow of second grade fluid with different shapes of nanoparticles	PDF
Noraihan Afiqah Rawi, Mohd Rijal Ilias, Zaiton Mat Isa, Sharidan Shafie	
Direct synthesis of ZSM-5 from kaolin and the influence of organic template	PDF
Didik Prasetyoko, Rustam Rustam, Ratna Ediaty, Berty Septiyana, Yusuf Muhammad Zein, Hasliza Bahruiji, Imroatul Qoniah, Hartati Hartati, Hadi Nur	
Role of Na+ ion removal on the photocatalytic properties of hydrothermally-prepared nanotubes TiO2	PDF
Naimat Abimbola Eleburuike, Wan Azelee Wan Abu Bakar, Rusmidah Ali	



MJFAS is the recipient of Current Research in Malaysia (CREAM 2018) Awards by the Ministry of Education Malaysia.



JOURNAL CONTENT

Search

Search Scope

Browse

- [By Issue](#)
- [By Author](#)
- [By Title](#)

INFORMATION

- [For Readers](#)
- [For Authors](#)
- [For Librarians](#)

USER

Username

Password

Remember me

FONT SIZE



Home > Vol 15, No 4 (2019)

Malaysian Journal of Fundamental and Applied Sciences



MJFAS promotes and supports I'M Research Consortium



MJFAS is the recipient of Current Research in Malaysia (CREAM 2018) Awards by the Ministry of Education Malaysia.



Journal abbreviation: **Mal. J. Fund. Appl. Sci.**
ISSN: 2289-5981. e-ISSN: 2289-599X.

Citations	h-index	i10-index
1164	14	23

2019 [Google Scholar](#) Citation Reports



The Malaysian Journal of Fundamental and Applied Sciences (MJFAS) (formerly known as Journal of Fundamental Sciences (2005-2011), ISSN: 1823-626X) is a refereed research journal published by Penerbit UTM Press, Universiti Teknologi Malaysia. The aims and scope of the journal encompass research articles, original research reports, reviews, short communications and scientific commentaries from fundamental principles to practical applications in the broad field of mathematics, physics, chemistry, and biology. All manuscript submissions must be made through the journal's online manuscript system at [Online Submissions](#). This journal is indexed by [Clarivate Analytics](#) (formerly Thomson Reuters) and [Google Scholar](#).

Starting in the year 2019, MJFAS is published online with a frequency of six (6) issues per year (February, April, June, August, October, and December). Besides that, special issues of MJFAS will be published non-periodically from time to time.

The Malaysian Journal of Fundamental and Applied Sciences (MJFAS) is now entering its fourteen years and it is now the official journal of the [Indonesia-Malaysia Research Consortium](#) (I'M Research Consortium). The consortium's aims are to foster the development of the field through a cross-disciplinary approach and to reach consensus in areas of common interest in fundamental and applied sciences field. By making The Malaysian Journal of Fundamental and Applied Sciences the official journal of the I'M Research Consortium, we hope to provide a forum to bring together society members and to publish peer-reviewed consensus documents that emerge from the activities of the consortium.



The Publishing Process of MJFAS and its Requirements

Below are the new requirements and other guidelines related to publication as well as communicating your results.

JOURNAL CONTENT
Search



About

General Information

Web of Science Coverage

Peer Review Information

Return to Search Results

MALAYSIAN JOURNAL OF FUNDAMENTAL AND APPLIED SCIENCES

ISSN / eISSN **2289-5981 / 2289-599X**

Publisher **PENERBIT UTM PRESS, PENERBIT UTM PRESS, SKUDAI, JOHOR, MALAYSIA, 81310**

About

Malaysian Journal of Fundamental and Applied Sciences is ready to receive papers on all aspects of fundamental science research in the field of mathematics, physics, chemistry and biology.

General Information

Frequency	Quarterly
Issues Per Year	4
Country / Region	MALAYSIA

Web of Science Coverage

Scope Notes

Web of Science Core Collection

Emerging Sources Citation Index

Categories: Multidisciplinary | Multidisciplinary Sciences

Log into [Web of Science](#) to discover research literature from this journal.

Our policy towards the use of cookies

All Clarivate Analytics websites use cookies to improve your online experience. They were placed on your computer when you launched this website. You can change your cookie settings through your browser.

Ok to Continue

Cookie Policy

Publish Report	No
Publons Reviews	21
Publons Endorsements	2
Publons Partner	No

register for a free [Publons](#) account for more peer review information out this journal.

Editorial Disclaimer: As an independent organization, Clarivate Analytics does not become involved in and is not responsible for the editorial management of any journal or the business practices of any publisher. Publishers are accountable for their journal performance and compliance with ethical publishing standards. The views and opinions expressed in any journal are those of the author(s) and do not necessarily reflect the views or opinions of Clarivate Analytics.

Criteria for selection of newly submitted titles and re-evaluation of existing titles in the Web of Science are determined by the Web of Science Editors in their sole discretion. If a publisher's editorial policy or business practices negatively impact the quality of a journal, or its role in the surrounding literature of the subject, the Web of Science Editors may decline to include the journal in any Clarivate Analytics' product or service. The Web of Science Editors, in their sole discretion, may remove titles from coverage at any point if the titles fail to maintain our standard of quality, do not comply with ethical standards, or otherwise do not meet the criteria determined by the Web of Science Editors. If a journal is deselected or removed from coverage, the journal will cease to be indexed in the Web of Science from a date determined by the Web of Science Editors in their sole discretion – articles published after that date will not be indexed. The Web of Science Editors' decision on all matters relating to journal coverage will be final.

Clarivate

Accelerating innovation

© 2019 Clarivate

[Copyright Notice](#)

[Terms of Use](#)

[Privacy Notice](#)

[Cookie Policy](#)

[Help Center](#)

Follow us:



Our policy towards the use of cookies

All Clarivate Analytics websites use cookies to improve your online experience. They were placed on your computer when you launched this website. You can change your cookie settings through your browser.

[Ok to Continue](#)

[Cookie Policy](#)

Direct synthesis of ZSM-5 from kaolin and the influence of organic template

Rustam ^{a,b}, Ratna Ediaty ^b, Berty Septiyana ^b, Yusuf Muhammad Zein ^b, Hasliza Bahruji ^c, Imroatul Qoniah ^d, Hartati ^e, Hadi Nur ^f, Didik Prasetyoko ^{b,*}

^a Department of Chemistry, Faculty of Education, Kandahar University (KU), Kandahar, Afghanistan

^b Department of Chemistry, Faculty of Mathematics and Natural Sciences, Institut Teknologi Sepuluh Nopember (ITS), Surabaya, Indonesia

^c Cardiff Catalysis Institute, Cardiff University, CF10 3AT Cardiff United Kingdom

^d Department of Environmental Engineering, Faculty of Civil and Planning Engineering, Islamic University of Indonesia, Yogyakarta, Indonesia

^e Department of Chemistry, Faculty of Science and Technology, Universitas Airlangga, Surabaya, 60115, Indonesia

^f Centre for Sustainable Nanomaterials, Ibnu Sina Institute for Scientific Studies and Industrial Research, Universiti Teknologi Malaysia (UTM), Skudai 81310, Johor, Malaysia


* Corresponding author: didikp@chem.its.ac.id

Article history

Received 21 March 2017

Accepted 3 May 2017

Graphical abstract



Abstract

We investigated the transformation of kaolin to ZSM-5 using hydrothermal synthesis method and the influence of organic template as a structure-directing agent. The formation of ZSM-5 from kaolin occurred via dissolution of kaolin to form amorphous silica. Zeolite-like analcime produced when the hydrothermal treatment was extended to 18 h. We found synergistic effect of using a mixture of TPAOH and TPABr organic template to enhance kaolin dissolution, initiate ZSM-5 formation and inhibit the transformation of ZSM-5 to analcime. The ZSM-5 framework formed after crystallization for 6 h by using the mixture of TPAOH and TPABr, while when using TPAOH or TPABr only, ZSM-5 formed at longer crystallization time, i.e. 12 h.

Keywords: Crystallization time, kaolin, phase transformation, TPABr, TPAOH, ZSM-5

© 2017 Penerbit UTM Press. All rights reserved

INTRODUCTION

ZSM-5 has been widely used as catalyst in petrochemical process because of the high surface area that allows the adsorption of reactant molecules (Kim and Chung, 2003). The ZSM-5 is a robust material with high thermal and acid stability; its unique pore channel system makes a good catalyst to achieve high conversion and selectivity of desired product (Wang *et al.*, 2007). The synthesis of ZSM-5 from natural mineral sources and waste materials has been reported mainly to reduce the cost of production and to utilize the waste minerals. Serpentine (Kim and Chung, 2003), rice husk ash (Prasetyoko *et al.*, 2012), fly ash (Tanaka and Fujii, 2009), expanded perlite (Wang *et al.*, 2007) and kaolinite (Feng *et al.*, 2009; Pan *et al.*, 2014) were previously reported as precursor in ZSM-5 zeolite synthesis. These minerals are generally rich with SiO₂ and Al₂O₃ which make them perfect candidates for zeolite synthesis. The use of metakaolin, a reactive phase of calcined kaolin, as raw materials for the synthesis of ZSM-5 has been reported which requires the heat treatment of kaolin up to 600 – 1100 °C (Feng *et al.*, 2009; Alkan *et al.*, 2005). According to Johnson and Arshad (2014), this activation process promotes kaolin to metastable phase and becomes highly reactive for zeolites formation.

Hydrothermal synthesis of zeolite is influenced by temperature and crystallization time, which these parameters can affect the process of zeolite formation, the Si and Al content in the framework and also the stability of the zeolite (Shiralkar and Clearfield, 1989). In order to orientate the crystal growth, the synthesis was usually performed in

the presence of organic template as a structure-directing agent, typically tetrapropylammonium cations. This cation is trapped in the zeolite pores during crystal growth and removed by calcination in air at high temperature (Pan *et al.*, 2014). The role of this organic structure-directing agent mimics the kinetics of complex nucleation and crystallization processes (Byrappa and Yoshimura, 2013). Alkalinity also has a vital role in the crystal growth of zeolite as the OH⁻ anions acts as mineralizing agent. Increasing the pH of the mixture improves the dissolution of Si and Al oxides or hydroxides precursor to become a homogeneous solution (Karimi *et al.*, 2012). The increasing of OH⁻ concentration accelerates the crystals growth and shortens the period of induction time for the nucleation to occur.

The potential of kaolin as mineral source (Si and Al) for ZSM-5 synthesis was investigated in this study. Kaolin was used without prior pretreatment in the presence of TPAOH and/or TPABr as a structure-directing agent. Metakaolinite was generally used for mineral source of ZSM-5 synthesis. Another publication has examined that kaolin can be directly used as mesoporous aluminosilicates (Qoniah *et al.*, 2015). Hydrothermal synthesis was carried out for 6, 12, 18, and 24 h in order to investigate the mechanism of kaolin transformation to ZSM-5. Detail analysis of the solid products using XRD, FTIR and SEM analysis gives information on the purity, crystallinity, morphology and thermal stability of resulting ZSM-5.

EXPERIMENTAL

Materials

Materials in this study were used without pretreatment. Kaolin was obtained from Bangka Belitung Island, Indonesia (XRF results: SiO₂ 57 wt%, Al₂O₃ 22 wt%, P₂O₅ 3.9 wt%, K₂O 3.22 wt%, CaO 1.8 wt%, TiO₂ 2.2 wt%, V₂O₅ 0.15 wt%, Fe₂O₃ 8.89 wt%, other compounds 0.84 wt%) sodium hydroxide pellets (NaOH, ≥ 99 wt%, Merck), tetrapropylammonium bromide (TPABr, ≥ 99 wt%, Merck), tetrapropylammonium hydroxide (TPAOH, 40 wt%, Merck), colloidal silica (Ludox HS-30, 30 wt%), and distilled water.

Synthesis of ZSM-5

ZSM-5 was prepared by hydrothermal synthesis method with a molar composition of reactant is in the ratio of 10 Na₂O : 100 SiO₂ : 2 Al₂O₃ : 1800 H₂O : 0-20 TPA (TPABr / TPAOH) (Prasetyoko *et al.*, 2012). Kaolin and NaOH was mixed with distilled water under a vigorous stirring followed by gradual addition of ludox to the mixture. The mixture was vigorously stirred for another 2 h. The organic template was added to the mixture and stirred for 6 h at room temperature at 400 rpm. Resulting gel was aged for 12 h at room temperature before transferred into an autoclave for hydrothermal crystallization at 175°C for 6, 12, 18, and 24 h. After completion of the reaction, the synthesized product was cooled immediately to room temperature to stop the crystallization process. The obtained solid product was filtered and rinsed with copious amount of distilled water. Finally, the solids were dried at 120°C for 12 h. Samples were denoted based on its crystallization time and the type of organic template. For example Br-6 h is used for sample obtained at 6 h using TPABr.

Characterization of the Obtained Solid

The solid samples were characterized using X-ray diffraction technique (XRD JOEL JDX-3530 X-ray Diffractometer) with Cu K α radiation of wavelength 1.5418 Å (40 kV and 30 mA) over the scanning range 2 θ = 5-50°. Different functional groups of the samples were identified by FT-IR spectroscopy analysis (Shimadzu Spectrum One 8400S Spectrophotometer) in the range between 400-1400 cm⁻¹ using KBr pellets technique. Scanning electron microscope (SEM) image was monitored using a ZEISS EVO MA 10 to monitor morphology and particle size. Electron dispersed X-ray (EDX) (BRUKER 129 EV) was used to determine the chemical composition of the samples.

RESULTS AND DISCUSSION

X-ray Diffraction (XRD)

The XRD patterns of the samples obtained from the reaction mixture at various synthetic conditions are presented in Fig 1. Fig 1A

illustrates the XRD pattern of synthesis powder without the presence of organic template. The peaks at 2 θ = 12.3, 24.8, 38.3° in Fig. 1A (a) are corresponded to the crystalline structure of kaolin (Feng *et al.*, 2009). Kaolin is dissolved in NaOH solution to form presumably amorphous silica. The dissolution however is not complete even after 6 h of hydrothermal treatment. The XRD pattern of samples for 12 h, 18 h, and 24 h showed a broad peak centered at ~ 2 θ =25° with no diffraction peaks from any kind of crystal. This characteristic is corresponded to the amorphous silica structure.

Fig. 1B-D shows the XRD patterns of solid product obtained from the reaction using organic template as a structure-directing agent. Similar XRD pattern were found on solid products for the reaction mixture without organic template after 6 h of reaction. The peaks observed at 2 θ = 7.97, 8.87, 23.1, 24.4° were identified as ZSM-5 structure as reported by Treacy and Higgins, (2001). These characteristics peak appeared for all reaction mixtures regardless the organic template used in the systems. Detail analysis of the XRD data were shown in Table 1.

Although the ZSM-5 was successfully formed at 12 h of crystallization, prolonged time of hydrothermal treatment is necessary to increase the crystallinity of the structure. Small peaks appeared at 2 θ = 15.9, 26.1, 30.7° were observed that corresponded to the characteristic peaks of analcime structure (Park *et al.*, 2012). TPABr template gives high stability of ZSM-5 evidence by the transformation to analcime only occurs after 18 h of reaction. In the presence of both TPAOH and TPABr, the analcime phase also formed after 18 h of reaction. In contrast TPAOH containing reaction mixtures formed analcime after 12 h of reaction. This occurred when the higher of NaOH concentration produced the mixture of zeolite like analcime (Johnson and Arshad, 2014).

FTIR Spectroscopy

The fresh kaolin sample and resulting ZSM-5 were analyzed using infrared spectroscopy. The infrared spectra of the kaolin showed the characteristic peak at 1115, 1030, 1007 cm⁻¹ which are assigned to the TO₄ (T=Si or Al) asymmetric stretching vibrations (Fig. 2) (Rios *et al.*, 2009). The adsorption peaks at 798 cm⁻¹ and 1096 cm⁻¹ are belong to the stretching vibration of typical of Si-O-Si bond, whilst the peak at around 460 cm⁻¹ is assigned to TO₄ bending vibration. Strong inner OH bending peak was observed at around 912 cm⁻¹, symmetric stretching of AlO₄ at around 800, 792, 689 cm⁻¹, double ring or Al-O octahedral stretching at 550 cm⁻¹ and T-O (T = Si or Al) bending at 450 cm⁻¹. The stretching vibration of Al(O,OH)₆ octahedral in the kaolin is observed at 536 cm⁻¹ region (Feng *et al.*, 2009).

Table 1 Total crystallinity of the obtained samples in the presence of TPABr, TPAOH, and TPABr + TPAOH

2 θ (°)	Intensity, a.u														
	TPABr					TPAOH					TPABr + TPAOH				
	0 h	6 h	12 h	18 h	24 h	0 h	6 h	12 h	18 h	24 h	0 h	6 h	12 h	18 h	24 h
22.95 - 23.08	46.88*	-	502	484	497.77	-	-	269	450.92	512.83	-	166	437	524	520
23.11 - 23.28	-	-	400	400	418.72	-	-	225	416.78	387.59	-	151	289	380	392
23.63 - 23.69	-	-	262	207	204.06	-	-	154	239.27	227.85	-	114	262	253	237
23.85 - 23.93	-	-	246	246	260.01	-	-	142	237	254.29	-	121	231	246	237
24.33 - 24.8	115.54*	71.34*	174	161	148.76	91.35*	55.53*	119	146.56	189.63	94.73*	25*; 94	117	164	161
ZSM-5 and kaolin Crystallinity (%)**	24.07*	14.79*	96.47	88.79	94.90	19.03*	11.45*	56.41	92.50	97.57	19.70*	5.20*; 40.09	82.90	97.25	96.01

* = kaolin

** = The relative crystallinity calculated by formula, i.e (peak intensity of sample/ peak intensity of sample) x100 %




Fig. 1 XRD patterns of samples A) kaolin and without template, B) TPABr (Br), C) TPAOH (OH), and D) TPAOH + TPABr (Br + OH) template




Fig. 2 Infrared spectra of the samples with variation of crystallization times at 0, 6, 12, 18 and 24 h with TPABr (Br), TPAOH (OH) and TPABr+TPAOH (Br+OH) as organic template, respectively.

Table 2 Crystalline phases in different crystallization time and templates

No.	Crystallization time (h)	Phases			
		TPABr	TPAOH	TPABr + TPAOH	Without template
1	0	Kaolin	Kaolin	Kaolin	Kaolin
2	6	Kaolin	Kaolin	Kaolin, ZSM-5	Kaolin
3	12	ZSM-5	ZSM-5, analcime	ZSM-5	Amorphous
4	18	ZSM-5, Analcime	ZSM-5, Analcime	ZSM-5, Analcime	Amorphous
5	24	ZSM-5, Analcime	ZSM-5, Analcime	ZSM-5, Analcime	Amorphous

Analysis on the dried samples for all reaction mixtures after 6 h of hydrothermal synthesis reveals the powder is still predominantly exists as kaolin without ZSM-5. All the characteristic peaks assigned to kaolin can be visibly observed, however the intensity reduces significantly suggesting the dissolution of crystalline kaolin to amorphous silica.

The presence of ZSM-5 in the synthesized product revealed by the infrared band at 545 cm^{-1} , which corresponds to the five-member ring of the pentasil structure of zeolite (Kirschhock *et al.*, 1999). In agreement with the XRD analysis, the ZSM-5 characteristic was observed at 12 h of reaction when TPABr was used and at 18 h for TPAOH and TPAOH + TPABr mixture. Structure-sensitive IR band for ZSM-5 at $\sim 1222\text{ cm}^{-1}$ corresponded to the external asymmetric stretching vibrations of Si-O-T bond was also appeared indicating the formation of ZSM-5 framework. In addition, the spectra of products display the strong bending vibration of the T-O bond appearing at about 446 cm^{-1} . This is due to internal vibration of $(\text{Si,Al})\text{O}_4$ tetrahedral (Wang *et al.*, 2012). Meanwhile, the shifting of the band at around 1100 cm^{-1} confirms the majority of Si-O-Si bonds in the silica gel (Hui *et al.*, 2008). The presence of these bands are accompanied by the disappearance of the stretching vibration of Si-O-H groups of kaolin at 912 cm^{-1} indicating the incorporation of Al to the Si-OH framework to form ZSM-5 structure.

The wavenumber at around 1090 cm^{-1} is assigned to the internal asymmetric stretching corresponds to the Si/Al ratio in the zeolite samples. This band shifted to the higher wavenumber as the Si/Al ratio increased (Sohn *et al.*, 1986). It can be seen that the wavenumbers of internal asymmetric stretching have shifted from 1081 to 1089 cm^{-1} with the increase of crystallization times from 12 to 24 h with TPABr as organic template, whilst for samples with TPAOH, the wavenumber have shifted from 1080 to 1095 cm^{-1} for 6 to 24 h of crystallization time (Fig. 2). Meanwhile, the wavenumber has shifted from 1083 to 1095 cm^{-1} with the increase of crystallization time from 6 to 24 h with TPABr+TPAOH as organic template. This finding shows that the Si/Al ratio increases as crystallization time increase. In other words, the amount of Si increases in the sample with the high asymmetric stretching wavenumber. This implies the rich silica ZSM-5 was obtained after 24 h of crystallization period for TPABr, at 18 h for TPAOH, and at 12 h for TPABr + TPAOH templates.

Dissolution and transformation of kaolin to ZSM-5

We used the percentage of solid yield relative to the amount of kaolin used in the reaction to give an idea into the crystallization process. Fig. 3 indicates the correlation between the solid yield (wt%) and the crystallization time of the synthesis. The amounts of initial solid products were around 12 - 6% indicating the dissolution of kaolin is not affected by the presence of organic template. XRD analysis of the solid samples showed that without organic template, the kaolin was transformed into amorphous silica within the first 6 h of the hydrothermal reaction.

In the presence of organic template, the reaction achieved optimum yield at around 12-18 h of reaction. Note that the amount of solid product obtained after 6 h of reaction is consists of amorphous silica and the transformation to ZSM-5 only occurred at 12 h or reactions apart from the reaction with a mixture of TPAOH and TPABr. Crystalline phases in different crystallization time and templates were summarized in Table 2. Since there is no decrease in the amount of solid product between 6-12 h of reaction, we can suggest that the transformation of kaolin to ZSM-5 proceed via amorphous silica intermediate which later re-arranged in the presence

of organic template to form ZSM-5 framework. Extending the hydrothermal treatment up to 24 h, do not significantly improve the amount of solid yield obtained.




Fig. 3 The amount of solid product relative to different hydrothermal time




Fig. 4 Relative crystallinity of kaolin (a) and ZSM-5 (b) with different crystallization times

The XRD pattern of kaolin and ZSM-5 were used to understand the dissolution of kaolin and the formation of ZSM-5 under hydrothermal condition. Fig. 4 shows the relative crystallinity of kaolin and ZSM-5 calculated from the intensity of the diffraction peak of kaolin at $\sim 24.8^\circ$ (Fig. 4a for K-Br, K-OH, and K-Br+OH) and ZSM-5 at $\sim 23.11^\circ$ (Fig. 4b with different form of TPA template for Br, OH, and Br+OH). The dissolution of kaolin into amorphous silica is important step for ZSM-5 formation. The use of TPAOH and TPABr as a structure-directing agent is a common method for synthesizing ZSM-5, however the presence of OH⁻ anion on TPAOH influence the pH of the reaction mixture. The pH of the reaction

mixture using TPAOH was 12 which are relatively higher than the mixture of TPABr and TPAOH, 11.6 and TPABr, 11. The presence of extra OH⁻ anion in TPAOH changes the OH/Al₂O₃ ratios of the mixture from 10 to 5. The significant of the difference in the OH concentration of the solution can be seen by the amount of solid powder remain at the initial time of the reaction.

We observed the rate of kaolin dissolution differ for each reactions with the rate is in the order of TPAOH+TPABr > TPAOH > TPABr. The OH⁻ anion dissolves kaolin into siliceous gel and subsequently transform into a liquid presumably in the form of H₂SiO₃ or H₄SiO₄ (Pan *et al.*, 2014). The hydrated sodium ion favors the formation of 5-1 secondary building units that formed by tetrahedral (AlO₄)⁻⁵ and (SiO₄)⁻⁴ units linked through shared oxygen atoms, which is necessary for nucleation and crystallization of ZSM-5 (Pan *et al.*, 2014). The dissolution of kaolin into amorphous silica is importance to initiate ZSM-5-formation. When TPABr and TPAOH mixture were used as organic template, a high rate of kaolin dissolution were observed which subsequently initiates ZSM-5 nucleation at 6 h of reaction. In contrast the reaction using TPAOH and TPABr respectively only produce ZSM-5 at 12 h of reaction.

SEM EDX

Scanning electron microscopy (Fig. 5) and EDX analysis (Table 3) were employed to investigate the morphology and chemical composition of kaolin and synthesized ZSM-5. The kaolin and ZSM-5

have different crystal morphology as kaolin appeared as random plate shaped structure (Fig. 5a). ZSM-5 synthesis using TPABr organic template after 12 h of crystallization shows aggregated with spherical shape and rough surface as shown in Fig 5b. The ratio of Si/Al calculated from the EDX data is ~ 7.29 and the size of crystal is ~ 1-2 μm. Extending the crystallization period up to 24 h shows large spherical crystallite which reveal the agglomerated of ZSM-5 and analcime with the size of ~ 2-3 μm (Fig. 5c-e). The EDX analysis of this crystallite (Fig. 5d) reveals the ratio of Si/Al is ~2.5, which is corresponded to the chemical composition of analcime crystalline phase as reported by Park *et al.*, (2012). This is in agreement with the XRD analysis that shows the transformation of ZSM-5 to analcime at 24 h.

Fig. 5f shows the SEM image of ZSM-5 using TPAOH after 12 h of hydrothermal synthesis. The spherical aggregated crystallite forms with the size in the range of 0.5 - 1.0 μm. The Si/Al ratio of the sample calculated on the basis of EDX data showed that Si/Al ratio is ~ 5.69. Fig 5g-h showed the morphology of ZSM-5 using a mixture of TPABr and TPAOH organic template after 12 h of crystallization. The crystallites are consisted of spherical aggregates with the size around 1 μm. The Si/Al ratio of these shaped were 5.84 corresponded to the ZSM-5 (Fig. 5g). The synthesized ZSM-5 morphology also consists of a large hexagonal shaped crystallite ~10 μm with the Si/Al ratio of 2.41 (Fig. 5h). This relatively large crystallite size and low Si/Al ratio are indicative of analcime crystal structure (English, 2011).




Fig. 5 SEM image of (a) kaolin; and ZSM-5 using TPABr at (b) 12 h; (c-e) 24 h; (f) using TPAOH at 12 h; (g-h) using TPAOH and TPABr at 12 h

Table 3 EDX analysis was employed to investigate the chemical composition of kaolin and synthesized ZSM-5

Sample	Chemical composition (wt%)					
	Si	Al	Na	O	K	Si/Al*
Kaolin	12.59	15.88	-	71.24	0.29	0.79
Br-12h	26.33	3.61	3.27	66.78	-	7.29
Br-24h	14.48	6.59	8.20	68.48	-	2.50
OH-12h	12.80	2.25	2.44	82.50	-	5.69
Br+OH 12h (ZSM-5)	5.31	0.91	1.63	92.15	-	5.84
Br+OH12h (Analcime)	6.41	2.66	3.44	87.48	-	2.41
Br+OH 24h	16.48	10.32	8.20	68.73	-	2.50

*The molar ratio of Si/Al in sample

CONCLUSION

Parameters such as silica precursor, structure-directing agent, basicity of the reaction mixture and crystallization period are crucially important for zeolite synthesis. We found that kaolin can be used as alternative silica and alumina precursor for ZSM-5 synthesis without prior pre-treatment. The transformation of kaolin to ZSM-5 proceeded via dissolution of kaolin to amorphous silica. The use of organic template is important to initiate ZSM-5 framework formation and we observed a synergistic influence of TPAOH and TPABr mixture to accelerate the nucleation of ZSM-5.

ACKNOWLEDGEMENT

Financial support from the Ministry of Research and Higher Education (under "PUPT" research grant No. 003246.18/IT2.11/PN.08/2015) is gratefully acknowledged.

REFERENCES

- [1] D. J. Kim, H. S. Chung, *Appl. Clay Sci.* 24 (2003) 69–77.
- [2] P. Wang, B. Shen, D. Shen, T. Peng, J. Gao. *Catal. Commun.* 8 (2007) 1452–1456.
- [3] D. Prasetyoko, N. Ayunanda, H. Fansuri, D. Hartanto, Z. Ramli, *J. Math. Fund. Sci.* 44 (2012) 250-262.
- [4] H. Tanaka and A. Fujii, *Powder Technol.* 20 (2009) 473–479.
- [5] H. Feng, C. Li, H. Shan, *Appl. Clay Sci.* 42 (2009) 439–445.
- [6] F. Pan, X. Lu, Y. Wang, S. Chen, T. Wang, Y. Yan, *Microporous Mesoporous Mater.* 184 (2014) 134–140.
- [7] M. Alkan, C. Hopa, Z. Yilmaz, H. Guler, *Microporous Mesoporous Mater.* 86 (2005) 176-184.
- [8] E. B. G. Johnson and S.E. Arshad, *Appl. Clay Sci.* 97–98 (2014) 215–221.
- [9] V. P. Shiralkar and A. Clearfield, *Zeolites* 9 (1989) 363-370.
- [10] K. Byrappa and M. Yoshimura, *Handbook of Hydrothermal Technology*, USA: Noyes Publications, (2013).
- [11] R. Karimi, B. Bayati, N. C. Aghdam, M. Ejtemaee, A. A. Babaluo, *Powder Technol.* 229 (2012) 229-236.
- [12] I. Qoniah, D. Prasetyoko, H. Bahruji, S. Triwahyono, A. A. Jalil, Suprpto, Hartati, T. E. Purbaningtiyas, *Appl. Clay Sci.* 118 (2015) 290-294.
- [13] M. M. J. Treacy, J. B. Higgins, R. Von Ballom, *Collection of simulated XRD powder patterns for zeolite* (4th edition), Amsterdam: Elsevier (2001).
- [14] S. H. Park, C. H. Chung, G. Seo, *Microporous Mesoporous Mater.* 155 (2012) 201–207.
- [15] C. A. Rios, C. D. Williams, M. A. Fullen, *Appl. Clay Sci.* 42 (2009) 446-454.
- [16] C. E. A. Kirschhock, R. Ravishankar, F. Verspeurt, P. J. Grobet, P. A. Jacobs, J. A. Martens, *J. Phys. Chem.* 103 (1999) 4965-4971.
- [17] J. Wang, X. L. Wu, J. X. Wang, C. Z. Liu, Y. M. Lai, Z. K. Hong, *Microporous Mesoporous Mater.* 155 (2012) 186-191.
- [18] F. Hui, C. Yan-hong, L. Chun-yi, S. Hong-hong, *J. Fuel Chem. Technol.* 36 (2008) 144-150.
- [19] J. R. Sohn, S. J. DeCanio, J. H. Lunsford, *Zeolites* 6 (1986) 225-227.
- [20] P. M. English, *Sedimentary Geology* 143 (2011) 219-244.