

References

- Abbas, Q., & Qari, R. (2010). Chemical composition of seaweeds after the oil spill by tasman spirit at the coast of Karachi, Arabian sea, Pakistan. *Journal of Environmental Research and Development*, 5(1), 106-116.
- Abbott, W. . (1925) ‘A Method of Computing the Effectiveness of an Insecticide’, *Journal of Economic Entomology*, 18(2), pp. 265–267.
- Agbor, G. A., Vinson, J.A., & Donnell, P.E. (2014). “Folin-Ciocalteau Reagent for Polyphenolic Assay. *International Journal of Food Science, Nutrition and Dietetics (IJFS) ISSN 2326-3350*, 1-10.
- Agostini-costa, T. S., Vieira, R. F., Silveira, D., & Gimenes, M. A. (2012). Secondary Metabolites. *Embrapa Genetic Resources and Biotechnology, Brasília 2Embrapa Food Technology, Rio de Janeiro, 3Health Sciences Quality, University of Brasilia, Brasília, Brazil*, 131-164.
- Agustini, T. W., Suzery, M., Sutrisnanto, D., Ma'ruf, W. F., & Hadiyanto. (2015). Comparative Study of Bioactive Substances Extracted from Fresh and Dried Spirulina sp. *Procedia Environmental Sciences*, 23, 282–289.
- Ahmed, Q., Ali, Q.M ., Bat , L ., & Ghory , F. S. (2017). Concentration of heavy metals in red, brown, and green algae collection from the Karachi coast of Pakistan. *Pakistan Journal of Marine Sciences*, 26(1&2), 57-65.
- Alencar, D. B. D., Silva, S. R. D., Pires-cavalcante, K. M. S., Lima, R. L. D., Pereira junior, F. N., Sousa, M. B. D., Viana, F. A., Nagano, C. S., Nascimento, K. S. D., Cavada, B. S., Sampaio, A. H., & Saker-sampaio, S. (2014). *Antioxidant potential and cytotoxic activity of two red seaweed species, Amansia multifida and Meristiella echinocarpa, from the coast of Northeastern Brazil. Anais Da Academia Brasileira de Ciências*, 86(1), 251–263.
- Ali, H., Khan, E., & Ilahi, I. (2019). Environmental Chemistry and Ecotoxicology of HazardousHeavy Metals: Environmental Persistence, Toxicity, and Bioaccumulation. *Hindawi Journal of Chemistry*, 1-14.
- Almeida, P.A., T.M.S. Silva & A. Echevarria. 2002. Mesoionic 5-alkyl-1, 3-dithiolium-4-thiolates: Synthesis and brine shrimp toxicity. *Heterocycle Comm.*, 8: 593-600.
- Amer, M. M., Sabry, B. A., Marrez, D. A., Hathout, A. S., & Fouzy, A. S. M. (2019). Exposure Assessment of Heavy Metal Residues in Some Egyptian Fruits. *Toxicology Reports* , 6, 538-43.

- Amsler, C. D., & Fairhead, V. A. (2006). Defensive and sensory chemical ecology of brown algae. *Advances in Botanical Research*, 43, 1–91.
- Ara, J., V. Sultana, S. Ehteshamul-Haque, R. Qasim & V.U. Ahmad. 1999. Cytotoxic Activity of marine macro-algae on *Artemia salina* (Brine shrimp). *Phytother. Res.*, 13: 304-307.
- Arıcı, E ., & Bat, L. (2016). Using Marine Macroalgae as Biomonitor: Heavy Metal Pollution along the Turkish West Coasts of the Black Sea. 238.
- Ashok, P. K., & Upadhyaya, K.(2012). Tannin are Astringent. *Journal of Pharmacognosy and Phytochemistry* , 1(3), 45-50.
- Awouafack, M. D., Tane, P., & Morita, H. (2017). Isolation and Structure Characterization of Flavonoids. *World's Largest Science, Technology and Medicine Open Access Book Publisher*, 45-59.
- Balasaheb, S. N & Pal, P. (2015). Free radicals, natural antioxidants, and their reaction mechanisms. *RSC Advances*, 5, 27986–28006.
- Benavides, J., Heredia, B., Cisneros-Zevallos, L & Sanchez-Rangel, J. C. (2013). The Folin-Ciocalteu Assay Revisited: Improvement of its specificity for total phenolic content determination. *Analytical Methods* , 5, 5990-99.
- Blainski, A., Lopes, G., & de Mello, J. (2013). Application and Analysis of the Folin Ciocalteu Method for the Determination of the Total Phenolic Content from Limonium Brasiliense L. *Molecules*, 18(6), 6852–6865.
- Bunaci, A. A., Aboul-Enein, H. Y., & Fleschin, S. (2012). FTIR Spectrophotometric Methods Used for Antioxidant Activity Assay in Medicinal Plants. *Applied Spectroscopy Reviews*, 47(4), 245–255.
- Buhani, S., & Sumadi. (2010). Immobilization of *Sargassum duplicatum* Supported Silica Gel Matrix and its Application on Adsorption-Desorption of Cu (II), Cd (II) and Pb (II) Ions. *Desalination* ,263 ,64–69.
- Chen, Q., Pan, X.-D., Huang, B.-F., & Han, J.-L. (2018). Distribution of metals and metalloids in dried seaweeds and health risk to population in southeastern China. *Scientific Reports*, 8(1), 1-7.
- Compounds, Organic. (2006). “Spectroscopy of Organic Compounds. 1-36.

- Contreras-Porcia, L., Meynard, A., López-Cristoffanini, C., Latorre, N., & Kumar, M. (2017). Marine Metal Pollution and Effects on Seaweed Species. *Systems Biology of Marine Ecosystems*, 35–48.
- Duan, X.-J., Zhang, W.-W., Li, X.-M., & Wang, B.-G. (2006). Evaluation of antioxidant property of extract and fractions obtained from a red alga, *Polysiphonia urceolata*. *Food Chemistry*, 95(1), 37–43.
- Dawczynski, C., Schubert, R., & Jahreis, G. (2007). Amino Acids, Fatty Acids, and Dietary Fiber in Edible Seaweed Products. . *Food Chemistry*, 103(3), 891–899.
- Eom, S.-H., Kim, D.-H., Lee, S.-H., Yoon, N.-Y., Kim, J. H., Kim, T. H., Chung, Y.-H., Kim, S.-B., Kim, Y.-H., Kim, H.-W., Lee M.-S., & Kim, Y.-M. (2012). In VitroAntibacterial Activity and Synergistic Antibiotic Effects of Phlorotannins Isolated from *Eisenia bicyclis* Against Methicillin-Resistant *Staphylococcus aureus*. *Phytotherapy Research*, 27(8), 1260–1264.
- Flora, S. J. S. (2009). Structural, Chemical and Biological Aspects of Antioxidants for Strategies Against Metal and Metalloid Exposure. *Oxidative Medicine and Cellular Longevity*, 2(4), 191–206.
- Garcia, R., & Baez, A.P. (2012). Atomic Absorption Spectrometry (AAS). *Centro de Ciencias de la Atmósfera, Universidad Nacional Autónoma de México, Ciudad Universitaria, Mexico City Mexico*, 1-14.
- Ganesan, P., Kumar, C. S., & Bhaskar, N. (2008). Antioxidant properties of methanol extract and its solvent fractions obtained from selected Indian red seaweeds. *Bioresource Technology*, 99(8), 2717–2723.
- Ghosh, D. (2015). Tannin from Foods to Combat Diseases. *International Journal of Pharma Research & Review*, 4(5), 40-44.
- Goleniowski, M., Bonfill, M., Cusido, R., & Palazón, J. (2013). Phenolic Acids. *Natural Products*, 1951–1973.
- Guiry M.D. & Guiry G.M. (2011). AlgaeBase. World-wide electronic publication, National University of Ireland, Galway. Retrieved from: http://www.algaebase.org/search/genus/detail/genus_id=33699&session=abv4:CA0C49640a 8020C379hyXhi321D1.
- Gupta, S., & Abu-Ghannam, N. (2011). Bioactive potential and possible health effects of edible brown seaweeds. *Trends in Food Science & Technology*,

- Harborne, A. J.(1998). Phytochemical Methods A Guide to Modern Techniques of Plants Analysis. *Plant Physiology*, 3 (11), 302-815.
- Halliwell, B. (1999). Antioxidant defense mechanisms: From the beginning to the end (of the beginning). *Free Radical Research*, 31(4), 261–272.
- Held, P. (2015). An Introduction to Reactive Oxygen Species Measurement of ROS in Cells. *BioTek Instruments, Inc*, 1-21.
- Hossain, M. K., Dayem, A.A., Han, J., Yingfu, Y., Kim , K., Saha, S.K., Yang, G. H., Choi, H.Y., & Cho, S.-G. (2016). Molecular Mechanisms of the Anti-Obesity and Anti-Diabetic Properties of Flavonoids. *International Journal of Molecular Sciences*, 17(4), 569.
- Holdt, S. L., & Kraan, S. (2011). Bioactive compounds in seaweed: functional food applications and legislation. *Journal of Applied Phycology*, 23(3), 543–597.
- Huang, H.-L., & Wang, B.-G. (2004). Antioxidant Capacity and Lipophilic Content of Seaweeds Collected from the Qingdao Coastline. *Journal of Agricultural and Food Chemistry*, 52(16), 4993–4997.
- Jarup, L. (2003). Hazards of heavy metal contamination. *British Medical Bulletin*, 68(1), 167–182.
- Jiménez-Escrig, A., Jiménez-Jiménez, I., Pulido, R., & Saura-Calixto, F. (2001). Antioxidant activity of fresh and processed edible seaweeds. *Journal of the Science of Food and Agriculture*, 81(5), 530–534.
- Johnson, M., Kanimozhi, S. A., Joy Jeba Malar, T. R., Shibila, T., Freitas, P. R., Tintino, S. R., Menezesb, I.R.A, Coutinho, da Costab, & J.GM, H. D. M. (2019). The antioxidative effects of bioactive products from *Sargassum polycystum* C. Agardh and *Sargassum duplicatum* J. Agardh against inflammation and other pathological issues. *Complementary Therapies in Medicine*, 46, 19–23.
- Jormalainen, V., & Honkanen, T. (2004). Variation in natural selection for growth and phlorotannins in the brown alga *Fucus vesiculosus*. *Journal of Evolutionary Biology*, 17(4), 807–820.
- Jothinayagi, N, & Anbazhagan, C. (2009). Heavy Metal Monitoring of Rameswaram Coast by Some *Sargassum* Species. *American-Eurasian Journal of Scientific Research* ,4 (2),73-80.

- Kadam, S. U., Álvarez, C., Tiwari, B. K., & O'Donnell, C. P. (2015). Extraction of biomolecules from seaweeds. *Seaweed Sustainability*, 243–269.
- Kamala-Kannan, S., Prabhu Dass Batvari, B., Lee, K. J., Kannan, N., Krishnamoorthy, R., Shanthi, K., & Jayaprakash, M. (2008). Assessment of heavy metals (Cd, Cr and Pb) in water, sediment and seaweed (*Ulva lactuca*) in the Pulicat Lake, South East India. *Chemosphere*, 71(7), 1233–1240.
- Kanimozhi, A.S., M Johnson., & T, R. J. J. M.(2015). Phytochemical Composition of Sargassum polycystum C. Agardh and Sargassum Duplicatum J. Agardh. International Journal of Pharmacy and Pharmaceutical Sciences, 7(8), 393-397.
- Karthick, P., Siva Sankar, R., Kaviarasan, T., & Mohanraju, R. (2012). Ecological implications of trace metals in seaweeds: Bio-indication potential for metal contamination in Wandoor, South Andaman Island. *The Egyptian Journal of Aquatic Research*, 38(4), 227–231.
- Khairy, H. M., & El-Sheikh, M. A. (2015). Antioxidant activity and mineral composition of three Mediterranean common seaweeds from Abu-Qir Bay, Egypt. *Saudi Journal of Biological Sciences*, 22(5), 623–630.
- Khanbabae, K., & Ree, T.V. (2001). Tannins: Classification and Definition. *Natural Product*, 18, 641–649.
- Khaled, A., Hessein, A., Abdel-Halim, A. M., & Morsy, F. M. (2014). Distribution of heavy metals in seaweeds collected along Marsa-Matrouh beaches, Egyptian Mediterranean Sea. *The Egyptian Journal of Aquatic Research*, 40(4), 363–371.
- Koivikko,R. (2008). Brown Algal Phlorotannins. 1-61.
- Li, Y.-X., Wijesekara, I., Li, Y., & Kim, S.-K. (2011). Phlorotannins as bioactive agents from brown algae. *Process Biochemistry*, 46(12), 2219–2224.
- Liu, C., Chen, C., Ma, H., Yuan, E., & Li, Q. (2014). Characterization and DPPH Radical Scavenging Activity of Gallic Acid-Lecithin Complex. *Tropical Journal of Pharmaceutical Research*, 13(8), 1333.
- Maharana, D., Jena, K., Pise, N. M., & Jagtap, T. G. (2010). Assessment of oxidative stress indices in a marine macro brown alga *Padina tetrastromatica* (Hauck) from comparable polluted coastal regions of the Arabian Sea, west coast of India. *Journal of Environmental Sciences*, 22(9), 1413–1417.

- Manilal, A., Sujith, S., Kiran, G.S., Selvin, J., Shakir, C., Gandhimathi, R., & Panikkar, M.V.N.(2009a). Bio-potentials of seaweeds collected from Southwest coast of India. *J. Mar. Sci. & Technol.*, 17: 67-73.
- Manilal, A., Sujith, S., Kiran, G.S., Selvin, J. & Shikar, C. (2009b). Cytotoxic potentials of red alga, *Laurencia brandenii* collected from the Indian Coast. *Global J. Pharmacol.*, 3: 90-94.
- Marimuthu, J., @Antonisamy, Essakimuthu, P., Narayanan, J., Anantham, B., Tharmaraj, R. J. J. M., & Arumugam, S. (2012). Phytochemical characterization of brown seaweed *Sargassum wightii*. *Asian Pacific Journal of Tropical Disease*, 2, S109–S113.
- Marnett, L. J. (2000). Oxyradicals and DNA damage. *Carcinogenesis*, 21(3), 361–370.
- MatÉs, J. M., Pérez-Gómez, C., & De Castro, I. N. (1999). Antioxidant enzymes and human diseases. *Clinical Biochemistry*, 32(8), 595–603.
- McLaughlin, J.L., Chang, C. & Smith, D.L. (1993). Simple bench-top bioassays (brine-shrimp and potato discs) for the discovery of plant antitumour compounds. In: *Human Medicinal Agents from Plants*. (Eds.): A.D. Kinghorn & M.F. Balandrin. Washington DC: American Chemical Society, pp. 112-137.
- Melph. Y, Manchu. N & James .J.E. (2014).Phytochemical evaluation of two brown seaweeds from Muttom and Rasthacaud coasts of Tamil Nadu, India. *Journal of Chemical and Pharmaceutical Research*, 6(10), 566-569.
- Meyer, B. N. et al. (1982) ‘Brine Shrimp : A Convenient General Bioassay for Active Plant Constituents’, *Planta Medica*, 45(5), pp. 31–34.
- Moon, J.-K., & Shibamoto, T. (2009). Antioxidant Assays for Plant and Food Components. *Journal of Agricultural and Food Chemistry*, 57(5), 1655–1666.
- Muse, J. O., Stripeikis, J. D., Fernández, F.M., Huicque, L., Tudino, M. B., Carducci, C.N., & Troccoli, O.E . (1999). Seaweeds in the assessment of heavy metal pollution in the Gulf San Jorg. Argentina. *Environmental Pollution*, 104(2), 315–322.
- Nies, D. H. (1999). Microbial heavy-metal resistance. *Applied Microbiology and Biotechnology*, 51(6), 730–750.
- Nimse. S.B & Pa.D.(2015).Free radicals, natural antioxidants, and their reaction mechanisms. *Royal Society of Chemistry*.(5), 27986–28006.

- Panche, A.N., Diwan, A.Dand Chandra, S.R.(2017). Flavonoids: an overview. *Journal of Nutritional Science*, 5(47), 1-15.
- Pádua, D., Rocha, E., Gargiulo, D., & Ramotus, A. A. (2015). Bioactive compounds from brown seaweeds: Phloroglucinol, fucoxanthin and fucoidan as promising therapeutic agents against breast cancer. *Phytochemistry Letters*, 14, 91–98.
- Pakidi, C. S., & Suwoyo,H.S. (2016). Potential and Utilization of Bioactive compounds from Brown Seaweeds. 5(2), 488-498.
- Paulasamy, S., S, J., & Karthika, K. (2012). Screening of in Vitro Antioxidant Activity of Methanolic Leaf and Root Extracts of Hypochaeris Radicata L. (Asteraceae). *Journal of Applied Pharmaceutical Science* , 2(7), 149-54.
- Phaniendra, A., Jestadi, D. B., & Periyasamy, L. (2014). Free Radicals: Properties, Sources, Targets, and Their Implication in Various Diseases. *Indian Journal of Clinical Biochemistry*, 30(1), 11–26.
- Ponnanikajamideen, M., Malini, M., Malarkodi, C., & Rajeshkumar, S. 2014. Bioactivity and Phytochemical Constituents of Marine Brown Seaweed (*Padina tetrastromaatica*) Extract from Various Organic Solvents. *International Journal of Pharmacy and Therapeutics*, 5(2), 108-112.
- Qari, R. (2017). Heavy Metals Concentrations in Brown Seaweed *Padina pavonia* (L) and *P.tetrastromatica* at Different Beaches of Karachi Coast. *Indian Journal of Geo-Marine Sciences*, 44(8), 1200-1206.
- Rice-evans, C. A., Miller, N. J., Bolwell, P. G., Bramley, P. M., & Pridham, J. B. (1995). *The Relative Antioxidant Activities of Plant-Derived Polyphenolic Flavonoids*. *Free Radical Research*, 22(4), 375–383.
- Rizzo, A. M., Berselli , P., Zava, S., Montorfano, G., Negroni, M., Corsetto, P., & Berra., B.(2010). Endogenous Antioxidants and Radical Scavengers. *Bio-Farms for Nutraceuticals: Functional Food and Safety Control by Biosensors* , 52-66.
- Robbins, R. J. (2003). Phenolic Acids in Foods: An Overview of Analytical Methodology. *Journal of Agricultural and Food Chemistry*, 51(10), 2866–2887.
- Rodrigo, R., & Bosco, C. (2006). Oxidative stress and protective effects of polyphenols: Comparative studies in human and rodent kidney. A review. *Comparative Biochemistry and Physiology Part C: Toxicology & Pharmacology*, 142(3-4), 317–327.

- Roleda, M. Y., Marfaing, H., Desnica, N., Jónsdóttir, R., Skjermo, J., Rebours, C., & Nitschke, U. (2019). Variations in polyphenol and heavy metal contents of wild-harvested and cultivated seaweed bulk biomass: Health risk assessment and implication for food applications. *Food Control*, 95, 121–134.
- Roohinejad, S., Koubaa, M., Barba, F. J., Saljoughian, S., Amid, M., & Greiner, R. (2017). Application of seaweeds to develop new food products with enhanced shelf-life, quality and health-related beneficial properties. *Food Research International*, (99), 1066–1083.
- Sathya. R., N Kanaga., P Sankar., & S Jeeva. (2017). Antioxidant Properties of Phlorotannins from Brown Seaweed *Cystoseira Trinodis C. Agardh* (Forsska). *Arabian Journal of Chemistry* 10, S2608–S2614.
- Schmidt, R., P. Zajkowski & J. Wink. 1995. Toxicity of *Fusarium sambucinum* Fuckel sensu lato to brine shrimp. *Mycopathologia*, 129: 173-175.
- Selvin, J & Lipton, A P (2004) Biopotentials of *Ulva fasciata* and *Hypnea musciformis* collected from the peninsular coast of India. *Journal of Marine Science and Technology*, 12 (1).
- Shah, R. S., Shah, R. R., Pawar, R. B, & Rajarambapu, P. P. G. (2015). Uv-Visible Spectroscopy - A Review. *International Journal of Institutional Pharmacy and Life Sciences*, 5(5), 2249-6807.
- Silva, T.M.S., Nascimento, R.J.B., Batista, M.M., Agra, M.F. & Camara, C.A. 2007. Brine shrimpbioassay of some species of *Solanum* from Northeastern Brazil. *Brazil J. Pharmacol.*, 17: 35-38.
- Stadtman, E. R., & Levine, R. L. (2000). Protein Oxidation. *Annals New York Academy of Science*, 899,191-208.
- Synytsya, A., W.J. Kim, S.M. Kim, R. Pohl, A. Synytsya, F. Kvasnicka, J. Copikova & Y. Park.2010. Structure and antitumor activity of fucoidan isolated from sporophyll of Korean brown seaweed *Undaria pinnatifida*. *Carbohydrate Polymers*, 81: 41-48.
- Tang, H.F., Y. Yang-Hua, X.S. Yao, Q.Z. Xu, S.Y. Zhang & H.W. Lin. 2002. Bioactive steroidsfrom the brown alga *Sargassum carpophyllum*. *J. Asian Nat. Prod. Res.*, 4(2): 95-105.

- Tchounwou, P. B., Yedjou, C. G., Patlolla, A. K., & Sutton, D. J. (2012). Heavy Metal Toxicity and the Environment. *Molecular, Clinical and Environmental Toxicology*, 101, 133–164.
- Tierney, M. S., Soler-Vila, A., Rai, D. K., Croft, A. K., Brunton, N. P., & Smyth, T. J. (2013). UPLC-MS profiling of low molecular weight phlorotannin polymers in *Ascophyllum nodosum*, *Pelvetia canaliculata* and *Fucus spiralis*. *Metabolomics*, 10(3), 524–535.
- Tiwari, R., & Rana, C. S. (2015). Plants Secondary Metabolites: A Review. *International Journal of Engineering Research and General Science*, 3(5), 661-70.
- Tsao, R. (2010). Chemistry and Biochemistry of Dietary Polyphenols. *Nutrients*, 2(12), 1231–1246.
- Usoltseva, R. V., Anastyuk, S. D., Ishina, I. A., Isakov, V. V., Zvyagintseva, T. N., Thinh, P. D., Zadorozhny, P. A., Dmitrenok, P. S., & Ermakova, S. P. (2018). Structural characteristics and anticancer activity in vitro of fucoidan from brown alga *Padina boryana*. *Carbohydrate Polymers*, 184, 260–268.
- Vairappan, C. S., Daitoh, M., Suzuki, M., Abe, T., & Masuda, M. (2001). Antibacterial halogenated metabolites from the Malaysian *Laurencia* species. *Phytochemistry*, 58(2), 291–297.
- Vicente, A. R., Manganaris, G. A., Sozzi, G.O., & Crisoto, C. H. (2009). Nutritional Quality of Fruits and Vegetables. Second Edition. *Postharvest Handling: A Systems Approach*, 57-106.
- Vinayak, R.C., A.S. Sabu and A. Chatterji. 2010. Bioprospecting of a few brown seaweed for their cytotoxic and antioxidant activities. *eCAM*, 1-9.
- Wang, S.-L., Xu, X.-R., Sun, Y.-X., Liu, J.-L., & Li, H.-B. (2013). Heavy metal pollution in coastal areas of South China: A review. *Marine Pollution Bulletin*, 76(1-2), 7–15.
- Wijesingher, W. A. J. P., and Jeon, Y.-J. (2011). Biological activities and potential cosmeceutical applications of bioactive components from brown seaweeds: a review. *Phytochemistry Reviews*, 10(3), 431–443.
- Wijesingher, W A J P and Jeon, Y-J. 2012. Enzyme-assistant extraction (EAE) of bioactive components: a useful approach for recovery of industrially important metabolites from seaweeds: a review. *Fitoterapia* 83: 6-12.

Yamaguchi, T., Takamura, H., Matoba, T., and Terao, J. (1998). HPLC Method for Evaluation of the Free Radical Scavenging Activity of Foods by Using 1,1-Diphenyl-2-Picrylhydrazyl. *Bioscience, Biotechnology, and Biochemistry*, 62(6), 1201-1204.

Yang, C. S., Landau, J. M., Huang, M.-T., and Newmark, H. L. (2001). . Inhibition of Carcinogenesis by Dietary. *Annual Review of Nutrition*, 21(1), 381–406.

Yla-Herttula, S. (1999). Oxidized LDL and Atherogenesis. *Annals of the New York Academy of Sciences*, 874 (1 Heart in stre), 134-137.