

DAFTAR PUSTAKA

- Aday, A. and Andersen, R. (1974) ‘A Framework for the Study of Access to Medical Care’, *Health Service Research*, pp. 208–220.
- Adejoh, S. O. (2014) ‘Diabetes Knowledge , Health Belief , and Diabetes Management Among the Igala , Nigeria’, *Sage Journal*, pp. 1–8. doi: 10.1177/2158244014539966.
- Ahmad,Fachrudin Ali., 2012.Analisis Penggunaan Jamu Untuk Pengobatan Pada Pasien Di Klinik Saintifikasi Jamu Hortus Medicue Tawangmangu Tahun 2012.Tesis.UniversitasIndonesia.Tersediadi<<http://lib.ui.ac.id>>[27Desember 2019].
- Albashtawy, M. and Shereen Hamadneh (2016) ‘The Health Belief Model ’ s Impacts on the Use of Complementary and Alternative Medicine by Parents or Guardians of Children with Cancer’, *Iran J Public Health*, 45.
- Aljamal A. (2010) Effects of bay leaves on blood glucose and lipid profiles on the patients with type 1 diabetes. International Scholarly and Scientific & Innovation, 9(4): pp.194-7.
- Alqathama, A., Alluhiabi, G., Baghdadi, H., Aljahani, L., Khan, O., Jabal, S.,Makkawi, S., Alhooud, F.,(2020) ‘Herbal Medicine From The Perspective of Type II Diabetic Patients and Physicians : What is The Relationship ?’ *BMC Complementary Medicine and Therapies Journal*, 4: pp. 1–9. doi: <https://doi.org/10.1186/s12906-020-2854-4>.
- Badan Pengawas Obat dan Makanan RI. 2007. *Salam, Serial Tanaman Obat*. Jakarta: Badan Pengawas Obat dan Makanan RI.
- Badan Pengawas Obat dan Makanan Republik Indonesia (BPOM RI). 2008.*Informasi Obat Nasional Indonesia (IONI)*. Jakarta: BPOM RI, KOPER POM dan CV Sagung Seto.
- Badan Pusat Statistik. *Persentase Penduduk yang Mempunyai Keluhan Kesehatan dan Penggunaan Obat menurut Provinsi dan Jenis Kelamin, 2009-2014*. Tersedia di <<https://www.bps.go.id/>>. [15 April 2020]
- Bandura, A. 1997. *Self Efficacy – The Exercise of Control (Fifth Printing,2002)*. New York: W.H. Freeman & Company.
- Basity, S. and Iravani, M. R. (2014) ‘Health Seeking Behavior of Diabetic Patients in Koohzar Village in Damghan city’, *Med Arh Journal*. 68(8): pp. 384–388. doi: 10.5455/medarh.2014.68.384-388.
- Bhowate, S., Gogtay, N. J. and Thatte, U. M. (2013) ‘Use of and satisfaction with

complementary and alternative medicine in four chronic diseases: A cross-sectional study from India', *The National Medical Journal Of India*.

Ching, S. M., Zakaria, Z.A., Paimin, F., Jalalian, M.,(2013) 'Complementary alternative medicine use among patients with type 2 diabetes mellitus in the primary care setting: a cross-sectional study in Malaysia', *BMC Complementary and Alternative Medicine*. BMC Complementary and Alternative Medicine, 13(1) : pp. 1–7. doi: 10.1186/1472-6882-13-148.

Darma, S. (2013) 'Complementary And Alternative Medicine (Cam): Fakta Atau Janji ?', *Idea Nursing Jurnal*, IV.

Damjanovic, I., Kitic, D., Stevanovic, N., Zlatcovic, S., Catic, A., Velicovic,R., (2015) 'Herbal Self-Medication Use In Patients with Diabetes Mellitus Type 2', *Turkish Journal Of Medical Sciences*, pp. 964–971. doi: 10.3906/sag-1410-60.

Dean, K., 1986, Lay Care in Illness. *Soc.Sci.Med*, 22,275-284.

Dinkes Surabaya. (2017) *Profil Kesehatan Kota Surabaya Tahun 2017*. Surabaya

Dinkes Surabaya.(2018) *Profil Kesehatan 2018*. Surabaya.

Direktorat Bina Farmasi Komunitas dan Klinik Direktorat Jenderal Bina Kefarmasian dan Alat Kesehatan (Ditjen Binfar & Alkes). 2005. *Pharmaceutical Care untuk Penyakit Diabetes Melitus*. Jakarta: Departemen Kesehatan Republik Indonesia.

Ezzati, M., Lopez, A.D., Rodgers, A., Hoorn, S.V., Murray, C.J.L.,(2002) 'Selected major risk factors and global and regional burden of disease', *The Lancet Jurnal*. 360 :pp. 1347–1360. doi: [https://doi.org/10.1016/S0140-6736\(02\)11403-6](https://doi.org/10.1016/S0140-6736(02)11403-6).

Farmalkes (2005) 'Pharmaceutical care untuk penyakit diabetes mellitus'. Direktorat Bina Farmasi Komunitas Dan Klinik.

Glanz, K., Rimwe, B.K., Viswanath, K. (2008) *Health Behavior and Health Education: Theory, Research, and practice*. San Fransisco. Jossey-Bass United States of America.

Hashempur, M. H., Heydari, M., Mosafat, S.M., Shams, M.,(2015) 'Complementary and alternative medicine use in Iranian patients with diabetes mellitus', *Journal Of Integrative Medicine*, 13(5) :pp. 319–325. doi: [http://dx.doi.org/10.1016/S2095-4964\(15\)60196-0](http://dx.doi.org/10.1016/S2095-4964(15)60196-0).

Huang, Y., Ogurtsova K., Fernandes., Shaw, J., Cho, N.H., (2015) 'IDF Diabetes Atlas estimates for the global diabetes prevalence of adults aged 18 to 99

years',

- Ismail (2015) 'Faktor Yang Mempengaruhi Keputusan Masyarakat Memilih Obat Tradisional Di Gamong Lam Ujong', *Ide Nursing Journal*, 4(1) : pp. 7–14.
- Jamal, A., Rasheed, Naji, I., 2010. Effects of Cinnamon (*Cassia zeylanicum*) on Diabetic Rats. *African Journal of Food Science*, 4(9) : pp.615-617.
- Jennifer, H. and Saptutyningsih, E. (2015) 'Preferensi Individu Terhadap Pengobatan Tradisional Di Indonesia', *Jurnal Ekonomi dan Studi Pembangunan*.
- Joeliantina, A. (2017) *Model Penggunaan Pengobatan Komplementer Herbal Berbasis Self-Care Pada Pasien Diabetes Melitus Tipe 2 Terhadap Regulasi Gula Darah*. Disertasi. Universitas Airlangga.
- Katzug, BG. (2010). *Farmakologi Dasar dan Klinik*. Indonesia. Penerbit Salemba Med
- Karaman, E., Erkin, O., Senman, S., Yildirim, Y.,(2018) 'The Use of Herbal Supplements by Individuals With Diabetes Mellitus', *J Pak Med Assoc*, 68(4) : pp. 1–9.
- Kerner, W. (2014) 'Definition , Classification and Diagnosis of DiabetesMellitus', pp. 384–386. doi: <http://dx.doi.org/10.1055/s-0034-1366278>.
- Keputusan Gubernur No. 188/665/KPTS/013/2018. Upah Minimum Kab/Kot. Jatim. Surabaya.
- Kemenkes RI, (2014). *Infodatin Pusat Data Dan Informasi Kementrian Kesehatan RI*. Jakarta Selatan.
- Kemenkes RI. (2018). *Laporan Nasional Riset Kesehatan Dasar*. Jakarta
- Kepmenkes No. 1076/MENKES/SK/VII/2003 tentang penyelengaraan pengobatan tradisional. Jakarta.
- Khan, A., Zaman, G., Anderson, RA. (2009) Bay Leaves Improve Glukose and Lipid Profile of People with Type 2 Diabetes, *J. Clin. Biochem. Nutr*, 44 (1) : pp.52-56.
- Leonita, E. and Muliani, A. (2015) 'Penggunaan Obat Tradisional oleh Penderita Diabetes Mellitus dan Faktor-faktor yang Berhubungan di Wilayah Kerja Puskesmas Rejosari Pekanbaru Tahun 2015, *Jurnal Kesehatan Komunitas*, 3(1):pp.1-6.
- Lui, C. W., Dower, J., Donald, M., Coll, J. R. (2012) 'Patterns and Determinants of Complementary and Alternative Medicine Practitioner Use among

- Adults with Diabetes in Queensland , Australia', pp. 1–7. doi: 10.1155/2012/659419.*
- Marwati, A. (2018) 'Pengaruh Budaya, Persepsi, dan Kepercayaan Terhadap Keputusan Pembelian Obat Herbal', pp. 168–180.
- Mohammed, R., (2011) 'Public Perceptions of the Role of Traditional Medicine in the Health Care Delivery System in Ghana', *Global Journal Of health Science*. 3(2): pp. 40–49. doi: 10.5539/gjhs.v3n2p40.
- Mohebi, S., Azadbakht, L., Feizi, A., Sharifirad, G., Kargar, M. (2013) Structural role of perceived benefits and barriers to self-care in patients with diabetes J Educ Health Promot. (2).
- Muzaffer Ilhan, Büşra Demir, Sena Yüksel,Serra Aydin Çataklı, Rabia Sevda Yıldız,Ozcan Karaman, E. T. (2016) 'The use of complementary medicine in patients with diabetes', *North Clin Istanbul Journal*, 3(1): pp. 34–38. doi: 10.14744/nci.2016.63825.
- N. Vishnu, G. K. M. and K. R. T. (2017) 'global health, epidemiology and genomics', *Global Health, Epidemiology and Genomics*, 2, pp. 1–7. doi: 10.1017/gheg.2017.6.
- Naja, F., Mousa, D., Alameddin, M., Shoaib, H., Itani, L., Mourad. Y.,(2014) 'Prevalence and correlates of complementary and alternative medicine use among diabetic patients in Beirut , Lebanon: a cross-sectional study', *BMC Complementary and Alternative Medicine*, pp. 1–11. doi: doi:10.1186/1472-6882-14-185.
- Nauviyah, N. A. (2018) 'Kajian Pelayanan Kefarmasian Dan Persepsi Pasien Dalam Penggunaan Fitofarmaka Dan Obat Tradisional Untuk Diabetes Melitus Tipe 2' *Jurnal Ilmiah Mahasiswa Universitas Surabaya*, 7(1): pp. 787–805.
- Niswah, C. (2014) 'Complementary Therapies Used Among Adult Patients with Type 2 Diabetes Mellitus in Aceh , Indonesia', *Journal Of Nursing*, pp. 671–687.
- Notoatmodjo, S. 2014. *Ilmu Perilaku Kesehatan*. Jakarta: Rineka Cipta.
- Pahandayani, P. (2014) 'Faktor-Faktor Yang Berhubungan Dengan Pemilihan Pengobatan Alternatif Jamu Pada Pasien Diabetes Melitus Di Rumah Riset Jamu Hortus Medicus Tawangmangu'. Artikel Ilmiah. Fakultas Ilmu Kesehatan Universitas Muhammadiyah Surakarta
- Permenkes RI. No 6 Tahun 2016 Tentang Formularium Obat Asli Herbal Indonesia.Jakarta

- Permenkes RI. No.1109/MENKES/PER/IX/2007 Tentang Penyelenggaraan Pengobatan Komplementer Alternatif Di Fasilitas Pelayanan kesehatan. Jakarta.
- Perkumpulan Endokrinologi Indonesia (2015) *Konsensus Pengelolaan Dan Pencegahan Diabetes Melitus Tipe 2 Di Indonesia 2015*. Jakarta.PB.Perkeni
- Puspaningtyas & Prasetyaningrum, Indah Yunita. (2014). *Variasi Favorit Infused Water berkhasiat*. Jakarta Selatan. FMedia (Imprint AgroMedia Pustaka).
- Ridwan, A., Astrian, RT., Barlian, A. (2012) Pengukuran Efek Antidiabetes Polifenol (Polyphenon 60) Berdasarkan Kadar Glukosa Darah dan Histologi Pankreas Mencit (Mus musculus L.) S. W. Jantan yang Dokondisikan Diabetes Mellitus , Jurnal Matematika & Sains, 17(2):pp. 78-82.
- Sukarmin, Riyadi. 2008. *Asuhan Keperawatan Pada Pasien dengan Gangguan Eksokrin & Endokrin pada Pankreas*. Yogyakarta : graha Ilmu
- Siti Sapardiyyah Santoso, Y. M. (2003) ‘Siti Sapardiyyah Santoso, Yulfira Media’, *Jurnal Ekologi Kesehatan*, 2.
- Smeltzer, & Bare. 2005 *Buku Ajar Keperawatan Medical Bedah Brunner & Suddart*. Edisi 8, Vol 1, alih bahasa: Kuncara Monica Ester. Jakarta: EGC.
- Supardi S, dan Susanty AL. (2010). Penggunaan obat tradisional dalam upaya pengobatan sendiri di Indonesia (Analisis Data Susenas Tahun 2007). Buletin Penelitian Kesehatan, 38(2): pp. 80-89.
- Susyadi (2016) ‘Perilaku Pencarian Pengobatan Penderita Penyakit Diabetes Melitus (Dm) Tipe II Kronis Di Kabupaten Pringsewu Tahun 2015’,*Jurnal Kebidanan*. 2(2): pp. 85–91.
- Tan, A. C. and Mak, J. C. S. (2015) ‘Complementary and alternative medicine in diabetes (CALMIND) – a prospective study’, 12(1), pp: 95–99. doi: 10.1515/jcim-2014-0038.
- Taufiqurrohman (2015) ‘Indonesian Bay Leaves As Antidiabetic For Type 2 Diabetes’, 4, pp. 101–108.
- Ukamaka, O. A., Roseline Aderemi, I. and Modupeola, A. A. (2018) ‘Herbal Medicine Use Among Type 2 Diabetes Mellitus Patients In Nigeria : Understanding The Magnitude and Predictors Of Use’, *International Journal Of Clinical Pharmacy*. doi: <https://doi.org/10.1007/s11096-018-0648-2>.

- Wahner-roedler, D. L., Vincent, A., Elkin, P.L., Loehrer, L., Cha, S., Bauer, B.A., (2006) ‘Physicians ’ Attitudes Toward Complementary and Alternative Medicine and Their Knowledge of Specific Therapies : A Survey at an Academic Medical Center’, *Journal Hindawi*, 3: pp. 495–501. doi: 10.1093/ecam/nel036.
- WHO,2020,*Diabetes*,<<https://www.who.int/news-room/fact-sheets/detail/diabetes>>. [23 November 2019]
- Widayati, A. (2012) ‘Health Seeking Behavior Di Kalangan Masyarakat Urban Di Kota Yogyakarta’, *Jurnal Farmasi sains dan Komunitas*, 9(2): pp. 59–65.
- Widiarti, A., Bachri, A., Husaini., (2016) ‘Analisis Pengaruh Faktor Perilaku Terhadap Pemanfaatan Kearifan Lokal Sebagai Obat Tradisional Oleh Masyarakat di Kota Palangka Raya’, *Jurnal Berkala Kesehatan*, 2: pp. 30–41
- Yanfeng Li, Md, Mph, Nilka, Ríos Burrows, Mph , Edward W. Gregg, Phd, Ann Albright, Phd, Rd, Linda S. Geiss, M. (2012) ‘Declining Rates of Hospitalization for Nontraumatic Lower-Extremity’. care.diabetesjournals.org, pp.1-5, doi: 10.2337/dc11-1360.
- Yuningsih, R. (2012) ‘Pengobatan Tradisional di Unit Pelayanan Kesehatan’, IV(05),*Info Singkat Kesejahteraan Sosial*. pp. 36–39.
- Zollman C., Vickers A. 1999. ABC of Complementary Medicine:Complementary Medicine and The Doctor. *British Medical Journal*.Volume 319