

DAFTAR PUSTAKA

- Amiza MA., Nurul Ashikin S., and Faazaz AL. 2011. Optimization of Enzymatic Protein Hydrolysis from Silver Catfish (*Pangasius* sp.) frame. International Food Research Journal, 18 (2011):775–781.
- Anzani, C., Barbara P., Tullia T., Chiara B., Giovanni S., Arnaldo D., and Stefano S. 2019. Enzymatic Hydrolysis As A Means of Recovering Bovine Hides: Laboratory and Medium Scale Trials, Characterization of Hydrolysates. Multidisciplinary Journal for Waste Resources & Residues, 5(19): 57-65.
- AOAC. 2006. Official Methods of Analysis 17th Ed. The Association of Official Analysis Chemist Inc. Gaithersburg: USA.
- Apriliana, Siliviana S., dan Rodia S. 2014. Pengaruh Konstruksi Kain terhadap Kualitas Batik dengan Teknik Wet on Wet. Fashion Education Journal, 3 (1): 1-6.
- Badan Standardisasi Nasional. 2006. Ikan Segar - Bagian 3: Penanganan dan Pengolahan SNI 01-2729.3-2006.
- Balachandran, K. K. 2001. Post Harvest Technology of Fish and Fish Products. Daya Publishing House. Delhi. 440p.
- Carvalho, R.H., Galvao E.L., Barros J.A.C., Conceicao M., and Sousa E.M. 2012. Extraction, Fatty Acid Profile, and Antioxidant Activity of Sesame Extract. Brazilian Journal of Chemical Engineering, 29 (2): 409-420.
- Chaijan, M., Benjakul S., Visessanguan W., and Faustman C. 2005. Changes of Pigments and Color in Sardine (*Sardinella gibbosa*) and Mackerel (*Rastrelliger kanagurta*) Muscle During Iced Storage. Food Chemistry, 93(4): 607-617.
- Cheison, S.C., Meike S., Elena L., Thomas L., and Ulrich K. 2010. Influence of Temperature and Degree of Hydrolysis on the Peptide Composition of Trypsin Hydrolysates of β -lactoglobulin: Analysis by LC-ESI-TOF/MS. Food Chemistry, 121(2010): 457-467.
- Chuesiang, P., and Romanee S. 2015. Protein Hydrolysate from Tilapia Frame: Antioxidant and Angiotensin I Converting Enzyme Inhibitor Properties. International Journal of Food Science and Technology, 2015(50): 1436-1444.
- Csapo, J., Zsuzsanna C., Laszlo W., Tibor T., Truman G., Staffan F., and Anna T. 1997. Hydrolysis of Proteins Performed at High Temperatures and for Short Times with Reduced Racemization, in Order to Determine the Enantiomers of D- and L-Amino Acids. Analytica Chimica, 339(1997): 99-107.

- Dave, D. 2016. Salmon Processing Waste: A Prospectice Source for Nutraceuticals. *Waste Management Applied Research*, 16(2015):2-23
- Detkamhaeng, N., Wanchai W., and Jirapa H. 2016. Production of Protein Hydrolysate from Yellowfin (*Thunnus albacares*) and Skipjack Tuna (*Katsuwonus pelamis*) Viscera. *Kasetsart University Fisheries Research Bulletin*, 40 (2): 51-67.
- Diniz, G.S., Barbarino E., Pacheco J.O., and Lourenço S.O. 2013. Gross Chemical Profile and Calculation Of Nitrogen-To-Protein Conversion Factors for Nine Species Of Fishes from Coastal Waters of Brazil. *Latin America Journal of Aquatic Research*, .41(2): 254-264.
- EFSA (European Food Safety Authority). 2004. Specific Hygiene Rules for Food of Animal Origin. *In: Borges, Juliana N., Jakob S., Qusay Z.M., Ole S.M., Per W.K., Claudia P.S., and Kurt B. 2014. Viability of Cryptocotyle lingua metacercariae from Atlantic cod (*Gadus morhua*) after exposure to freezing and heating in the temperature range from -80 °C to 100 °C. Food Control*, 50 (2015): 371-377.
- Fatkurahman, R., W. Atmaka dan Basito. 2012. Karakteristik Sensoris dan Sifat Fisikokimia Cookies dengan Substitusi Bekatul Beras Hitam (*Oryza Sativa L.*) dan Tepung Jagung (*Zea Mays L.*). *Jurnal Teknosains Pangan*, 1(1): 49-57.
- Fitrah, M., dan Lutfiyah. 2017. Metode Penelitian: Penelitian Kualitatif, Tindakan Kelas dan Studi Kasus. CV Jejak. Sukabumi. Hal 66.
- Fox, P.F., P.A. Morrissy and D.M. Mulvihil. 1991. Chemical and Enzymatic Modification of Food Protein. London. Applied Science Publishers. Pp 1-60.
- Gbouri, G.A., Linder M., Fanni J., and Parmentier. Influence of Hydrolysis Degree on the Functional Properties of Salmon Byproducts Hydrolysate. *Journal of Food Science*, 69 (8):615-622.
- Halagrada, M., Katarzyna K., and Zofia C. 2012. The Quality of Low-Density Polyethylene Freezer Bags Available on the Polish Market. 18th Symposium of Internation Society of Commodity Science and Technology. Hal 2-12.
- Hamdi, Asep S. 2014. Metode Penelitian Kuantitatif: Aplikasi dalam Pendidikan. Deepublish. Yogyakarta. Hal 107.
- Hartwig, P. 2007. Process for Sludge Water Treatment – Technology, Application, Operational Experience. *Iranica Journal of Energy and Environment*, 8(1): 44-47.

- Jin, T., Wu Y., and Wang Q. 2012. Production and Characteristics of Protein Hydrolysates from Bombay Duck (*Harpodon nehereus*). Journal Of Food Processing And Preservation, 36 (1): 30-37.
- Jun, S. Y., Park P. J., Jung W. K., and Kim S. K. 2004. Purification and Characterization of An Antioxidative Peptide from Enzymatic Hydrolysate of Yellowfin Sole (*Limanda aspera*) Frame Protein. European Food Research and Technology, 219(2004): 20–26.
- Ketnawa, S., and Andrea M. L. 2017. Effect of Microwave Treatments on Antioxidant Activity and Antigenicity of Fish Frame Protein Hydrolysates. Food Bioprocess Techology, 2017 (10): 582-591.
- Klomklao, S., and Soottawat B. 2018. Protein Hydrolysates Prepared from the Viscera of Skipjack Tuna (*Katsuwonus pelamis*): Antioxidative Activity and Functional Properties. Turkish Journal of Fisheries and Aquatic Sciences, 18(1): 69-79.
- Lawless, H. 2013. Quantitative Sensory Analysis Psychophysics, Models and Intelligent Design. John Wiley and Sons. USA. Pp 151.
- Lekrisompeng, P.P., R. Evan., and Mary Anne D. 2010. Characterisation of Flavor of Whey Protein Hydrolysates. Journal of Agricultur Food Chemistry, 58 (10): 6318-6327.
- Martínez-Alvarez, O., Chamorro, S., and Brenes, A. 2015. Protein Hydrolysates from Animal Processing By-Products as a Source of Bioactive Molecules. Food Research International, 73 (2015): 204-212.
- Min-Soo. H., and Jin-Soo K. 2007. Food Component Characteristics of Fish Frames as Basic Ingredients of Fish Gomtang. Journal of the Korean Society of Food Science and Nutrition, 36 (11): 1417-1424.
- Morais, H.A., Marialice P.C.S., Viviane D.M.S., Mauro R.S., Ana C.S., and Josianne N.S. 2013. Correlation between the Degree of Hydrolysis and the Peptide Profile of Whey Protein Concentrate Hydrolysates: Effect of the Enzyme Type and Reaction Time. 2013. American Journal of Food Technology, 8(1): 1-16.
- Murray, J., and J.R. Burt. 2001. The Composition of Fish. FAO Corporate Document Repository: TORRY Advisory Note. pp 38.
- Nabil, M. 2005 Pemanfaatan Limbah Ikan Tuna (*Thunnus sp.*) Sebagai Sumber Kalsium dengan Metode Hidrolisis Protein. Skripsi. Fakultas Perikanan dan Ilmu Kelautan. Institut Pertanian Bogor. Bogor. 83 hal.

- Nielsen, P.M., Petersen D., and Dambmann C. 2001. Improved Method for Determining Food Protein Degree of Hydrolysis. *Journal of Food Science*, 66(5): 642-646.
- Nithin, K.P., A. Manjunatha., N.S. Sudhakara., and R.M. Prabhu. 2013. Physical and Chemical Properties of Filleting Waste from Grouper and Goat Fish. *International Journal of Science, Environment, Technology*, 2(4):760-764.
- Nurdiana, R., Dissanayake M., Street W., Donkor O.N., Singh T.K., and Vasiljevic T. 2016. In Vitro Study of Selected Physiological and Physicochemical Properties of Fish Protein Hydrolysates from 4 Australian Fish Species. *International Food Research Journal*, 23(5): 2029-2040.
- Osibona, A.O., Kusemiju K., and Akande G.R. 2006. Proximate Composition and Fatty Acids Profile of the African Catfish *Clarias gariepinus*. *Journal of Life and Physical Sciences*, 3(1): 85-89.
- Pasupuleti, V.K., and Demain A. 2010. Protein Hydrolysates in Biotechnology. Springer. USA. pp 229.
- Rajisha, K.R., Deepa B., Pothan L.A., and S. Thomas. 2011. Thermomechanical and Spectroscopic Characterization of Natural Fibre Composites. *Interface Engineering of Natural Fibre Composites for Maximum Performance*, 2011 (9): 241-274.
- Rinidar, I.M., Ria Z.B., Abdul H., Sugito, dan Herrialfian. 2015. Analisis Proksimat Kadar Lemak Ikan Nila yang Diberi Suplementasi Daun Jaloh yang Dikombinasi dengan Kromium dalam Pakah Setelah Pemaparan Stres Panas. *Jurnal Medika Veterinaria*, 9(1): 60-63.
- Rosaini, H., Roslinda R., dan Vinda H. 2015. Penetapan Kadar Protein Secara Kjeldahl beberapa Makanan Olahan Kerang Remis Danau Singkarah. *Jurnal Farmasi Higea*, 7(2): 120-127.
- Rosdianti, I. 2008. Pemanfaatan Enzim Papain Dalam Produksi Hidrolisat Protein Dari Limbah Industri Minyak Kelapa. Skripsi. Fakultas Matematika Dan Ilmu Pengetahuan Alam. Institut Pertanian Bogor. Bogor. 30 hal.
- Sarower, G., Abdul F.M., Bhabanada B., and Hiroki A. 2012. Taste Producing Components in Fish and Fishery Products. *International Journal of Food Fermentation Technology*, 2(2): 113-121.
- Sen, S., Chakraborty R., Sridharl C., Y.S.R. Reddy and B. De. 2010. Free Radicals, Antioxidants, Diseases and Phytomedicines: Current Status and Future Prospect. *International Journal of Pharmaceutical Science*, 3(1): 91-100.

- Sujoko, H., Mohamad A.S., dan Arief B. 2009. Seleksi Spermatozoa Domba Garut dengan Metode Sentrifugasi Gradien Densitas Percoll. *Jurnal Veteriner*, 10(3): 125-132.
- Sukar, N.A. 2008. Optimization of Enzymatic Hydrolysis from Patin (*Pangasius* spp.) frame waste. Thesis. Universiti Malaysia Terengganu. Malaysia. 73p.
- Suparjo. 2010. Analisis Bahan Pakan secara Kimia: Analisis Proksimat dan Analisis Serat. Fakultas Peternakan Universitas Jambi. Jambi. Hal 7.
- Tarwendah, I.P. 2017. Studi Komparasi Atribut Sensoris Dan Kesadaran Merek Produk Pangan. *Jurnal Pangan dan Agroindustri* 5(2): 66-73.
- Trisakti, B., Yustina B.S., dan Irvan. 2015. Pembuatan Bioetanol dari Tepung Ampas Tebu Melalui Proses Hidrolisis Termal dan 17 Fermentasi serta Recycle Vinasse (Pengaruh Konsentrasi Tepung Ampas Tebu, Suhu dan Waktu Hidrolisis. *Jurnal Teknik Kimia USU*, 4(3): 17-22.
- Venugopal, V. 2006. Seafood Processing: Adding Value Through Quick Freezing, Retortable Packaging, and Cook-Chilling. Boca Raton: CRC Press. 70 pp.
- Vilamil, O., Henry V., dan Jose F. S. 2017. Fish Viscera Protein Hydrolysates: Production, Potential Applications and Functional and Bioactive Properties. *Food Chemistry*, 224 (2017): 160-171.
- Vioque, J.A., Clemente J., Pedroche M., and Yust F. 2001. Obtaining and Applications of Protein Hydrolysates. *Grasas Aceites*, 52 (2001): 132-136.
- Vlieg, P., and Bailey K.N. 1989. Proximate Composition of Peruvian Jack Mackerel (*Trachurus murphyi*) from New Zealand. *Journal of Food Composition and Analysis*, 2(1989): 53-58.
- Wijayanti, I., Romadhon., dan Laras R. 2017. Characteristic of Milkfish (*Chanos chanos* Forsk) Protein Hydrolysate as Effect of Different Bromelin Enzyme Concentration. *Jurnal Saintek Perikanan*, 11(2): 129-133.
- Yarnpakdee, S., Benjakul S., and Kristinsson H.G. 2012. Effect of Pretreatments on Chemical Compositions of Mince from Nile Tilapia (*Oreochromis niloticus*) and Fishy Odor Development in Protein Hydrolysate. *International Aquatic Research*, 4(1): 7-15.
- Yusuf, M. 2017. Metode Penelitian: Kuantitatif, Kualitatif, dan Penelitian Gabungan. Penerbit Kencana. Jakarta.
- Zerin, I., and Eshita D. A Review Article on Applications of Filter Cloth. *International Journal of Clothing Science*, 5(1): 1-6.