

The applicability of Willems dental age estimation method for Indonesian children population in Surabaya

by Agung Sosiawan

Submission date: 15-Feb-2021 10:49AM (UTC+0800)

Submission ID: 1509607911

File name: 08_Kurniawan2020_Article_TheApplicabilityOfWillemsDenta.pdf (457.76K)

Word count: 3347

Character count: 17632

ORIGINAL ARTICLE

Open Access

25

The applicability of Willems dental age estimation method for Indonesian children population in Surabaya



Arofi Kurniawan^{1*}, Shintya Rizky Ayu Agitha², Mieke Sylvia Margaretha¹, Haryono Utomo¹, An'nisaa Chusida¹, Agung Sosiawan¹, Maria Istiqomah Marini¹ and Beta Novia Rizky^{1,3}

Abstract

Background: The applicability of dental age estimation has been expanded to meet a variety of medico-legal needs, law enforcement, and disaster victim identification. The objective of this study is to examine the applicability of the Willems method for Indonesian children.

Material and method: A total of 110 panoramic radiographs of the patients (6–14 years old) who met the inclusion criteria were obtained from the Department of Forensic Odontology and Department of Radiology, Universitas Airlangga, Indonesia. Estimated dental age (EDA) was assessed using the Willems method by two blinded examiners. The statistical analysis was carried out using IBM® SPSS® Statistics version 23.0 (IBM, Armonk, NY, USA).

Results and discussion: The mean of the chronological age (CA) in this study is 11.30 ± 1.43 years (boys) and 11.65 ± 1.55 years (girls). The overall mean difference between CA and EDA for boys and girls is -0.08 ± 0.76 and -0.31 ± 0.97 , respectively. This study showed that the mean age difference in girls was more significant than in boys. The growth spurt timing between boys and girls might cause a difference in dental maturation, whereas the onset of the pubertal growth spurt in girls is about 2 years earlier than in boys. In general, girls start and finish their dental development earlier than boys end.

Conclusion: The present study suggests that the dental age estimation methods proposed by Willems can be considered as an applicable method for the children population in Surabaya, both boys and girls. However, a detailed study may be required while applying this approach to the 11–14-year-old girl population in Surabaya, as a substantial underestimation was observed in this community.

Keywords: Chronological ages, Estimated dental ages, Forensic odontology, Willems method

Introduction

Indonesia is a huge archipelagic country located in the Ring of Fire, which is vulnerable to catastrophes such as volcanic eruption, earthquakes, floods, and tsunamis (Geographic 2019). The National Disaster Management Agency (Badan Nasional Penanggulangan Bencana) has announced that 709 disasters occurred in Indonesia between January and February 2019, with over 396,000 refugees and 130 deaths (Badan Nasional Penanggulangan Bencana (BNPB) 2019).

For over 250 million of the population with a diversity of culture and religions, a suitable identification method is urgently needed to be adopted at an event of a mass disaster in Indonesia (Sahelangi and Novita 2012). Age estimation is one of the ways to identify an individual by classifying the victim according to their estimated ages. Age estimation is also required in the fields of law enforcement, immigrant cases (Pradella et al. 2017), sports competition (Timme et al. 2017), and marriage (Islam 1984).

The value of teeth in assessing individual age is widely accepted in forensic sciences and numerous areas of human life, such as socioeconomic, legal aspects, and dental treatment planning (Koshy and Tandon 1998;

* Correspondence: arofi.kurniawan@fkg.unair.ac.id

¹Department of Forensic Odontology Faculty of Dental Medicine, Universitas Airlangga, Jalan Mayjend. Prof. Dr. Moestopo 47, Surabaya 60132, Indonesia
Full list of author information is available at the end of the article

Franco et al. 2013). Several studies have been performed on the estimation of human biological age (Cameriere et al. 2004); most of those are focused on skeletal markers (Priya 2017) such as epiphyseal and cranial suture fusions (Ebeye et al. 2016), hand-wrist bones (Benjavongkulchai and Pittayapat 2018), sternoclavicular bones (Ufuk et al. 2016), and dental maturation (Manjunatha and Soni 2014).

The previous studies have demonstrated that the radiograph of hand-wrist and dental development is the most reliable method of assessing the biological age for children and adolescents (Greulich 1959). This study was proposed to analyze the applicability of the Willems dental age estimation method applied in Indonesian children, which is categorized as Mongoloid race.

28

Material and methods

The present study was conducted under the approval from the Ethics Committee of the Faculty of Dental Medicine, Universitas Airlangga, Indonesia (permit number: 48/KKEPK.FKG/IV/2016). Panoramic radiographs were collected from 110 patients (46 boys and 64 girls; 6–14 years old) who met the following inclusion criteria:

- Clear panoramic radiographs
- Date of birth and date of the radiographic recording were available
- Chronological age between 6 and 14 years old
- Indonesian descendants (parents are of the same ethnicity)

The exclusion criteria of this study were as follows:

- Patient with orthodontics appliances
- Bilateral tooth extraction
- Developmental abnormalities or disorders

The subjects were then divided into two groups of age (6–10 and 11–14 years old) in both sexes.

The developmental stage of all seven left mandibular teeth was determined according to the Demirjian classification. If a mandibular tooth on the left side is missing, the corresponding tooth on the right side is used as a substitute. The stage of each tooth was then converted to scores using the Willems score chart and summed up to calculate an estimated dental age (EDA) of the subject (Koshy and

Tandon 1998; Willems et al. 2001; Franco et al. 2013). Two observers assessed the tooth developmental stages on panoramic radiographs during two different periods.

All data, both CA and EDA, were then tabulated and analyzed using IBM® SPSS® Statistics version 23.0 (IBM, Armonk, NY, USA). Analysis of the discrepancy between CA and EDA of each group was investigated using paired sample *t* test, with a confidence interval of 95%.

Results

Out of the 110 subjects, 64 were girls and 46 were boys, 6–14 years old. The inter-examiner agreement test was calculated to attain the reliability of the data, with Cohen's kappa coefficient < 0.05. The Shapiro-Wilk test was also performed to explain that the data is normally distributed and is adequate for further statistical analysis, $p > 0.05$.

The independent sample *t* test was used to calculate the mean age difference between boys and girls, with $p = 0.198$. The overall mean difference between CA and EDA for boys and girls revealed an underestimation of -0.08 ± 0.81 and -0.20 ± 1.00 , respectively. Subsequently, the difference between CA and EDA in boys' and girls' group was analyzed using the paired sample *t* test, $p = 0.513$ for boys and $p = 0.121$ for girls (Table 1). This result suggests that in general, the underestimation of age was not significant in boys and girls (Table 2).

Further analysis was done by classifying the age groups to 6–10 and 11–14 years old. Overestimation of age was observed in 6–10 years, both boys and girls, without a significant statistical difference, $p > 0.05$. Underestimation of age was described in 11–14 years, in both sexes. The age difference between CA and EDA in boys was not significant in all ranges of age, whereas in girls, a significant underestimation of age was observed in the range 11–14 years, $p = 0.002$.

Discussion

Estimating a person's age is one of the most important aspects of human identification (Ubelaker and Khosrowshahi 2019). Dental age estimation significantly narrows the search possibilities of the suspected victim into the estimated ages and gender (Krishan et al. 2015). This study took place in Surabaya, East Java, Indonesia. We evaluated the applicability of the Willems method for

Table 1 Statistical analysis of CA and EDA of the total subjects (in years)

Gender	N	Chronological age (CA)		Estimated dental age (EDA)		Age difference			Remarks
		Mean	SD	Mean	SD	Mean	SD	Sig.	
Boys	46	11.02	1.72	10.94	1.69	-0.08	0.81	0.513	Underestimate
Girls	64	11.08	1.81	10.88	1.80	-0.20	1.00	0.121	Underestimate
Total	110	11.05	1.77	10.91	1.75	-0.15	0.92		Underestimate

Table 2 Statistical analysis of CA and EDA of the age group in boys and girls (in years)

Gender	Age group	Chronological age (CA)		Estimated dental age (EDA)		Age difference			Remarks
		Mean	SD	Mean	SD	Mean	SD	Sig.	
Boys	6–10	9.45	1.28	9.61	1.68	0.16	0.88	0.431	Overestimate
	11–14	12.13	0.95	11.88	0.87	-0.25	0.73	0.088	Underestimate
Girls	6–10	9.60	1.03	9.72	1.42	0.13	0.99	0.472	Overestimate
	11–14	12.65	0.89	12.11	1.27	-0.54*	0.91	0.002*	Underestimate*

*Significant difference

Indonesian children, which are classified as the Mongoloid race, whereas the population of the established method was Caucasian.

In the scope of dental age estimation, the previous study by Olze et al. had reviewed various methods of dental development staging and found that the Demirjian method can define the chronological age accurately (Olze et al. 2005). In spite of that statement, another study suggested that the modification of the Demirjian method proposed by Willems showed higher accuracy in estimating age and has been tested in various populations (Willems et al. 2001, 2012; Grover et al. 2012; Ambarkova et al. 2014; Ye et al. 2014). The Willems method was considered to be applied in the Indonesian children population because of its accuracy, and there was no established dental age estimation method for Indonesian children.

The previous study in Malay children (Mongoloid race) found that the Willems method showed overestimation in age groups of 5 and 15 years, and underestimation in age groups of 10 years in both sexes, without a significant statistical difference (Ismail et al. 2018). Unlike the results of the previous study in Malay children, there was an underestimation of age observed in the present study, both boys and girls. Further statistical analysis suggested that there was no significant difference between CA and EDA in the boys' group. However, a significant difference was observed in the girls' group.

The differences in dental maturation between boys and girls that might cause significant mean age difference are more visible in the girls' group, whereas girls experience earlier growth spurt phase than boys. The growth spurt phase in girls occurs in early birth periods, 6 until 7 years, and 12 to 14 years old. Some literature has discussed that the mean difference of the onset of a pubertal growth spurt in boys and girls is about 2 years earlier for girls (Burstone 1963; de Souza Araujo et al. 2011). A study by Nolla (1960) stated that there are remarkable differences in the distribution of tooth calcification and mineralization between sexes. In general, girls begin and end their dental development earlier than boys (Nolla 1960; Chertkow 1980).

A study by Willems in 2001 confirmed the substantial overestimation of the dental age in Belgian Caucasians

using the original methods by Demirjian. It claimed that significant overestimation is due in theory to the different rates of dental development in different populations (Willems et al. 2001). Evaluation of dental development was considered as a reliable method for predicting age, as maturation events associated with tooth formation are less variable, and the mineralization of teeth is not affected by the external factors, such as crowding, retention, or early extraction of deciduous teeth (Chertkow and Fatti 1979; Maia et al. 2010; Latić-Dautović et al. 2017). As a developing country with a huge population, socioeconomic and nutritional status may affect the skeletal and dental growth of children in Indonesia (Cameriere et al. 2007).

Routine radiographs for dental treatment such as panoramic and periapical may be used as evidence in the forensic fields. Estimating the dental age in children can be done by defining the calcification and mineralization of teeth. Some combined methods, such as hand-wrist radiograph, might be necessary for further consideration and investigation of the dental age estimation.

Conclusion

The results of this study suggest that the dental age estimation method proposed by Willems can be applied accurately to the boy population in Surabaya, as there was no significant statistical difference. However, a thorough analysis might be necessary while applying this method to the girl population in Surabaya. A small number of subjects have been thought as one limitation in this study; hence, further studies with more samples will improve the reliability of the Willems method in Indonesia.

Abbreviations

CA: Chronological age; EDA: Estimated dental age

Acknowledgements

Not applicable

Authors' contributions

AK, SRA, and MIM contributed to the data collection and dental age assessment of the subjects. MSM, HU, AC, and AS are the supervisor of the present study. AK, MIM, and BNR contributed to the drafting of the manuscript. All authors have read and approved the final manuscript.

Funding

Not applicable.

Availability of data and materials

Not applicable.

Ethics approval and consent to participate

Ethical approval has been obtained from the Ethics Committee of the Faculty of Dental Medicine, Universitas Airlangga (KKEPK), Indonesia (permit number: 48/KKEPK.FKG/IV/2016), in accordance with the International Ethical Guidelines for Biomedical Research Involving Human Subjects by The Council for International Organizations of Medical Sciences (CIOMS).

Consent for publication

Not applicable.

12

Competing interests

The authors declare that they have no competing interests.

Author details

¹Department of Forensic Odontology Faculty of Dental Medicine, Universitas Airlangga, Jalan Mayjend, Prof. Dr. Moestopo 47, Surabaya 60132, Indonesia.

²Faculty of Dentistry, Universitas Hang Tuah, Surabaya 60111, Indonesia.

³Postgraduate School, Universitas Airlangga, Surabaya 60132, Indonesia.

Received: 27 November 2019 Accepted: 28 January 2020

Published online: 07 February 2020

References

- Ambarkova V, Galić I, Vodanović M et al (2014) Dental age estimation using Demirjian and Willems methods: cross sectional study on children from the Former Yugoslav Republic of Macedonia. *Forensic Sci Int*. <https://doi.org/10.1016/j.forsciint.2013.10.024>
- Badan Nasional Penanggulangan Bencana (BNPB) (2019) Infografis Kejadian Bencana. <https://bnpb.go.id/publikasi/info-bencana/info-bencana-februari-2019.html>. Accessed 14 Nov 2019
- Benjavongkulchai S, Pittayapat P (2018) Age estimation methods using hand and wrist radiographs in a group of contemporary Thais. *Forensic Sci Int*. <https://doi.org/10.1016/j.forsciint.2018.03.045>
- Burstone CJ (1963) Process of maturation and growth prediction. *Am J Orthod*. [https://doi.org/10.1016/0002-9416\(63\)90220-3](https://doi.org/10.1016/0002-9416(63)90220-3)
- Cameriere R, Ferrante L, Cingolani M (2004) Precision and reliability of pulp/tooth area ratio (RA) of second molar as indicator of adult age. *J Forensic Sci* 49:1–5. <https://doi.org/10.1520/JFS2004125>
- Cameriere R, Flores-Mir C, Mauricio F, Ferrante L (2007) Effects of nutrition on timing of mineralization in teeth in a Peruvian sample by the Cameriere and Demirjian methods. *Ann Hum Biol* 34:547–556. <https://doi.org/10.1080/03014460701556296>
- Chertkow S (1980) Tooth mineralization as an indicator of the pubertal growth spurt. *Am J Orthod*. [https://doi.org/10.1016/0002-9416\(80\)90226-2](https://doi.org/10.1016/0002-9416(80)90226-2)
- Chertkow S, Fatti P (1979) The relationship between tooth mineralization and early radiographic evidence of the ulnar sesamoid. *Angle Orthod* 49:282–288. [https://doi.org/10.1043/0003-3219\(1979\)049<0282:TRBTMA>2.0.CO;2](https://doi.org/10.1043/0003-3219(1979)049<0282:TRBTMA>2.0.CO;2)
- de Souza Araujo MT, A De A C-S, AFJ d M (2011) Clinical and radiographic guidelines to predict pubertal growth spurt. *Dental Press J Orthod*. <https://doi.org/10.1590/S2176-94512011000500015>
- Ebeye OA, Eboh DE, Onyia NS (2016) Radiological assessment of age from epiphyseal fusion at the knee joint. *Anatomy*. <https://doi.org/10.2399/ana.15.020>
- Franco A, Thevissen P, Fieuws S et al (2013) Applicability of Willems model for dental age estimations in Brazilian children. *Forensic Sci Int* 231:401.e1–401.e4. <https://doi.org/10.1016/j.forsciint.2013.05.030>
- Geographic N (2019) Ring of Fire. <https://www.nationalgeographic.org/encyclopedia/ring-of-fire/>. Accessed 14 Nov 2019
- Greulich WWPS (1959) Radiographic atlas of skeletal development of the hand and wrist, 2nd edn. Stanford Univ. Press, Stanford
- Grover S, Marya CM, Avinash J, Pruthi N (2012) Estimation of dental age and its comparison with chronological age: accuracy of two radiographic methods. *Med Sci Law*. <https://doi.org/10.1258/msl.2011.011021>
- Islam MN (1984) Estimation of mean age at first marriage: use of a simple mathematical model. *Rural Demogr* 27:39–59
- Ismail AF, Othman A, Mustafa NS et al (2018) Accuracy of different dental age assessment methods to determine chronological age among Malay children. *J Phys Conf Ser* 1028:012102. <https://doi.org/10.1088/1742-6596/1028/1/012102>

- Koshy S, Tandon S (1998) Dental age assessment: the applicability of Demirjian's method in South Indian children. *Forensic Sci Int*. [https://doi.org/10.1016/S0379-0738\(98\)00034-6](https://doi.org/10.1016/S0379-0738(98)00034-6)
- Krishan K, Kanchan T, Garg AK (2015) Dental evidence in forensic identification - an overview, methodology and present status. *Open Dent J* 9:250–256. <https://doi.org/10.2174/1874210601509010250>
- Latić-Dautović M, Nakaš E, Jelešković A et al (2017) Cameriere's European formula for age estimation: a study on the children in Bosnia and Herzegovina. *South Eur J Orthod Dentofac Res*. <https://doi.org/10.5937/sejodr4-15528>
- Maia MCG, Martins M d GA, Germano FA et al (2010) Demirjian's system for estimating the dental age of northeastern Brazilian children. *Forensic Sci Int* 200:177.e1–177.e4. <https://doi.org/10.1016/j.forsciint.2010.03.030>
- Manjunatha BS, Soni N (2014) Estimation of age from development and eruption of teeth. *J Forensic Dent Sci*. <https://doi.org/10.4103/0975-1475.132526>
- Nolla CA (1960) The development of the permanent teeth. *J Dent Child* 27:254–66
- Olze A, Bilang D, Schmidt S et al (2005) Validation of common classification systems for assessing the mineralization of third molars. *Int J Legal Med*. <https://doi.org/10.1007/s00414-004-0489-5>
- Pradella F, Pinchi V, Focardi M et al (2017) The age estimation practice related to illegal unaccompanied minors immigration in Italy. *J Forensic Odontostomatol* 35:141–148
- Priya E (2017) Methods of skeletal age estimation used by forensic anthropologists in adults: a review. *Forensic Res Criminol Int J*. <https://doi.org/10.15406/frcj.2017.04.00104>
- Sahelangi P, Novita M (2012) Role of Dentists in Indonesian Disaster Victim Identification Operations: Religious & Cultural Aspects. *J Forensic Odontostomatol* 30:11
- Timme M, Steinacker JM, Schmeling A (2017) Age estimation in competitive sports. *Int J Legal Med* 131:225–233
- Ubelaker DH, Khosrowshahi H (2019) Estimation of age in forensic anthropology: historical perspective and recent methodological advances. *Forensic Sci Res* 4:1–9. <https://doi.org/10.1080/20961790.2018.1549711>
- Ufuk F, Agladioglu K, Karabulut N (2016) CT evaluation of medial clavicular epiphysis as a method of bone age determination in adolescents and young adults. *Diagnostic Interv Radiol*. <https://doi.org/10.5152/dir.2016.15355>
- Willems G, Ramanan N, Thevissen P, Fieuws S (2012) Dental age estimation in Japanese individuals combining permanent teeth and third molars. *J Forensic Odontostomatol* 30 (2):34–39
- Willems G, Van Olmen A, Spiessens B, Carels C (2001) Dental age estimation in Belgian children: Demirjian's technique revisited. *J Forensic Sci* 46:15064J. <https://doi.org/10.1520/JFS15064J>
- Ye X, Jiang F, Sheng X et al (2014) Dental age assessment in 7–14-year-old Chinese children: comparison of Demirjian and Willems methods. *Forensic Sci Int*. <https://doi.org/10.1016/j.forsciint.2014.07.027>

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Submit your manuscript to a SpringerOpen® journal and benefit from:

- Convenient online submission
- Rigorous peer review
- Open access: articles freely available online
- High visibility within the field
- Retaining the copyright to your article

Submit your next manuscript at ► [springeropen.com](https://www.springeropen.com)

The applicability of Willems dental age estimation method for Indonesian children population in Surabaya

ORIGINALITY REPORT

23%

SIMILARITY INDEX

14%

INTERNET SOURCES

20%

PUBLICATIONS

0%

STUDENT PAPERS

PRIMARY SOURCES

1 academic.oup.com Internet Source 2%

2 www.omicsonline.org Internet Source 2%

3 Maria Istiqomah Marini, Hastomo Angrosidy, Arofi Kurniawan, Mieke Sylvia Margaretha. "The anthropological analysis of the nasal morphology of Dayak Kenyah population in Indonesia as a basic data for forensic identification", *Translational Research in Anatomy*, 2020
Publication 2%

4 Pooja Balgi, Farhin Katge, Shishir Singh, Jayakumar Jayaraman. "Comparative assessment to determine the accuracy of Demirjian and DARLInG methods of dental age estimation in western Indian children", *Legal Medicine*, 2020
Publication 1%

5	Tsz Wing Yeung, Kai Ning Cheong, Yu Lung Lau, Kei Chiu Niko Tse. "Adolescent-Onset Anti-MDA5 Antibody-Positive Juvenile Dermatomyositis with Rapidly Progressive Interstitial Lung Disease and Spontaneous Pneumomediastinum: A Case Report and Literature Review", Research Square, 2021 Publication	1 %
6	mafiadoc.com Internet Source	1 %
7	Aijun Liang, Chaoyang Zhou, Jianzhong Zhang, Jingxing Leng et al. "ANTXR1 Facilitates Tumor Growth in Glioma via Deactivating MAPK Signaling Pathway", Research Square, 2020 Publication	1 %
8	Guy Willems, An Van Olmen, Bart Spiessens, Carine Carels. "Dental Age Estimation in Belgian Children: Demirjian's Technique Revisited", Journal of Forensic Sciences, 2001 Publication	1 %
9	M. G. Vogiatzi, K. C. Copeland. "The Short Child", Pediatrics in Review, 1998 Publication	1 %
10	repozitorij.unizg.hr Internet Source	1 %
11	Andrea Finlay, Ingrid Binswanger, Christine Timko. "Introduction to the special issue",	1 %

12

www.researchsquare.com

Internet Source

1 %

13

Temitope A. Esan, Lynne A. Schepartz.
"Accuracy of the Demirjian and Willems
methods of age estimation in a Black
Southern African population", Legal Medicine,
2018

Publication

1 %

14

Castel-Branco, Ana Margarida Nunes F.
(Figueiredo, Andreia and Figueiredo, Cristina).
"A cronologia de desenvolvimento do
segundo molar e sua relação com a
estimativa forense da idade", Veritati -
Repositório Institucional da Universidade
Católica Portuguesa, 2014.

Publication

<1 %

15

Lewis, James, and David Senn. "Dental Age
Estimation", Manual of Forensic Odontology
Fifth Edition, 2013.

Publication

<1 %

16

Y.-C. Guo, X.-W. Lin, W.-T. Zhang, C.-X. Yan, F.
Pan, T.-L. Yan, J.-P. Li, T. Chen, A. Schmeling,
H. Zhou. "Die Chronologie der Mineralisation
der dritten Molaren in einer nordchinesischen
Population", Rechtsmedizin, 2015

Publication

<1 %

17	hrcak.srce.hr Internet Source	<1 %
18	Alaettin Koç, Esin Özlek, Ayşe Gül Öner Talmaç. "Accuracy of the London atlas, Willems, and Nolla methods for dental age estimation: a cross-sectional study on Eastern Turkish children", <i>Clinical Oral Investigations</i> , 2021 Publication	<1 %
19	Caitlin Gilbert, Scott I. Fairgrieve, Scott C. Keenan. "A Test of the Demirjian method of dental ageing using a mixed population sample from Northern Ontario", <i>Canadian Society of Forensic Science Journal</i> , 2014 Publication	<1 %
20	P. Duangto, A. Janhom, S. Prasitwattanaseree, A. Iamaroon. "New equations for age estimation using four permanent mandibular teeth in Thai children and adolescents", <i>International Journal of Legal Medicine</i> , 2018 Publication	<1 %
21	nora.nerc.ac.uk Internet Source	<1 %
22	onlinelibrary.wiley.com Internet Source	<1 %
23	Aline Maria da Silveira Sousa, Victor Jacometti, Sakher AlQahtani, Ricardo Henrique Alves da	<1 %

Silva. "Age estimation of Brazilian individuals using the London Atlas", Archives of Oral Biology, 2020

Publication

24

Simone Bagattoni, Giovanni D'Alessandro, Maria Rosaria Gatto, Gabriela Piana.

"Applicability of Demirjian's method for age estimation in a sample of Italian children with Down syndrome: A case-control retrospective study", Forensic Science International, 2019

Publication

<1 %

25

journals.sagepub.com

Internet Source

<1 %

26

www.scribd.com

Internet Source

<1 %

27

Helen M. Liversidge, Berthold Herdeg, Friedrich W. Rösing. "Chapter 21 Dental Age Estimation of Non-Adults. A Review of Methods and Principles", Springer Science and Business Media LLC, 1998

Publication

<1 %

28

Rafael Boschetti de Souza, Luciana Reichert da Silva Assunção, Ademir Franco, Fábio Marzullo Zaroni et al. "Dental age estimation in Brazilian HIV children using Willems' method", Forensic Science International, 2015

Publication

<1 %

29	Yann Heuzé. "Testing the quality of nonadult Bayesian dental age assessment methods to juvenile skeletal remains: The Lisbon collection children and secular trend effects", <i>American Journal of Physical Anthropology</i> , 03/2008	<1 %
30	bmcwomenshealth.biomedcentral.com Internet Source	<1 %
31	eprints.qut.edu.au Internet Source	<1 %
32	link.springer.com Internet Source	<1 %
33	repositorio-aberto.up.pt Internet Source	<1 %
34	repub.eur.nl Internet Source	<1 %
35	www.tandfonline.com Internet Source	<1 %
36	Ivan Bedek, Jelena Dumančić, Tomislav Lauc, Miljenko Marušić, Ivana Čuković-Bagić. "New model for dental age estimation: Willems method applied on fewer than seven mandibular teeth", <i>International Journal of Legal Medicine</i> , 2019 Publication	<1 %

37

Onat Altan, Halenur, Ahmet Altan, Fundagül Bilgiç, Özlem Akıncı Sözer, and İbrahim Damlar. "The applicability of Willems' method for age estimation in southern Turkish children: A preliminary study", Journal of Forensic and Legal Medicine, 2016.

Publication

<1 %

Exclude quotes On

Exclude matches Off

Exclude bibliography On

The applicability of Willems dental age estimation method for Indonesian children population in Surabaya

GRADEMARK REPORT

FINAL GRADE

/0

GENERAL COMMENTS

Instructor

PAGE 1

PAGE 2

PAGE 3

PAGE 4
